





### ELEVATION




### 5 EXTERIOR SIGNAGE



### 4 FLAG POLE DETAIL

### 3 PIPE BOLLARD PLAN


### 2 ARCHITECTURAL SITE PLAN



#### GENERAL SITE PLAN NOTES


1. REFER TO G-SERIES SHEETS FOR TYPICAL ABBREVIATIONS, SYMBOLS & TAGS.
2. REFER TO CIVIL AND LANDSCAPE DRAWINGS FOR ADDITIONAL INFORMATION.
3. EXPOSED FERROUS METALS ARE TO BE PAINTED, U.N.O.
4. PROVIDE GALVANIC SEPARATION BETWEEN DIFFERENT METAL TYPES, TYP.
5. NOTE ANY DISCREPANCIES BETWEEN CIVIL AND ARCHITECTURAL DRAWINGS WITH REGARDS TO SCORING PATTERNS AND CONTROL JOINTS IN PAVING AND CONCRETE.
6. COORDINATE SITE LIGHTING WITH ELECTRICAL DRAWINGS.
7. SEE LANDSCAPE DRAWINGS FOR TREE LOCATIONS.
8. FOR DETAILED CIVIL NOTES, REFER TO CIVIL DRAWINGS.

#### SITE PLAN LEGEND



#### SITE PLAN KEYED NOTES

TAG	DESCRIPTION
SP1	PIPE BOLLARD - SEE DETAIL
SP2	GENERATOR - SEE ELECTRICAL SERIES FOR ADDITIONAL INFORMATION
SP4	DETENTION - SEE CIVIL AND LANDSCAPE SERIES FOR ADDITIONAL INFORMATION
SP5	TRANSFORMER - SEE ELECTRICAL SERIES
SP6	NEW 30' FLAG POLE BY CONTRACTOR - SEE DETAIL
SP7	MONUMENT SIGN - SEE DETAILS
SP8	6' VINYL FENCE - SEE SPECIFICATIONS - SEE DETAIL
SP9	TRANSFORMER AND PAD - CONTRACTOR TO COORDINATE WITH UTILITY COMPANY. SEE CIVIL AND ELECTRICAL SERIES.
SP10	GENERATOR AND 10" THICK ISOLATED GENERATOR PAD - COORDINATE ISOLATED PAD DIMENSIONS WITH FINAL MANUFACTURER. SEE ELECTRICAL SERIES
SP11	CUT CONCRETE TO ACCOMMODATE KEEPER ROD
SP12	UNDERGROUND STORM WATER DETENTION - REFER TO CIVIL SERIES
SP13	OPEN CUT PAVEMENT TO BE FILLED WITH NEW ASPHALT - REFER TO CIVIL SERIES
SP14	TRAFFIC PREEMPTION SENSOR ON POLE WITH SOLAR PANEL - CONTRACTOR TO COORDINATE SYSTEM WITH TRAFFIC PREEMPTION SYSTEM SUPPLIER. COORDINATE FINAL LOCATION WITH THE CITY AND FIRE DEPARTMENT. SEE SHEET A0.2 FOR ADDITIONAL INFORMATION
SP15	PROVIDE OPENING IN FOUNDATION WALL 2" IN LENGTH DOWN TO TOP OF GRADE TO ALLOW FOR SITE DRAINAGE. SEE CIVIL SERIES FOR ADDITIONAL INFORMATION



### 1 PIPE BOLLARD DETAIL

[illegible]

1. REFER TO C-SERIES SHEETS FOR TYPICAL ABBREVIATIONS, SYMBOLS & TAGS.
2. REFER TO CIVIL AND LANDSCAPE DRAWINGS FOR ADDITIONAL INFORMATION.
3. EXPOSED FERROUS METALS ARE TO BE PAINTED, U.N.O.
4. PROVIDE GALVANIC SEPARATION BETWEEN DIFFERENT METAL TYPES, TYP.
5. NOTE ANY DISCREPANCIES BETWEEN CIVIL AND ARCHITECTURAL DRAWINGS WITH REGARDS TO SCORING PATTERNS AND CONTROL JOINTS IN PAVING AND CONCRETE FLATWORK AND NOTIFY ARCHITECT PRIOR TO PROCEEDING.
6. COORDINATE SITE LIGHTINGS WITH ELECTRICAL DRAWINGS.
7. SEE LANDSCAPE DRAWINGS FOR TREE LOCATIONS.
8. FOR DETAILED CIVIL NOTES, REFER TO CIVIL DRAWINGS.

	PROPERTY LINE
	SETBACK LINE
	EASEMENT LINE
	ROOF OVERHANG LINE
	FENCE LINE
	INDICATES BUILDING FOOTPRINT

- INDICATES CONCRETE PAVEMENT,  
REFER TO CIVIL SERIES

- INDICATES CONCRETE SIDEWALK,  
REFER TO CIVIL SERIES

- INDICATES SNOW MELT SYSTEM, REFER  
TO CIVIL AND MECHANICAL SERIES

- INDICATES NEW ASPHALT PAVEMENT.  
REFER TO CIVIL SERIES

EXTERIOR ELEVATIONS KEYED NOTES	
TAG	DESCRIPTION
L1	PIPE BOLLARD
L4	HIGH DIMENSIONAL LETTER SIGNAGE: 1-1/2" DEEP EXTRUDED ALUMINUM NUMBERINGS 5 1/2" FONT: CENTURY GOTHIC; ANODIZED BLACK FINISH; MOUNTED ON STAND-OFFS; PROVIDE INDIVIDUAL LED BACKLIGHTING FOR EACH NUMBER, TYP.
L5	DIMENSIONAL LETTER SIGNAGE: 1-1/2" DEEP EXTRUDED ALUMINUM NUMBERING, 8" HIGH FONT: CENTURY GOTHIC; ANODIZED BLACK FINISH; MOUNTED ON STAND-OFFS; PROVIDE INDIVIDUAL LED BACKLIGHTING FOR EACH LETTER, TYP.
L3	CAST STONE CAP TO FITCH AWAY FROM SIGN ENCLOSURE AS SHOWN. PROVIDE INTERNAL DRIP EDGE, TYP.
L6	ANODIZED ALUMINUM SIGNAGE: 1" DEEP, STUB MOUNTED TO FACE OF METAL PANEL WITH BACKLIT
	LED LIGHTING: REFER TO ELECTRICAL SERIES TO SPECIFICATIONS AND ELECTRICAL SERIES FOR ADDITIONAL INFORMATION

