



City of Aurora / Aurora Fire Department Dave McCabe 44 E Downer PL Aurora, IL 60505-4009	Fire Service, Inc Jeffrey LeBeda 1805 High Grove Ln Naperville, IL 60540 630-546-5232 jeff@fireserviceinc.com
---	--

Exp. Date: 12/19/2019
Quote No: 10039-0002
12/11/2019 06:47:50

PART NO	S	DESCRIPTION	QTY	ID
== Ford, F-550,193"WB,4x4, XLT, 170" , #1170F - 621.015 10/18/19 ==			1	WC
PROPOSAL TYPES			1	WC
00-02-0100	<	RFP - Request for Proposal	1	WC
A request for proposal (RFP) is issued at an early stage in a procurement process, where an invitation is presented for suppliers, often through a bidding process, to submit a proposal on a specific commodity or service. The RFP process brings structure to the procurement decision and is meant to allow the risks and benefits to be identified clearly up front				
00-02-0800		Other (Not Applicable)	1	WC
CHASSIS:			1	WC
00-10-6165	<	Ford, 2020 F-550, 4x4 XLT, 6.7L 193" WB, 19,500GVW 2020-1 193" wheelbase	1	WC
Autothrottle OEM Ford				
Alternator OEM Ford				
Mirrors, OEM, Heated/Remote				
Cab seats OEM Captains chairs(no armrests)				
New for 2020- Sync 3				
-Enhanced voice recognition communication and entertainment system				
- 8" LCD Capacitive Touchscreen in center stack w/swipe Capability				
- Pinch to Zoom capability				
-AppLink				
- 911 assist				
- Apple carPlay and Andriod Auto				
- Smart-charging USB-C Ports (2)				
Audible Lane Departure Warnings (Reqs- Pre-Collision assist w/Automatic Emergency Braking and Forward Collision Warning)				
00-91-0000		Domestic Chassis	1	WC
05-00-0250	<	Conversion, BOM, Type 1, 170 Module, F550 4x4 19-2	1	WC
Includes Liquid Spring Rear Suspension				

PART NO	S	DESCRIPTION	QTY	ID
CAB TO MODULE MOUNTING:			1	WC
10-10-1001	< >	Bellows, Passthru, Unigrip, F1 2008+, Std	1	WC
		With Aluminum cab insert.		
10-10-1005	X < >	Bellows, Passthru, Hypalon, F1, ILOS (0653019) SAP 10141213 Same as 226886 & 144497	1	
		With Aluminum cab insert.		
CHASSIS ADD-ONS:			1	WC
1A-10-0050	< >	Wheeled Coach Stainless Grille Logo, with reflective backing Specify blue reflective or Red reflective behind cut out.	1	WC
1F-30-7556	<	Rear Suspension - Liquid Spring- 2017+ F550, 18k GVWR, 4x4 Dump Feature activated by the Left rear access door. Override switch to be on right rear entry door Ignition switch Hot, Standard.	1	WC
		Per KKK, the rear suspension shall only lower the module when the vehicle is in park and the parking brake is set.		
1F-30-9000	< >	Switch, (1), Momentary, Dump to be on right rear entry door.	1	WC
2F-71-7103		Cab Flooring, Black Rubber, 2009+, F350/450, OEM	1	WC
HEATING/AIR CONDITIONING:			1	WC
5U-12-5000	>	Hoses, Heater, No Max, to Rear, STD	1	WC
5U-70-0107	< >	Heat/AC, F1, 2011+, Combo, w/Coolbar (new code)	1	WC
		with thermostat in action area.		
		12vdc External Condenser, in Coolbar mounted on front of module. Painted to match front of module.		
		Note: pick warning lights separately !!		
5U-81-1010		Gen I Aluminum Cool Bar cover	1	WC
5U-90-1160	< >	Heat/Air Conditioner Located LF corner, ILOS HVAC evaporator relocated to street side of front bulkhead adjacent to street side wall.	1	WC
5U-92-1000		Master Control Digital Thermostat CM5000, ILOS	1	WC
BATTERY SWITCHES:			1	WC
60-22-1037	< >	Battery Sw, V-Mux, 5min Timer, F1, Fig 5B, (2)OEM Batt, (2)in RF	1	WC
		Activated thru OEM ignition switch timer function upon ignition "off". Momentary rocker switch, on driver's side of cab console, to function as timer shutoff and also reactivate timer.		
		(2) Batteries under hood. (2) Batteries in Lower A1 CSF design (pick additional batteries)		
		ONLY Module power is turned on/off. Chassis power is NOT turned off.		
BATTERIES:			1	WC

PART NO	S	DESCRIPTION	QTY	ID
60-30-1600		Batteries, (1), 850 CCA, Motorcraft	2	WC
6E-10-44SR	X <	Camera, Hanscom K #HC430RVM rearview mirror (SAP# 10184826) SR220023F(SO-CAM-351178) make sure mirror bracket fits on a 2019 F450 Eng. Note: Reference 229833	1	
		Mount camera exterior on rear of module, off center toward driver's side, above rear entry door.		
		HANSCOM CAMERA BACK UP CAMERA SHOULD BE IGNITION HOT, REAR CAMERA VIEW WHEN EVER AMBULANCE TURNS ON. This is a full time camera, not on reverse.		
		(1) #HC430RVM rearview mirror with 4.3" integral monitor, (1) #IR250 Camera, BLACK, with 35' of cable.		
		CONSOLES:	1	WC
7U-10-0602	<	Console, Center, Pass-thru, Mica Finish, F1, CN11 (SO-CONS-361081) NOTE: UPDATE FROM PREVIOUS UNIT - - - WOOD UNIT	1	WC
		No block heater switch ! leave OEM		
7U-10-0602	X <	Console, Center, Pass-thru, Mica Finish, F1, 2008+ (SO-CONS-361081) NOTE: UPDATE FROM PREVIOUS UNIT - - - WOOD UNIT	1	
		No block heater switch ! leave OEM		
7U-10-7000		Console, A/A, Wood, Angled	1	WC
	<	ADDITIONAL CONSOLE IN CAB: See ship loose at end of order.	1	WC
	<	BULKHEAD CABINET: CSF 74" HR	1	WC
TF-50-SR00	XS < >	Bulkhead, Custom SR #220023F	1	WC
		Bulkead wall (2) O2 and 10# extinguisher pocket. Install the WC supplied 10# extinguisher inboard of the two QW picked Zico QR-D O2 brackets. Drawings to assist provided.		
		Relocate electric to bulkhead wall similar to WC Summit truck. NO Broom Closet.		
		WHEELCOVERS:	1	WC
X5-10-3901	<	Covers,Wheel,Phoenix,F450,4X2/4x4,1153/1170 with Air Max Valve Extenders, std	1	WC
		== Type 1 Ford - 170" Module - #1170F - 621.015 10/18/19 ==	1	WC
00-05-0100	<	This unit built in accordance with KKK-A1822-F CN 10 This unit as specified meets all requirements of KKK-A1822-F Change notice 10.	1	WC
		All cabinets shall be labeled as to their capacity Rating.		
35-05-0055		Type 1 - 170" Module - Standard Model Series	1	WC
35-05-0060		Type 1 - 170" Module General Body Construction Spec	1	WC
35-05-0065		Type 1 - 170" Module Vehicle Body Structure Spec	1	WC
35-05-2000	<	INTERIOR CABINETS -Duralite Construction, Wood, CN10 compliant All cabinets shall be labeled with their Rated Weight Capacity.	1	WC

PART NO	S	DESCRIPTION	QTY	ID
	<	MODULE BODIES:	1	WC
		172 x 74 module, new design for Aurora Curb Slide Forward!		
35-10-0068	<	Aisle Space, 50 inches, STD, Type 1, Std Model Only (49-50" actual)	1	WC
		Requires stainless steel wheelwell covers attached to squad bench and basewall cabts that will protrude up to 1.5" into aisleway on each side.		
		Install anti-slip decal with Wheeled Coach logo on curbside and rear stainless steel thresholds, STD		
35-10-0320	>	Module Skins, 0.125 inch	1	WC
35-10-0502		Headroom, 72 in. Type 1 - 170" module, #1170F/D	1	WC
35-10-0502	X <	Headroom, 74 in. Type 1 - 172" module, #1172F (BODY361081) SR#218107F (172"L x 95"W x 74" HR) Last unit # for reference 226886. 172" Module body, increase width of compts D & B2 74 inch headroom module	1	
35-10-0990		Add Dogleg in Compt "E" for Recessed Suction in Face of A/A	1	WC
35-10-SR01	X <	Body Stretch 174" Module SR#218786F	1	
35-11-0300	X	Drop Skirt 6" each side forward of wheels	1	
35-12-0150	<	Curbside Entry Door, Moved forward of Compartment "A" "Must use 5x10 sheet to eliminate seams in Bulkhead"	1	WC
37-00-0350	<	Coating, Polyurethane, Per compartment (1) Each light gray	6	WC
37-00-0360		Coating, Polyurethane, Rear Bumper Supports	1	WC
37-00-0600	< >	Compartments, Sweepout - Compartments are standard sweep out	6	WC
37-00-0710	<	Duraseam Doors, with Hidden Jambs - Magnetic door switches, Standard	1	WC
39-A0-0479	< >	A, Compt, Single Full Ht Door, Aft of CS Door Forward, 72 " HR, Custom opening to the A1 to allow for minimum 32" tall by 36" wide clear access ISOS. There will be a lower slide out A2 battery tray in area under floor. See layouts. Pricing will be in the RFC for this work SR 220023F	1	WC
39-A2-SRO1	X <	A2 battery compartment and tray SR 220023F 60-22-1032 Batt SW 2 oem/ 2 in RF. Does this option include using dead space under A in CSF design as battery tray??? If not need price to use the dead space under the A compt as a 2 Battery tray. Similar to Orange County	1	
39-B1-06SR	XS < >	B1, Compt, Custom, 170" Module, Std Model only SR #220023F Delete B1	1	WC

PART NO	S	DESCRIPTION	QTY	ID
39-B2-0105	<	B2, Compt, Std, 170" Module, #1170F/D Reference for B2 size only 361081. B2 as wide as possible. to maintain interior deisgn.	1	WC
39-D0-0355	<	D, Compt, 3/4, 170" Module, 72" H.R, #1170F/D With Double Doors Note dogleg for H/M cabinets, special design. Unistrut on wall #2	1	WC
39-E0-0105	<	E, Compt, Std, 170" Module, #1170F/D With Double Doors Note Doglegs for drawer and cabinet	1	WC
39-F0-0305	<	F, Compt, Std, Full Height, 170" Module, 72" H.R, #1170F/D Reference Body 334646 for F compt size.	1	WC
39-F0-0600	>	With Dogleg for Stairchair in Compt "F"	1	WC
39-WW-0100	X <	WW, Compt, Streetside, 6" Slideout Tray, 172" Module SR#218107F Same as 144497 See ref drawing's design to fit with interior drawer's	1	
	<	FUEL FILL HOUSING: Note see DEF and Fuel Splash guards	1	WC
3A-10-1000	>	Housing, Fuel Fill, Cast, F1/C1/D1/M2	1	WC
		EXTERIOR DIVIDERS:	1	WC
3F-10-1101	<	Divider, Vertical, B2, 3/16" Thick, Recessed Adj Track,Std Model only (divider to be full depth if a shelf is requested) compt "B2", centered.	1	WC
3F-10-2000	X <	Divider, Vertical, (1), LF, Half Height ILOS SR# 218107F Full depth compt. F at edge of dogleg 1/2 height divider mounted wall 2 and ceiling lower area of compt to be clear for stair chair storage. Eng note same as 226886 & 144497	1	
3F-20-1000	< >	Shelf, Adjustable,(1), RF Cabt Custom DELETE	1	WC
		SHELF- COMPARTMENT "B"/"B1":	1	WC
3F-30-1000	< >	Shelf, Custom, Adj, Cmpt "B", (1) Located from divider to wall #3 approx 44" up from floor of compt.	1	WC
3F-40-3001	< >	Shelf, Custom, Adj, Cmpt "D", (1), Std Model only DELETE	1	WC
3F-40-SR01	X <	Unistrut Horizontal (2) Wall 2 for SCBA (SO-TRACK-361081) SR#220023F Wall 2 compt D Install 2 horizontal unistrut on wall 2 for Bracket, SCBA, Ziamatic, UN-6-30-3-F-CRS	1	

PART NO	S	DESCRIPTION	QTY	ID
		Top of upper unistrut 3.5" below compt/cabinet dog leg.		
		Top of lower unistrut 19" below compt/cabinet dog leg.		
		SHELF- COMPARTMENT "E":	1	WC
3F-50-0100	<	Shelf, Fixed, Cmpt E, for Electrical storage, w/ Divider Area to right of divider will be used for bio-waste in A/A if selected. If no bio-waste, area to be left open for addtl customer storage.	1	WC
		SHELF- COMPARTMENT "F":	1	WC
3F-60-6000	< >	Shelf, Custom, Adj, Cmpt "F", (1) wall #1 to divider	1	WC
3F-60-6500	< >	Shelf, Custom, Adj, Cmpt "F", (1), Additional Wall #3 to divider O2 height.	1	WC
		COMPARTMENT / SHELF, MISC:	1	WC
3F-70-0450	X <	Pocket B2 Door full height Pocket the entire B2 inner door panel Build up wall 1 to the divider to door flange height.	1	
3F-70-1710	< >	Reinforcement, Compartment Wall, For SCBA Bracket Compt D wall #2	1	WC
		ROLL OUT TRAY:	1	WC
3K-10-1000	< >	Tray, Roll Out W/Heavy Duty Slides, W/Lips SS WW Compartment	1	WC
		WINDOWS:	1	WC
3P-10-5201	>	Window,Upper,CS/Slider,Rr/Fixed,Priv Tint,PAN,Std Model only	1	WC
		MODULE ENTRY DOOR HANDLES:	1	WC
3U-30-8000		Handles, Patient Entry, Trimark Black/Chrome "SafePass" STD	1	WC
		EXTERIOR COMPT DOOR HANDLES:	1	WC
3U-40-0510	>	Handle, Module Compt, Trimark, Black/Chrome, STD	7	WC
3U-40-0511	< >	Handle, Module Compt, Trimark, Black/Chrome, for Small Doors SS WW Compartment	1	WC
3U-40-0514	< >	Latch, Paddle, Trimark, For Trailing Door compts "D" &/or "E"	2	WC
3U-60-0100	>	ELECTRIC DOOR LOCK PACKAGE OPTIONS: Click to add	1	WC
3U-60-1390	< >	Door Locks,Electric, Trimark, (1)DOOR, Entry Door	2	WC
		Module entry doors.		
3U-60-1400	< >	Door Locks,Electric, Trimark, (1)DOOR, Compt Door	5	WC
		All module compts(except battery and WW compt) .		
		ELECTRICAL LOCKS SWITCHING:	1	WC
3U-60-1500	< >	Switch,Momentary Rocker,Activate Elect Door Locks (Note: will not lock/unlock Dodge cab doors)	1	WC
		Installed on C/S wall at head of S/B. (unless otherwise specified)		
3U-60-2950	< >	Relay Control Circuit,Elect Locks,w/(2)Keyless Entry Fobs (not available on Dodge)	1	WC

PART NO	S	DESCRIPTION	QTY	ID
#PLRB-RC				
3U-60-3000		< > Relay Control Circuit, Electric Locks (Use dropdown menu to pick #3U-60-2950 if keyless entry is required)	1	WC
3U-60-5200		> Circuit, OEM Door Lock to activate Mod Doors (Not Dodge)	1	WC
3U-60-6000		< > Remote,Keyless,Elect Locks,Incl (2) Key Ring (2) Additional OEM Fobs for a total of 4 to ship with unit.	1	WC
DOOR HOLD OPENS:				
40-10-1611		< > Hold Opens,Rr Doors,Cast,Grabber (2), 5.5", Std Model only - Installed so doors will open as wide as possible - Mount at Bottom of doors.	1	WC
40-10-7205		Hold Open, Gas Strut, RF Compt, 30lb, Std	1	WC
40-10-7206		< Hold Open, Gas Strut,Comp Door Only,110 Degree,30lb,ILOS (1) Compt F (2) Compt E (2) Compt D (1) Compt B2	1	WC
40-10-7750		< Holdopen, Gas Strut, CS Entry Door, 35# Standard. New Code Per ECN 1823	1	WC
DOOR PANELS:				
45-10-45SR	S	< > Panels, Entry, Durasafe, Stainless Steel, w/ Chevrons, ILOS -(pick colors) SR # 220023F	1	WC
Center door panels Diamond Grade iLO scotchlite , DOT Red/Yellow (SO-PNL-361081) REF 334646				
FENDER FLARES:				
4A-10-1001		Flare, Fender, Rear, Black Rubber, Std Model only	1	WC
BUMPERS:				
4F-10-1101		< Bumper,Rear,w/ Skids & Flip Up,F1/C1,w/LED DOT Its,Std Model w/ Gator Grip on flip up step.	1	WC
RUNNING BOARDS:				
4K-10-2112		Running Boards, Standard, 2017+ F450, w/ Gator Grip, #1153F/1170F	1	WC
SKIRTRAILS				
4U-10-9250		< Skitrails,Extruded "C" channel (E-one Style) ILOS #EXTR -555641 PROD NOTE cut ends of skirt rail at 45 degree angle	1	WC
4U-10-9500		Tape, Reflective, White, For Extruded Skitrails	1	WC
STONE GUARDS (FRONT):				
4U-11-2000		Stone Guard, Front, Dia Plate, Type 1 & Ford Type 3	1	WC
KICKPLATES (w/STD. REAR STONEGUARDS):				
50-10-0A07		Kickplate, Under-Ride Bumper, w/ Tag recess and No lights	1	WC
RECOVERY DEVICES				
50-12-1000		> Tow Eyes, Black, in Rear Kickplate	1	WC
MODULE ADD-ONS:				
55-10-0001	X	Splash Plate,Urea Tank Fill,Stainless Steel,'011+ "F"-Series IATS	1	
55-10-0002	X	Splash Plate, Fuel Fill, Stainless Steel, IATS	1	

PART NO	S	DESCRIPTION	QTY	ID
55-10-00SR	X <	Flatbar for dealer installed anode plate SR 220023F	1	
55-10-3050	<	Holder, License Plate, Cast, for Underride Bumper - in rear kick plate, centered	1	WC
SILL PROTECTORS			1	WC
55-30-1000	X <	Sill Protectors , Stainless IATS recessed suction cabinet	1	
55-30-4001		Sill Protectors, Stainless, All Compts, Std Model only	1	WC
MODULE STEPWELL:			1	WC
55-90-6000		Stepwell, Double Step, ILOS, Type 1	1	WC
55-90-6100		Thresholds, Stainless Steel, Painted with Black Poly-urea coating- Standard	1	WC
MUD FLAPS:			1	WC
5A-10-1001		Mud Flaps, Rear, W/Logo, Std Model only	1	WC
PAINT/BELTS:			1	WC
5F-10-3200	< >	Paint, Entire Unit, Red or Metallic Upcharge Paint code #FLNA 3047 RED SEE REF PICS in WO FOLDER ON SERVER. Red unit with the module roof skin painted white inside the roof rails white: FA91:YZ No white paint to be seen from the ground, roof skin only white. SEE REF PICS in WO FOLDER ON SERVER.	1	WC
5F-10-4801	<	Paint, Belt, None, Std Model only Cab & Module, all white, std.	1	WC
DECAL PACKAGES INSTALLED:			1	WC
5P-10-5001		Roof Star, White Border, Installed, Std Model Only	1	WC
ELECTRICAL SYSTEM: Circuitboard			1	WC
COAX CABLES/ANTENNAS:			1	WC
65-10-SR01	X <	Install Customer Supplied Antennas (4) (SO-ANT-361081) (CS-361081) SR 220023F Coax length 35' Install Customer Supplied Antenna and Bases as follows: (1) GPS from port 1 to terminate in cab console. Black Puck style Antenna. -Label Tag "GPS Ant #1" (1) Harris Antenna from port 2 - Install on motorolla base #2 and terminate in cab console. -Label Tag "Harris Ant #2" (1) Antenna (Whip style Shorter than Harris #2 Antenna) from port 3 - Install on motorolla base #3 and terminate in cab console. -Label Tag "Short Ant #3" (1) Sierra Wireless - white puck style antenna from over RF cabinet on mod roof to terminate in bulkhead electrical cabinet. -Label Tag "Sierra Ant #4" - Coil with (2) Sierra power sources, (1) constant hot and (1) ignition hot.	1	
65-30-6500	< >	Base- Antenna, Motorola Mount, W/Coax (1) Port #3 to terminate in cab console (1) Port # 2 to terminate in cab console Antenna #2	2	WC

PART NO	S	DESCRIPTION	QTY	ID
12VDC POWER SOURCES & OUTLETS:			1	WC
6A-22-200E	< >	Outlet, Cigar Lighter, STD, (2), A/A - on standard 20-amp ignition hot circuit. ("elect batt sw")	1	WC
6A-22-2500	< >	Outlet, Cigar Lighter, IATS, (1) (1) Above tower CS wall (1) At rear of AA wall 2 near wall #1 up high above rear AA shelf, see REF DRAWINGS	2	WC
6A-22-5100	<	Outlet, Dual USB Port, 5VDC, 2.1Amp output, Standard Located on the passenger side of the center console, per Electrical Engineering	1	WC
6A-22-5200	<	Outlet, Kusmaul, USB Dual Port, 5VDC, 3 Amp output, switch panel location Located in the Action area switch panel . Standard. Additional over CS tower.	2	WC
POWER SOURCE, 12 VDC			1	WC
6A-23-0910	<	Power Source, 12VDC, 20A, Ignition/Shoreline Hot 20amp 12 volt DC circuit ran to two locations, (1) pre-wire coil and tagged in action area and (1) pre-wire coil and tagged behind driver's seat.	1	WC
6A-23-0950	< >	Power Source, 12 VDC, 10 Amp (+-) (1) Ignition hot to bulkhead electrical cabinet. - Tag and label "Sierra Ignition Hot". coil with Sierra Constant Hot, and Sierra #4 ANT in the bulkhead electrical cabinet. (1) Constant hot to bulkhead electrical cabinet - Tag and label "Sierra Ignition Hot". coil with Sierra Ignition Hot, and Sierra #4 ANT in the bulkhead electrical cabinet	2	WC
6A-23-1201	< >	Power Source, 12 VDC, 15 Amp (+-), Std Model only - Ignition hot, terminating in cab console - with 6 foot tails (hot and ground).	1	WC
6A-23-2200	< >	Power Source, 12 VDC, 20 Amp (+-) - (1) Constant hot to cab console	1	WC
6A-23-3001	< >	Power Source, 12 VDC, 30 Amp (+-), Std Model only - Constant Hot, to terminate behind the passenger seat - with 6 foot tails (hot and ground).	1	WC
SHORELINE INLETS:			1	WC
6F-90-4105	< >	Super Auto Eject, 20 amp, ILOS, Red, Std Model Only - with red cover; mounted above compartment "E" See Kusmaul #091-185-009 EZ mounting plate adapter.	1	WC
125 VAC OUTLETS:			1	WC
6K-40-1000	<	Outlet, 125 VAC, Duplex, (2), STD - (1) outlet in action area - (1) outlet above tower	1	WC
6K-40-2000	< >	Outlet, 125 VAC, Duplex, IATS (1) in A compt wall #1 low (1) Rear of AA wall #2 near wall #1, below AA shelf, see ref drawings.	2	WC

PART NO	S	DESCRIPTION	QTY	ID
	<	ENGINE BLOCKHEATER:	1	WC
		Leave OEM per customer request		
		BATTERY CHARGERS:	1	WC
6U-10-0100	< >	Circuit, Battery. Charger Power Acces. 110 Relay to switch to 12VDC power.	1	WC
6U-10-1500	< >	Battery Charger, Kussmaul, Auto Charge 1200, 40 amp Charger/Conditioner	1	WC
		Mount in batt compt wired to all batteries.		
		Kussmaul remote indicator panel next to SL inlet.		
6U-10-16SR	X <	Kussmaul EZ Plate Adapter (SO-SLP-361081) SR220023F Kussmaul #091-185-009 EZ mounting plate adapter for Shoreline inlet above compt E	1	
		GAUGES/METERS:	1	WC
D0-10-1200		Meter, Analog, Volts, F1	1	WC
D0-10-6500	<	Alarm, Low Voltage, Audio/Visual Light in cab console and Buzzer in cab.	1	WC
	<	ENGINE HOUR METER:	1	WC
		In OEM driver info center		
	<	SEQUENCING/LOAD MANAGEMENT:	1	WC
		Elec Engineering 144497 , 226866 & 334646		
DA-10-5000	< >	Switch, Emergency Master, Seq	1	WC
		Must pick sequencer from the menu.		
		REF 334646		
DA-11-3000	< >	Sequencer,Kussmaul,Load Manager, W/ Switch	1	WC
		W/Sequencer switch and override on console		
		SIREN SPEAKERS:	1	WC
DF-10-1242	<	Siren Speakers, Cast SAD/PSAD3815-17FSD-1;FRD'17+, F1, Std Thru Front Bumper	1	WC
		SIRENS:	1	WC
DK-10-1400	>	Siren, Whelen, WS-295-SLSA1, Standard	1	WC
		AIR HORNS:	1	WC
DP-10-3100	>	Additional,Air Tank,For Buell Air Horns	1	WC
DP-10-8900	< >	Airhorn, Buell, 5440 comp, Dual 10 inch horns mount compressor on fixed shelf in compt "E"	1	WC
DP-10-9215	< >	Brackets, Airhorn Under Front Bumper, F-Series, 2017+ Brackets Per Eng design	1	WC
		Under front bumper through plastic fairing.		

PART NO	S	DESCRIPTION	QTY	ID
SWITCHING OPTIONS FOR AIR HORNS & SIRENS:			1	WC
DP-11-1000		Switch, Siren/Horn Thru Horn Ring	1	WC
DP-11-5500	< >	Switch, Add, 12VDC Momentary Rocker. one each side of switch panel ECC	2	WC
SWITCHES ADDITIONAL:			1	WC
DU-10-2500	< >	Switch, 12VDC, Rocker, Amber, Additional 10 Amp constant hot Additional switch in cab console, Switch is to reset wifi router for sierra system. terminate wires in CB cabt. with 6 ft tail, tag wire in CB cabt Wi Fi. -Tag and label "Sierra Constant" coil with "Sierra ignition" power and "Sierra ANT #4" Coax.	1	WC
DU-10-3100	< >	3-Way Switch, Dome Master Circuit (1) switch in ECC (1) switch in action area	1	WC
AUDIBLE ALARMS:			1	WC
F0-11-3501		Alarm, Back-Up, Auto Reset, Std Model only	1	WC
VEHICLE EXTERIOR LIGHTING			1	WC
FF-10-6001	< >	Cab Headliner Removal Fee, Type 1/3 for lightbar installation	1	WC
FF-13-SR01	X <	Whelen TANF 85 LED Lightstick SO-TA-361081) SR 220023F Whelen TANF85 8-lamp linear-LED Traffic Adviser, Above rear doors & above CRA/load lights. TACTLD1 control head in CC per Eng.	1	
FF-13-SR02	X <	GTT Opticom 792 M (SAP# 10286234) SR 220023F Same as 226886 & 144497&334646 792 Emitter only, no GPS! Model 792 M emitter on OEM mount, on front wall under cool bar. switched: primary only in gear only PDF for 792M on file in work order folder.	1	
WARNING LIGHTS			1	WC
WHELEN M9 SERIES LED FLASHING LIGHTS:			1	WC
FU-41-0105	< >	Light, M9RC, LED, Whelen, Red, Clear Lense, ILOS, W/Flange (2) Each side upper outer corner's (2) Front module upper outer corners Pri/Sec through lights internal flasher, factory default.	6	WC
FU-41-0107	< >	Light, M9RC, LED, Whelen, Red, Clear Lense, IATS, W/Flange (2) Cool Bar one each side of center light Pri/Sec through lights internal flasher, factory default.	2	WC

PART NO	S	DESCRIPTION	QTY	ID
FU-41-0114	< >	Light, M9C, LED, Whelen, Clear, ILOS, W/Flange Center of Cool Bar PRI only thru internal flasher, factory default	1	WC
FU-41-0128	< >	Light, M9J, LED, Whelen, R/B, Clear Lense, IATS, W/Flange (2) Cool Bar angled area Pri/Sec through lights internal flasher factory default (2) Rear Module Each upper outer corner Pri/Sec set to steady burn light to flash through AFM 560 flasher X pattern with rear window lights per Elec Eng (2) Rear Module thru top part of rear windows Pri/Sec set to steady burn light to flash through AFM 560 flasher, X pattern with rear upper outer corner lights. Wire the RED portion of the window light to Brake light. Flash and steady burn in EMERGENCY mode only. Not DOT approved for stand alone brake lights. Set up/wired per Elec Eng	6	WC
5 SERIES(TIR6) SPLIT LED LIGHTS:				1 WC
H4-05-5705	< >	Light, 5L TIR6, Whelen, Red, Red Lens, 50RR3ZRR, IATS (3) Installed on the Rear and CS entry door interior panel lower outer corners. Ignition hot, to flash when door is opened, through lights internal flasher, factory default.	3	WC
5 SERIES(LIN6) NON-SPLIT LED LIGHTS:				1 WC
H4-06-5712	< >	Light, 5L LIN6, Whelen, Red, Clear Lens, 50R02ZCR, Std, F1/D1 Only (new code) (2) as grille lights (Dodge & Ford) wired thru external flasher, std.	2	WC
WHELEN 5E FLANGES/HOUSINGS:				1 WC
H4-10-0044	>	Housing, 5L Series, #5LSMAC, (1), Std, F1/D1 Only	2	WC
H4-10-0045	>	Housing, 5L Series, #5LSMAC, (1)	3	WC
WHELEN M7 SERIES LED FLASHING LIGHTS:				1 WC
H5-58-0625	< >	Light, M7RC, LED, Whelen, Red, Clear Lens, IATS Rear intersector above rear wheels Pri only thru lights internal flasher factory default	2	WC
H5-58-0640	< >	Light, M7AC, LED, Whelen, Amber, Clear Lens, ILOS ILOS Center Amber under traffic adviser. PRI/SEC sync with lower rear window show thru M7 Ambers factory default flash. Internal flashers.	1	WC
H5-58-0645	< >	Light, M7AC, LED, Whelen, Amber, Clear Lens, IATS Rear Window lower show thru lights PRI/SEC Sync with Center amber factory default flash. Internal flashers.	1	WC

PART NO	S	DESCRIPTION	QTY	ID
WHELEN FLANGES 7 SERIES LIGHTS			1	WC
H5-59-1020	<	Flange, Whelen, Chrome, M7FC, each For M7 Series Lights	5	WC
INTERSECTION LIGHTS, FORD & Chevy Type 1, WHELEN			1	WC
H5-59-500E	<	Light, Whelen, LINZ6R, LED-Red, Std with chrome flanges	2	WC
		(2) front interseectors		
CORNER CAP LIGHTS			1	WC
HF-11-6057	<	Corner Cap Lts,Multi-LED,(2)Amber(2)Red w/Flashers,No switch - High intensity flashers; thru Primary /Secondary	1	WC
CLEARANCE LIGHTS:			1	WC
HF-12-9100		Light, Clearance, Amber LED, ILOS	3	WC
HF-12-9601	<	Light, Clearance, Red LED, Std Model only - On rear as clearance lights.	3	WC
SCENE AND LOAD LIGHTS			1	WC
HK-20-110N	<	Light, LED, Whelen, Clear, #M9LZC w/Flange, ILOS, (1) (new code) (1)#AS00344, (1)#AS89004	4	WC
		(2) each side as scene lights		
HK-20-130P	<	Light, LED, Whelen, Clear, #M7ZC w/Flange, ILOS, (1) (2) on rear as load lights	2	WC
HK-20-7100	>	Scene Lights, C/S, Activated W/C/S Door	1	WC
FLASH PATTERN WARNING LIGHTS:			1	WC
HU-11-1000	<	Circuit, Lights X-Pattern Flash Rear Upper outers and Rear Upper Window lights X pattern PRI/SEC. Upper window lights R/B Split. Red part of rear window lights brake over ride in Emergency Mode only.	1	WC
HU-11-2500	<	Brake Override Circuit Ref 226886 and 334646 IATS M9 R/B split window lights. Brake override on red portion of light in emergency mode only.	1	WC
HU-11-8500	< >	Automatic Secondary, Park/Neutral, W/Momentary Switch, Auto Reset the circuit would automatically reset when the gear shift lever is placed back into gear.	1	WC
WARNING LIGHT FLASHERS			1	WC
HU-24-7500	< >	Flasher, Whelen AFM-560, ILOS Set flash pattern to Comet Flash for rear warning lights	1	WC
HARNESS LAYOUT:			1	WC
J5-12-1000		Halogen, " E " Spec, Whelen	1	WC
STOP/TURN/TAIL LIGHTS:			1	WC
JA-10-1200		Light, License Tag, (2), Trucklite #15205 LED, ILOS	1	WC
JA-11-0140		Flanges, Whelen, (6) Whelen M6 series taillight set	1	WC

PART NO	S	DESCRIPTION	QTY	ID
JA-13-8084	<	Tailight Pkg, Whelen, M6 LED Stop/Tail, Turn Arrow & Max Intensity Backup -- Brake- Alert Flash before the steady Burn - Turn Arrow – sequential arrow Stacked above rear kick plate. Top-Brake Middle-Turn Bottom-Reverse	1	WC
MODULE OVERHEAD HEADLINER:				1 WC
JK-10-6510	>	Headliner, Flat, PVC, w/ Hinged trough cover, 160"+ MAV/T1	1	WC
12VDC INTERIOR LIGHTING:				1 WC
JP-10-0611	<	Lights, Dome, LED, Whelen, White Flng, (4) S/S, (3) C/S, ILOS NOTE: NO VISABLE FASTENERS OR HOLES.	1	WC
JP-10-0621	<	Light, Dome, LED, Whelen, White Flng, (1) IATS Location F, G, H, and over CSF Entry area NOTE: NO VISABLE FASTENERS OR HOLES.	4	WC
JP-10-7015		Light, Stepwell, LED, Whelen #TOCACCCR, 2in, ILOS	1	WC
JP-10-8040	<	Light, Grote 12v, LED Strip, In A/A ILOS I Additional under R1 over tower CS Wall.	2	WC
JP-11-4700		NO lighting recessed into trough cover- Standard	1	WC
SWITCHING OPTIONS FOR 12VDC INTERIOR LIGHTI				1 WC
JP-11-7500	< >	Switch, 12 VDC, (1), For Additional Lights (1) AA for IATS Domes (1) Above tower for IATS Domes	2	WC
LIGHTS & MISCELLANEOUS:				1 WC
JR-50-1050		Handheld Spotlight - Sho-Me 200,000 CP	1	WC
JR-50-2700	< >	Lights, (2), 4in, LED, to Illum Running Boards, Constant Hot Activated with the cab doors.	1	WC
JR-50-2800		Light, Compartment, 2" Incandescent, (1) Each	6	WC
JR-50-2885	<	Lighting, Compt, LED Hi-Brite Flex, ILOS (new code) both vertical edges near door jambs and across top edge near door jamb, compts "A", "B1", "B2", "D", "E", & "F". Retain 2" O2 light.	1	WC
JR-50-30SR	X <	Spotlight, Go Light, Stryker LED Black, #30214 (SO-GL-361009) SR 220023F GOLIGHT 30214 LED model Mount Go-Light in cab roof - centered. Control to be in cab console. Ignition hot.	1	
JR-60-2003	< >	Timer, Momentary Sw, 15 Minute, Constant Hot, Std Model only (must have ECX timed battery switch with this option) Mount switch on C/S wall at the head of the squad bench in the standard location. Switch to allow activation and	1	WC

PART NO	S	DESCRIPTION	QTY	ID
		also deactivation. Wire to center domes		
JR-70-0005	<	Light, in Circuit Board Area, for Electrical Troubleshooting - with integral switch; wired constant hot.	1	WC
		CLOCKS:	1	WC
		SUCTION PUMPS:	1	WC
LP-10-0500		Suction Pump, Standard	1	WC
		INSULATION:	1	WC
LU-10-3001	< >	Insulation, Severe Weather Package one inch block foam in modular walls and roof covered with reflective insulation. Under Floor to be Spray Foam insulated after the production assembly process is complete by 24/7. All edges of reflective insulation on walls and ceiling must be taped, std. Important Production note from customer, insulate all 4 module walls including front wall behind RF cabinet.	1	WC
LU-10-SR01	X <	Insulation A compartment SR 220023F Provide maximum insulation to A compt and A door. Utilize spray on if necessary with reflective and foam block.	1	
LU-10-SR02	X <	Linex A Compartment SR 220023F Linex interior of A compartment completely, color match to flooring material, INCL door panel. Flooring Color: Gunpowder Grey	1	
		GRABRAIL(S)/GRABHANDLES:	1	WC
N0-10-9101	<	Grabrail,Overhead,117",Handicap Style,Yellow,Std Model Only Yellow Powder Coat Finish	1	WC
N0-10-9703	<	Handrails,(3),Custom "L" Shape,1",Yellow,Entry Drs,Std Model - Yellow Powder Coat Finish Stainless Steel Grab Handles	1	WC
N5-11-SR00	X <	Grabhandle, 15 Inch, Yellow, 90 Degree (SO-GRAB-361081) SR220023F CSR cabinet just inside RR entry door, note mount so that it doesn't interfere with the rear door handle.	1	
		O2 CYLINDER RACKS:	1	WC
NA-10-3550	<	Rack, Multiversal, #QR-MV, W/ Straps (Uni-strut track mounting is now std) Specify O2 bottle size.	1	WC
NA-10-6502		Track, Unistrut for Oxygen Rack -Standard per ECN	1	WC
		O2 SYSTEMS COMPLETE:	1	WC
NK-52-2000	< >	O2 Sys, LF Stor, 2-AA Elec, 1-VAC Port, 1-C/S ohio style electric switch w/bypass in action area	1	WC

PART NO	S	DESCRIPTION	QTY	ID
		(2) oxygen outlets in action area		
		(1) vacuum port in action area		
		(1) oxygen outlet cs wall at head of squad bench		
		O2 SYSTEM PARTS:	1	WC
P0-59-7500	<	Regulator, Oxygen Cylinder, Preset 50PSI, Installed (new code)	1	WC
		SUCTION CONTAINERS:	1	WC
PA-10-7003	< >	Regulator/Holder, SSCOR 23002 with Canister clip-CN 10 Compliant Conforms to J3043 requirements	1	WC
		Recessed suction		
		COT MOUNTS:	1	WC
PF-26-3500	<	Stryker Power Load - No Wheel Guide - Change Notice 8- COMPLIANT includes constant hot power supply for battery charging.	1	WC
		IV HOOKS:	1	WC
PP-20-8500	< >	IV Hook, Cast, Fold Down Recessed, ILOS Same as 334646 (1) IV SS1 (1)CS between domes 2 & 3, over hd of sqd bench area.	1	WC
		KICK PLATES STAINLESS STEEL, ON CABINETS:	1	WC
PU-10-1000		Kickplate, 8" Brushed S/S, Face Of Squad Bench	1	WC
PU-10-2000		Kickplate, 8" Brushed S/S, On Face of Basewall	1	WC
PU-10-3000		Kickplate,Brushed SS,Head of Squad Bench	1	WC
		MISC. INSTALLED HARDWARE/EQUIPMENT:	1	WC
R5-10-2000	>	Bracket, SCBA, Ziamatic, UN-6-30-3-F-CRS	1	WC
R5-10-8000	< >	Wrench, Oxygen, Tethered, Mods	1	WC
		in oxygen compt.		
R5-11-5710	<	Seatbelt, Assy, (4 Point), Per4Max, Black, (1) Each - CN-8 Above the Lid installation (1) for CPR side seat (if Required) (2) for squad bench (Standard)	3	WC
R5-11-5810		Restrain Belts, Squad Bench (3) Standard	1	WC
		DRI-DECK/TURTLETILE:	1	WC
RA-10-2000	>	Dri Deck, Black, All compt. Floors and Shelves	1	WC
		HOLDER, CYLINDER:	1	WC
RF-11-6050	>	Holder, Cylinder, Single, Zico QR-D-2 Strapless, -CN 10 Certified	2	WC
		STRAPS, INSTALLED:	1	WC
RK-13-3500		Seat Belt, Across Compt Opening	2	WC
		MODULE INTERIOR	1	WC
RU-05-0000		Interior Cabinets - Duralite Construction, Wood -CN 10 Compliant	1	WC
		MICA COLOR:	1	WC
RU-10-00SR	X <	Dry Erasae Surface Bulkhead and CS Wall SR 220023F Utilize White Board Dry Erase material ILO mica on the bulkhead and CS wall.	1	
RU-14-2000		Mica, Gray Pampas #4168-01high gloss over Pewter Brushed matt finish	1	WC
		SUB FLOORING:	1	WC
RZ-99-0050		Flooring, Wood, Type 1, Std	1	WC
		FLOORING:	1	WC

PART NO	S	DESCRIPTION	QTY	ID
T0-11-8201		Flooring, Lonplate II, Gunpowder Grey #424TX, Std Model only	1	WC
		SEAMLESS 1880 COMFORT CHILD SAFETY SEATS:	1	WC
T5-10-0110		> Seat, Attendant, EVS 1880, Child safety, Comfort, Gunmetal, Per4Max Belt-Black	1	WC
T5-11-4740		< > Attendant's Seat Base, EVS CBS Box Style Box opening to be toward Rear access door	1	WC
		SEAMLESS UPHOLSTERY:	1	WC
T5-25-0500		Uph, Smless, Gunmetal, No Bio, No Post & Wheel	1	WC
		CUSHIONS:	1	WC
T5-40-2106		> Upholstery, Backrest Cushion, EVS, Gunmetal, w/ WC Logo	4	WC
		O2 DOOR:	1	WC
TK-10-5000		> Lexan Flap W/Hinge	1	WC
		GLOVE HOLDERS:	1	WC
TN-20-1001		< > Cabinet, Glove Box Holder, (3), Above C/S door, Std Model only (narrows cabt "E1" on Pureair 1 w/low headroom) Must use M1 latches for KKK Change notice 10 compliance	1	WC
TN-30-1000	X	< Cabinets, Glove Box Holder, 2, Above Rear Doors (SO-CABT1-361081) SR220023F 2 small cabts to be mounted over rear entry doors. Outboard as far as possible. Mount flat and flush to rear upholstery pad, ensure its mounted securely, customer gig on last unit.	1	
		RIGHT FRONT CABINET:	1	WC
TU-20-19SR	XS	< > Cab, RF, At head of SB, Full Ht Cabinet, Custom SR #220023F Curb side forward design. A compt and tower. Customer requires a 36" wide by 32" tall clear ISOS area above floor line, A door(suicide open) must access isos clear. Above this will be a aisle facing 6"i.d full depth drawer, and two stacked bench facing drawers , 6.5 inch i.d. these are 12" deep internally. In dead space below the two drawers facing the squad bench, provide a slide out Sharps/Waste. The exterior tower base will be wider that the ISOS. This design is very similar to PG 134570. This design requests the A door to be widened to the last extrusion forward of the wheel on CS. Use same net as on PG 134570 to cover ISOS area. Poured counter. Below the ISOS exterior , Battery compartment, place the battery tray in area under floor. See drawings included to assist. Cabinet at the head of the squad bench with counter top and (3) drawers. Drawers to open to (aisle or over bench). Drawers to have non-locking slides and be held closed with a locking latch. Drawer face to be solid aluminum and finished to match the interior of the module. Exact dimensions to be determined by Engineering at final layout and design. Per Engineering: Tower @ head of bench may have to be reduced in width to accommodate two seating positions as shown. Current drawings submitted has white out and is not to scale.	1	WC
		SQUAD BENCH:	1	WC
V5-20-50SR	S	< > Squad Bench, Custom SR # 220023F	1	WC

PART NO	S	DESCRIPTION	QTY	ID
		No B1 compt.		
		Squad bench area of greater than 53 inches for 2 seated positions, IMMI restraints and backrests. Single lid, trim upholstery 2 " back from CS wall to allow for greater opening space. See REF Drawings.		
		LID 170 INCH BOX:	1	WC
V5-64-1501	<	Lid, Squad Bench, Single W/Bio-Waste, 170", Std Model only Must use M1 latch for CN 10 on Biowaste door	1	WC
		HARDWARE:	1	WC
V5-80-1005		Handle, Trimark, Squad Bench, STD	1	WC
V5-82-2500		Strut, Gas, 60 LB, Installed, ILOS, Mods	1	WC
		CURBSIDE SPLINT CABINET 160-170 inch Module	1	WC
VA-40-55SR	XS < >	CS Splint, Custom SR #	1	WC
		use a R1, R2, R3 CS Splint cabinet all same size KKK Compliant. Start cabinets from CS Entry to CS rear compartment. See Drawings.		
		CURBSIDE REAR CABINET:	1	WC
VF-20-4200		Cabinet, Curbside Rear, Standard, 170 In	1	WC
		CABINET H, BASEWALL 170", T1/T3	1	WC
VH-H2-SR00	XS < >	H, Cabinet, Custom SR # 220023F	1	WC
		(SO-H/M-361081) SR218107F Eng. Note: Reference 226886		
		Custom H/M combined cabt Oversized H 8" deep 17" tall by 63" wide lexan slider. Note the M area of the H/M cabinet will be full depth just forward of compt D.		
		One large gray lexan slider and 2 separate shelves 1 for the shallow area and 1 for the full depth area.		
		CABINET N, BASEWALL 149/153", T1 & T3	1	WC
VH-N0-0200	<	N, Cabinet, full height CPR side seat, deleted	1	WC
		CABINET O, BASEWALL 160-170", T1/T3	1	WC
VH-O1-SR00	XS < >	O, Cabinet, Custom SR #220023F	1	WC
		O cabinet to be a slider drawer		
		CABINET P, BASEWALL 149/153", T1 & T3	1	WC
VH-P0-0200	<	P, Cabinet, full height CPR side seat, deleted	1	WC
VH-P0-SR00	X < >	P1, Cabinet, Custom (SO-P-361081) SR220023F Eng. Note: Update from Previous unit - Using WOOD instead of previous unit with Non-Wood material. Minimal 5.75" tall by 33.875" long by 18.25" deep wood drop down face above exterior WW compt. See ref drawing's	1	
		Aluminum trim on door and opening see ref pictures.		
VH-P0-SR01	X <	P2, Cabinet, Custom (SO-P2-361081) SR 220023F	1	

PART NO	S	DESCRIPTION	QTY	ID
		See ref drawing's 8"H x 36"L x 8"D adjacent to attendant seat		
		CABINET CPR, BASEWALL, 149"-170", T1 & T3	1	WC
VH-Q0-0400		CPR, side seat, deleted	1	WC
		CABINET J, STREETSIDE UPPER 170", T1/T3	1	WC
VI-J2-0150	>	J, Cabinet, Combined with K	1	WC
		CABINET K, STREETSIDE UPPER 160-170", T1/T3	1	WC
VI-K2-0150		K2, Cabinet, std, no CPR seat	1	WC
		CABINET L, STREETSIDE UPPER 160-170", T1/T3	1	WC
VI-L1-0355	<	L, Cabinet, L1, L2 Combine into 1 Large Cab, 72" H.R, Full F with adj shelf in "L2"	1	WC
		BASEWALL DOORS:	1	WC
VK-15-4020		Cab H, Gray Polycarbonate Slider- CN 10 Compliant	1	WC
VK-16-7020	X	Cab P2, Gray Polycarbonate Slider -CN 10 Compliant	1	
		ACTION AREA WORK SURFACE	1	WC
VP-10-5918	< >	A/A Tray, 160"-170",W/O Bio,Poured, Gray, MAV/1170F/1170D (new code)	1	WC
		It will be necessary for the right end of poured tray to be cut off. There will be no raised ledge on right end of poured tray. Caulk/sealant to be applied.		
VP-10-SR01	X <	'Action Area Tray, Extended Stainless Steel, ILOS (SO-TRAY-361081) REF 336646 SR 220023F Extended A/A Stainless Tray	1	
		ACTION AREA 165/170 INCH BOX:	1	WC
VP-15-60SR	X <	Shelf In AA under K / L cabinet IATS (SO-SHELF-361081) SR220023F	1	
		Shelf mounted under K/L cabt forward of H cabinet. This shelf to be 1/3 height of open area above tray & extend 14" forward. allow a minimal of 6" clearance to underside of K/L cabinets.		
		Same as 144497 note see 12V outlet that's above the shelf.		
VP-15-7005	X <	Cab,A/A,No/Biowaste, Recessed Suction, 172" Type 1 Custom Height Same as 226886 Recessed into front of AA ILOS area will be mica finished with a stainless steel threshold on bottom of recess.	1	
		Aluminum trim on door and opening see ref pictures.		
VP-15-7006	X <	Writing Tray, Slideout Drawer,Under A/A Tray (SO-AA-361081) SR220023F Above suction recess Same as 144497 3.5" deep drawer with a lexan lid on top of drawer.	1	
		Alum trim on door & opening see ref pictures if needed.		
VP-15-7020	<	Cab,A/A, No Biowaste, w/ Recessed Suction, 170" Type 1 Recessed suction in aisle facing cabinet face under action area tray.	1	WC
VU-14-4000	>	Shelf, Interior, Adj, in Cabinet:	1	WC
VU-14-4000	>	Shelf, Interior, Adj, in Cabinet:	1	WC
VU-14-4000	>	Shelf, Interior, Adj, in Cabinet:	1	WC
VU-14-4001	< >	Shelf Track, Cabt, #HA24663, Upgrade, Std Model only ("C" channel/exterior shelf style track)	5	WC

[illegible]