



City of Aurora / Aurora Fire Department Mark Matkovich 44 E Downer PL Aurora, IL 60505-4009	Fire Service, Inc. Jeff LeBeda 1805 High Grove Ln Naperville, IL 60540 630-470-9347(m) jeff@fireserviceinc.com
--	---

Exp. Date: 01/06/2022 **Rev. Date:** 12/04/2021
Quote No: 10101-0002
12/04/2021 21:21:12

PART NO	S	DESCRIPTION	QTY	ID
== WC-Wheeled Coach Boilerplate - 1.017 11/12/21 ==			1	REV
ORDER COORDINATOR			1	REV
00-00-0015		Order Coordinator - Factory to assign	1	REV
INFORMATION			1	REV
00-01-4005	>	State Contract	1	REV
WARRANTY			1	REV
00-02-8710		WC, Warranty, Conversion, 12 Month	1	REV
00-02-8720		WC, Warranty, Paint, 60 month Prorated, Standard	1	REV
00-02-8730		WC, Warranty, Structural, 20 Years, Std., Mods	1	REV
00-02-8740		WC, Warranty, Limited Electrical	1	REV
00-02-8750		WC, Warranty, Cabinet Construction	1	REV
== WC-Type 1 170 Module - 1.017 11/12/21 ==			1	REV
CERTIFICATIONS REQUIRED			1	REV
00-05-0050	<	This unit built in accordance with KKK-A-1822-F in effect on	1	REV
SHOP NOTE:				
the date of order with exceptions as noted herein.				
00-05-0100	<	MD, This unit built in accordance with KKK-A-1822-F CN 10 Cabinet Requirements	1	REV
SHOP NOTE:				
This unit as specified meets all requirements of KKK-A1822-F Change notice 10.				
All cabinets shall be labeled as to their capacity Rating.				
01- CHASSIS REQUIREMENTS			1	REV
FORD CHASSIS			1	REV
SHOP NOTE:				
DO NOT REMOVE FORD BLUE OVAL!!!!				
01-01-20SR	X <	Additional (2) OEM KEYS	1	
SHOP NOTE:				
SR#221901F 11.23.21				
OEM KEY FOB, 2022 F Series Discount Lock Shop Each Pending part availability				
Discount lock				
01-01-2618	S < >	WC, 2022 Ford F550, XLT 7.3 L Gas 193W/B, 19,500 GVWR (Special Order)	1	REV
2022-				
SHOP NOTE:				

PART NO	S	DESCRIPTION	QTY	ID
		SR 221901F 11.23.21		
		WC, 2022 Ford F550, XLT 7.3 L W/B, 19,500 GVWR (Special Order) 2022-4 2022		
		F550 4X4 193 7.3L GAS		
		Auto throttle OEM Ford		
		Dual Alternators OEM Ford		
		Mirrors, OEM, Heated/Remote		
		Cab seats OEM 40/20/40 split bench (Center removed)		
		New for 2020- Sync 3		
		Enhanced voice recognition communication and entertainment system		
		8" LCD Capacitive Touch screen in center stack w/swipe Capability		
		Pinch to Zoom capability		
		AppLink		
		911 assist		
		Apple carPlay and Android Auto		
		Smart-charging USB-C Ports (2)		
01-02-0100		Domestic Chassis	1	REV
		ALTERNATORS	1	REV
01-03-1001		Alternator - Standard OEM	1	REV
		SUSPENSION	1	REV
01-07-7618	<	MD, Rear Suspension, Liquid Spring- 2017+ F550, 19.5k GVWR, 4x4	1	REV
		SHOP NOTE:		
		Dump Feature activated by the Left rear access door.		
		Override switch to be on right rear entry door		
		Ignition switch Hot, Standard.		
		Per KKK, the rear suspension shall only lower the module when the vehicle is in park and the parking brake is set.		
01-07-76SR	X <	Liquid Spring Control Cover	1	
		SHOP NOTE:		
		SR 221901F 11.23.21		
		(SO-CVR-361009)		
		HIGH IDLE	1	REV
01-13-1675		High Idle Controls, OEM	1	REV
		FRONT END ALIGNMENT	1	REV
01-17-7501		Front End Alignment, None- QC Check -Standard	1	REV
		OUTSIDE REAR VIEW MIRRORS	1	REV
01-20-0104		Mirrors, OEM-STD	1	REV
		WHEEL COVERS	1	REV
01-24-2022	<	MD, Wheel Covers, Delete Set of Four (4)	1	REV
		SHOP NOTE:		
		Dealer Installed Aluminum Rims		
		BASE CONVERSION	1	REV
01-45-0226		MD, Conversion, Type 1, 170 Module, F550 4x4 21-4	1	REV
	<	MODULE BODIES:	1	REV
		SHOP NOTE:		
		172 x 74 module, new design for Aurora Curb Side Forward! Body Reference 565198 Only!		
02-01-2124	<	MD, Interior Headroom, 74 Inches	1	REV
		SHOP NOTE:		
		(BODY361081) SR#221010FF (172"L x 95"W x 74" HR)		
		Last unit # for reference only 565198		

PART NO	S	DESCRIPTION	QTY	ID
		172" Module body, increase width of comps 4 & 6		
		74 inch headroom module		
02-01-3124	<	MD, Module, Type 1, 170" Body Length, Duraseam Doors, SHOP NOTE: 170" L x 95" W	1	REV
02-01-3152		MD, Body Width 95" Standard	1	REV
02-01-31SR	X <	Module Stretch to 172" SHOP NOTE: SR 221901F 11.23.21	1	
02-01-9566	<	MD, Aisle Space, 44-45", Type 1 SHOP NOTE: Approx 46" Eng note maximize aisle space and provide size for customer file, prior to production.	1	REV
		Thresholds, Stainless Steel, Painted with Black Poly-urea coating, options on the order REF 565198		
		STRUCTURAL FRAMING - RFP	1	REV
03-01-1501		MD, Type 1, General Body Construction Spec	1	REV
03-01-1503		MD, Type 1, Vehicle Body Structure Spec	1	REV
		UNDERCOATING	1	REV
		EXTERIOR MODULE CONSTRUCTION	1	REV
03-03-1000	X <	Zinc Annode Plates SHOP NOTE: Each Plate Welded to the Aluminum Floor Structure Near the OEM Frame Rails, (3) Each Side of Module for Dealer Installation of Zinc Anode Plates EF Previous 565198 Add (2) pieces of flat bar for dealer installed anode plate. Reference drawing #381391D for flat bar and reference location. Placement dependant on chassis. NOTE: Do not undercoat these plates! Plates to remain raw aluminum !	1	
03-03-1044	<	MD, Stone Guard, Front, Diamond Plate, 28" SHOP NOTE: 6" drop skirts	1	REV
		DROP SKIRTS	1	REV
03-03-2513	< >	MD, Drop Skirt both sides, 6" forward of rear wheels SHOP NOTE: Note: Bright finish fender flares will not work, must use rubber	1	REV
		FUEL FILLS & SPLASH PLATE	1	REV
03-03-8030	>	MD, Housing Fuel Fill, Cast Aluminum, Type 1	1	REV
03-03-8335	<	MD, Fuel Fill Splash Plate, Stainless, 10in Wide SHOP NOTE: - installed below fuel fill full perimeter to bottom of skirt rail to protect body- attach to body using double sided tape - no screws	1	REV
		REAR KICKPLATE	1	REV
03-03-9066		WC, Rear Kick plate, Under-Ride Bumper, w/ Tag recess, No lights	1	REV
		SUB-FLOOR SYSTEM	1	REV
03-04-0168	>	MD, Floor, Interior, Non Wood, Thermolite, Type 1	1	REV
		MODULE ENTRANCE	1	REV

PART NO	S	DESCRIPTION	QTY	ID
03-05-0250	<	MD, Module Access, CS Door Relocated Forward SHOP NOTE: "Must use 5x10 sheet to eliminate seams in Bulkhead"	1	REV
MODULE DOORS, HANDLES & HOLD OPENS				
03-06-0115	<	WC, Duraseam Hinged Doors with Hidden Jambs SHOP NOTE: - Magnetic door switches, Standard	1	REV
03-06-0713	< >	MD, Hold Open Rear Entry Doors, (2) 5.5" Cast Grabber SHOP NOTE: - Installed so doors will open as wide as possible - Mount at Bottom of doors.	1	REV
03-06-0817	<	MD, Hold Open - Gas Strut, Curb Side Entry Door, 35# SHOP NOTE: New Code Per ECN 1823	1	REV
03-06-1027	<	WC, Patient Entry Door Handles, Trimark Black/Chrome Pull Handle w/"SafePass" SHOP NOTE: With Round Push button Emergency release top and bottom of interior door panels.	1	REV
03-06-1047	>	WC, Rear Entry Door Trailing Latch, Side release Paddle	1	REV
03-06-4201		MD, Electrical Feed to Required Doors, Spring Protector	1	REV
POWER DOOR LOCKS				
03-06-6120	< >	WC, Power Door Lock, Trimark, Each Entry Door SHOP NOTE: Module entry doors. Pick switches in 03-06-6130	2	REV
03-06-6121	< >	WC, Power Door Lock, Trimark, Each Compartment Door SHOP NOTE: All module compartments(except battery comp) . (unless other specified)	6	REV
03-06-6130	< >	MD, Switch, Momentary Rocker,Activate Power Door Locks SHOP NOTE: Yes on CS wall ! Installed on C/S wall at head of S/B, above counter top next to timer switch.	1	REV
03-06-6134	< >	MD, Switch, Remote Stealth, Cab/Mod Doors SHOP NOTE: In grille on passenger's side.	1	REV
03-06-6137	< >	MD, Relay Control Circuit, Power Door Locks SHOP NOTE: (Use drop down menu to pick keyless entry if required)	1	REV
03-06-6140		MD, Circuit, OEM Door Lock to activate Mod Doors	1	REV
03-06-6207	>	MD, Intermotive CAN module for 2017+ Ford F-series	1	REV
ENTRY DOOR INNER PANELS				
			1	REV

PART NO	S	DESCRIPTION	QTY	ID
03-06-7232	< >	MD, Entry Panels, Durasafe, Stainless Steel, w/ Center Chevrons, (pick color)	1	REV
		SHOP NOTE:		
		- Durasafe Design		
		- Aluminum Center Panels covered: reflective tape		
		Diamond Grade DOT RED/Yellow same as 565198		
		SIDE DOOR STEP	1	REV
03-08-2112		MD, Side Entry Step Well, Type I, Aluminum Diamond Plate	1	REV
03-08-2157		MD, Double Step Step Well	1	REV
03-08-3056		MD, Light, Side Entry Step well, LED, Whelen #TOCACCCR, 2"	1	REV
		WINDOWS	1	REV
03-09-4109	>	MD, Window, Upper, CS/Slider, Rr/Fixed, Privacy Tint, PAN	1	REV
		MODULE TO CHASSIS MOUNTING SYSTEM	1	REV
03-10-1210		MD, Module to chassis mounting system, Type I	1	REV
		CAB TO MODULE	1	REV
03-11-2502	< >	MD, Bellows, Pass thru, Unigrip, F1 2008+,	1	REV
		SHOP NOTE:		
		With Aluminum cab insert.		
03-11-25SR	X <	Bellows Pass Thru, Hypalon F1	1	
		SHOP NOTE:		
		SR 221901F 11.23.21		
03-11-26SR	X <	Bulkhead, Unigrip, PassThru, 74" HR, CS Door Forward	1	
		SHOP NOTE:		
		SR# 221901f 11.23.21		
		(SAP# 10167743) SR #220023F Aluminum cabinets		
		Eng pre plan: LEXAN SLIDER AT PASS THRU !!!		
		Bulk head wall (2) O2 cylinder brackets and (1) QW# YY-13-2225 10lb extinguisher pocket. Install the WC supplied fire extinguisher behind atten seat. Drawings to assist on server in wo folder. Eng note pocket between cylinder storage and fire ext for WC std style small trash can per Eng design.		
		Relocate electric to bulkhead wall Reference 565198		
03-11-27SR	X <	Dry Erase Surface Bulkhead and CS wall	1	
		SHOP NOTE:		
		SR 22190F 11.23.21		
		Dry Erase Surface Bulkhead and CS wall. (SAP# 10168248)		
		Dry Erase board mounted on front bulkhead wall above cylinder storage, Max size !		
		Aluminum, panel !!		
		REAR BUMPER AND REAR STEP CONSTRUCTION	1	REV
03-12-2503	<	MD, Rear Bumper w/ Skids & Flip Up, F1/C1, w/LED DOT lights	1	REV
		SHOP NOTE:		
		w/ Gator Grip on flip up step.		
03-12-2550	<	MD, Coating, Polyurethane, Rear Bumper Supports	1	REV
		SHOP NOTE:		
		Black		
03-12-5620	>	MD, Tow Eyes, Black, Pair in Rear Kick plate	1	REV
		INSULATION	1	REV
03-13-3006		MD, Insulation, Walls and Ceiling, R11 Fiberglass Batt	1	REV

PART NO	S	DESCRIPTION	QTY	ID
RUB RAIL AND FENDER RINGS			1	REV
03-15-6650		WC, Rub Rails, Skirt Line, Extruded "C" channel (E-one Style)	1	REV
03-15-6720		WC, Tape, Reflective, White, For Extruded Skirt rails	1	REV
03-15-8350		MD, Fender Flare, Black Rubber	1	REV
SPLASH GUARDS AND RUNNING BOARDS			1	REV
03-16-1721		WC, Mud Flaps, Rear, w/ Wheeled Coach Logo	1	REV
03-16-3605	S <	MD, Running Boards, F550 w/Gator Grip	1	REV
		SHOP NOTE:		
		F550 Chassis		
DRIP RAILS			1	REV
03-17-1020		MD, Drip Rail Trim Moldings Over Door Openings	1	REV
CAB TO PATIENT AREA ACCESS			1	REV
03-19-2301		MD, Bulkhead, Unigrip, Type 1F/D, Pass Thru, w/ Sliding Lexan Window	1	REV
LICENSE PLATE HOLDER			1	REV
03-20-4053	<	WC, License Plate Holder, Cast LP0002-1 for Under ride Bumper	1	REV
		SHOP NOTE:		
		in rear kick plate, centered		
		License holder comes with (2) LED lights.		
EXTERIOR COMPARTMENT CONSTRUCTION			1	REV
04-01-0504	< >	MD, Exterior Compartment, Sweepout, Each	6	REV
		SHOP NOTE:		
		- Compartments are standard sweep out		
		Raise forward half of comp floor #6, see door panel pocket.		
04-01-3015	< >	MD, Door Sill Protector, Stainless Steel, Each	1	REV
		SHOP NOTE:		
		bottom edge of recessed suction		
04-01-3017	<	MD, Door Sill Protector, Stainless, All Compts	1	REV
		SHOP NOTE:		
		Door Sill Protection - Install Stainless Steel sill protector on lower edge of all door frames to prevent paint damage		
04-01-5106	<	MD, Polyurethane Coating per compartment	6	REV
		SHOP NOTE:		
		light gray		
EXTERIOR COMPARTMENT DOORS			1	REV
04-02-0506	>	WC, Compartment Comp Handle, Trimark, Oval Pull Handle, Black/Chrome	6	REV
04-02-0514	< >	WC, Compartment Door Latch, Edge Paddle, Trimark, Trailing Door	1	REV
		SHOP NOTE:		
		Interior edge style handle comps "#2" &/or "#4"		
COMPARTMENT DOOR HOLD OPEN			1	REV
04-02-7755	<	MD, Hold Open, Gas Strut, Comp Door Only, 110 Degree, 30lb	7	REV
		SHOP NOTE:		
		(1) Comp 8		
		(1) Comp 1		
		(2) Comp 2		
		(2) Comp 4		
		(1) Comp 6		
COMPARTMENT LIGHTING			1	REV
04-03-1483	<	MD, Compartment Light, LED, Whelen #TOCACCCR, 2in, Each	7	REV
		SHOP NOTE:		

PART NO	S	DESCRIPTION	QTY	ID
		Compartment		
		(2) F Wall #3, and Wall #1 Wall 3 light will be the O2 light.		
		(2) E Wall #1 below shelf, Wall #1 Above shelf		
		(2) D . Wall #3 1 upper and 1 lower		
		(2) B2 wall #3 one above and one below shelf		
		(3) A one ceiling of A, one Wall #1 centered in the ISOS, One in Wall #1 below ISOS		
		EXTERIOR COMPARTMENT INTERIOR	1	REV
04-04-2714		> MD, Dri Deck, Black, All Compt. Floors and Shelves	1	REV
		COMPARTMENT #1 - STREETSIDE FWD	1	REV
04-06-0451	<	MD, Compartment #1, Full Height	1	REV
		SHOP NOTE: Ref only 565198 for F compt size. Compt set up for LF HVAC ILOS.		
04-06-0475	<	MD, With Dogleg for Stair chair in Compartment #1, SHOP NOTE: (not available when electric O2 rack is selected) (this will decrease space for attend seat & cot by 5.25") for stair chair	1	REV
04-06-1550	< >	MD, Compartment #1, Shelf, Adjustable, W/Alum Track, First shelf SHOP NOTE: (1) wall #1 to divider adjustable above stair chair height.	1	REV
04-06-1551	<	MD-Compartment #1, Shelf, Adjustable, Additional, Each SHOP NOTE: (1) Divider to wall 3 above O2 window	1	REV
04-06-1830	S < >	MD, Compartment #1, Fixed Divider, Half Height SHOP NOTE: Full depth comp. F at edge of dogleg 1/2 height divider mounted wall 2 and ceiling lower area of comp to be clear for stair chair storage. Eng note same as 565198	1	REV
04-06-1939	<	MD, Compartment #1, Strap, Seat Belt style, Each SHOP NOTE: (1) Comp 1 wall 1 to divider for stair chair	1	REV
		COMPARTMENT #2 - STREETSIDE FWD WHEELWELL	1	REV
04-07-2142	<	WC, Compartment #2, Std Aisle, Standard Configuration SHOP NOTE: With Double Doors Note Doglegs for drawer and cabinet, please see ref drawing's of AA cab and comp for design.	1	REV
04-07-2632		MD, Compartment #2. Shelf, Fixed, Electrical storage, No Divider	1	REV
04-07-9200		Add Dogleg in Comp #2 for Recessed Suction in Face of A/A	1	REV
		COMPARTMENT #3 - STREETSIDE WHEELWELL	1	REV
04-08-2101	< >	MD, Compartment #3, 6"H Slide out Drawer SHOP NOTE: Door Face attached to slide out tray	1	REV

PART NO	S	DESCRIPTION	QTY	ID
		Same as 565198		
		See ref drawing's design to fit with interior drawer's		
04-08-4053	< >	MD, Compartment #3, Tray, Roll Out W/Heavy Duty Slides, W/Lips SHOP NOTE: A Transom #90ZN-F-RB catch shall secure the tray in the closed position.	1	REV
		COMPARTMENT #4 - STREETSIDE AFT	1	REV
04-09-3245	<	MD, Compartment #4, 3/4 Height. SHOP NOTE: With Double Doors Note dogleg for H/M cabinets, special design. Unistrut on wall #2	1	REV
04-09-4550	>	MD, Compartment #4, Shelf, Adjustable, w/Aluminum Track, First Shelf	1	REV
04-09-8008	S < >	MD, Compartment #4, Reinforcement, Wall 2 for SCBA Bracket SHOP NOTE: Compt #4 Wall 2	1	REV
04-09-98SR	X <	Unistrut Horizontal (2) Wall 2 for SCBA SHOP NOTE: (SO-TRACK-361081) SR#221901F 11.23.21 Wall 2 comp D Install 2 horizontal unistrut on wall 2 for Bracket, SCBA, Ziamatic, UN-6-30-3-F-CRS Top of upper unistrut 3.5" below comp/cabinet dog leg. Top of lower unistrut 19" below comp/cabinet dog leg.	1	
		COMPARTMENT #6 - CURBSIDE AFT	1	REV
04-11-1098	XS < >	MD, Compartment #6, Custom SHOP NOTE: SR # 21 inch wide comp per Eng design, to allow for (2) squad bench seating positions and 36" wide compt A ILOS, note to Ext Mech Eng D.L. attended precon, if you have questions. Raise forward half of comp floor, see door panel pocket. Wall 3 to divider.	1	REV
04-11-2097	<	MD, Compartment #6, Divider, Vertical, Fixed, 3/16" Thick , Each SHOP NOTE: centered	1	REV
04-11-4530	< >	MD, Compartment #6, Shelf, Adjustable, First shelf w/Aluminum Track SHOP NOTE: Located from divider to wall 3 approx 44" up from raised floor of comp B2	1	REV
04-11-4652	< >	MD, Compartment #6, Equipment Strap, Seat Belt Style, Each SHOP NOTE: Nylon web strap w/ seat belt buckle and two (2) footman loops	1	REV

PART NO	S	DESCRIPTION	QTY	ID
		(1) Comp 6 wall 1 to divider for stair chair		
04-11-4665	S <	MD, Compartment #6, Recessed Door Panel, Diamond Plate SHOP NOTE: Same as 565198 Pocket the B2 inner door panel maximize door pocket per Eng. Build up floor per Eng from wall 3 to the divider.	1	REV
		COMPARTMENT #6.5 - CURBSIDE AFT WHEELWELL	1	REV
04-12-0155	>	WC, Compartment #6.5, Deleted	1	REV
		COMPARTMENT #8 - CURBSIDE UPPER FORWARD	1	REV
04-14-2200	S <	MD, Compartment #8, Single 1/2 Height Door, Aft of CS Door Forward SHOP NOTE: SR#221901F 11.23.21 (SAP# 10139057) Same as 565198 SR 220023F See ref drawing for design intent. Custom opening to the A1 to allow for minimum 32" tall by 36" wide clear access ISOS. Eng note Single door ILOS HINGED LEFT !! Prod/Eng note module floor flush with ISOS access floor build up if needed. Use module flooring extended into RF cab/comp floor, cover seam with threshold per Eng.	1	REV
04-14-8010	< >	MD, Compartment #8, Shelf, Adjustable, RF Cabt, First shelf w/Aluminum Track SHOP NOTE: Adj shelf in comp A below the drawer bump out of the cabinet. Shelf on the 3 sides will have a 1/2" lip upward for the sides and the interior. The exterior side will have a 1/2" downward. Shelf .125 large shelf with stampro on the edges. Install black rubber mat on the shelf and glue it down. Same as 565198	1	REV
		INTERIOR TRIM AND FEATURES	1	REV
05-01-0108	S < >	WC, Interior Cabinets, Aluminum, Painted, CN10 Compliant SHOP NOTE: SR 221901F 11.23.21 Flat wall panels above CS and SS CPR side seat to be PVC material per ECN 1922	1	REV
05-01-0109	X <	Color- Misty Grey #6028 SHOP NOTE: (SAP# 10321095)	1	
05-01-0112	<	Flat Wall Panels, Curb Side and Street side, PVC Panels - ECN 1922 SHOP NOTE: Panels to be finished to match the cabinets	1	REV
		INTERIOR ADJUSTABLE SHELVES	1	REV
		HEADLINER	1	REV
05-06-2860	>	WC, Headliner, Flat, PVC, Hinged trough cover, 160"+	1	REV
		FLOORING	1	REV
05-07-0120	< >	MD, Flooring, Lon Seal "Lonplate II " SHOP NOTE: With approximately 3" roll up both street side and curbside.	1	REV

PART NO	S	DESCRIPTION	QTY	ID
05-07-0121	<	MD, Color, Gunpowder Gray #424TX SHOP NOTE: Prod/Eng note module floor flush with ISOS access floor at RF cab build up if needed. Use module flooring extended into RF cab/comp floor, cover seam with threshold per Eng.	1	REV
05-07-9896		MD, Floor, Thresholds, Stainless Steel, Painted w/Black Poly-urea coating Entry Door Grab Handles	1	REV
05-10-1529	<	MD, Entry Door Grab Handles (3), Custom "L" Shape, 1", Yellow SHOP NOTE: - Yellow Powder Coat Finish Stainless Steel Grab Handles	1	REV
		Ceiling Grab Rail - Center	1	REV
05-10-1931	< >	MD, Ceiling Grab Rail, Overhead, 112", 1" diameter Handicap Style, Yellow SHOP NOTE: Yellow Powder Coat Finish	1	REV
		GRAB HANDLES	1	REV
05-10-68SR	X <	Grabhandle 15" Yellow Handicap SHOP NOTE: SR 22190f 11.23.21 Grabhandle 15" Yellow Handicap (SO-GRAB-361081) CSR cabinet just inside RR entry door, note mount so that it doesn't interfere with the rear door handle.	1	
05-10-69SR	X <	Grabhandle 18" Yellow Handicap SHOP NOTE: SR 221901F 11.23.21 Grabhandle 18" Yellow Handicap (SAP# 10490277) Installed on bulkhead cabinet wall just inside CS entry door way, see ref drawing's for intent !	1	
		IV FLUID HANGERS	1	REV
05-11-0017	< >	MD, IV Hook, Cast, Fold Down Recessed Each SHOP NOTE: (1) IV SS1 between domes 5 and 6 (1) CS between domes 1 & 2, over foot of squad bench area.	2	REV
05-11-6010	<	WC, Painted Aluminum Cabinets, MultiSpec White/White #99-6285 SHOP NOTE: Aluminum cabinets painted inside and out with aluminum trim painted to match	1	REV
05-12-1711	<	MD, Cabinet, A/C, Angled mounting in LF corner SHOP NOTE: Corner style, angled cabinet, ILOS. Aluminum construction cabinet.	1	REV
		ACTION WALL AREA #2	1	REV
05-13-3026	<	WC, Cabinet, A/A, Std Aisle, No Bio waste, w/ Recessed Suction, Rounded Corner SHOP NOTE: Custom Height (SAP# 10214788) REF 565198 Recessed suction in aisle facing cabinet face under action area tray.	1	REV
05-13-4386	< >	MD, Tray, A/A, No Bio waste, Corian Platinum SHOP NOTE: Gray Extended	1	REV

PART NO	S	DESCRIPTION	QTY	ID
05-13-4396	< >	MD, Pull-Out Drawer Under AA w/ Flip-up Plexi Writing Surface SHOP NOTE: Above suction recess Same as 566198 (SO-AA-361081) 3.5" deep drawer with a lexan lid on top of drawer. Interior drawer size: 14" wide x 15" deep x 3" high - Creates a Dogleg extending into the #2 compartment	1	REV
05-13-4414		MD, AA Upper Cabinets, U2.5, U2, Combine into 1 Large Cabinet, Full Ht Comp 1 CABINET DOORS	1	REV
05-13-44SR	X <	Shelf In AA under 3 /2 Cabinet SHOP NOTE: SR 221901F 11.23.21 AA Shelf (SO-SHELF-361081) Shelf mounted under c4/c3.5 cabt forward of C4 cabinet. This shelf to be 1/3 height of open area above tray & extend 14" forward. allow a minimal of 6" clearance to underside of cabinet above. Same as 565198 note see 12V outlet that's above the shelf.	1	REV
05-13-4574	>	MD, Doors, "U2.5,U2,U1" Combined, Gray Poly carbonate Slider, CN 10 C	1	REV
05-13-SR01	X <	Custom AA lower basewall cabinet L2 SHOP NOTE: SR# (SAP# Previous SR 221010F REF 565198 See ref drawing's NEW design consult with B.N. in Ext Eng. Forward of AA drawer and suction recess with Unframed OHO dbi Austin doors. Max H x 14" W x 8"D adjacent to attendant seat	1	REV
		Interior Streetside #3 - CPR Seat	1	REV
05-14-1577		MD, Cabinet C3.5, deleted For Telemetry Area	1	REV
05-14-1583	< >	MD, Cabinet C3, deleted, for extended action area. SHOP NOTE: (Requires "extended" action area tray)	1	REV
05-14-1587		MD, Cabinet L3.5, full height, std	1	REV
05-14-1595	XS < >	MD, Cabinet L3, Custom SHOP NOTE: CPR side seat, deleted SR # (SO-P-361081) SR221010F Eng ref 447993 Minimal 5.75" tall by 33.875" long by 18.25" deep alum dropdown face above exterior WW compt. See ref drawing's. New cabinets Per Eng design maximize size consult with Bryson N. for design	1	REV
05-14-1599	X <	Custom L3.75 Tilt Out SHOP NOTE: SR# Previous SR #221010F 3.75 cabinet to be tilt out Ref 565198 for WC style trash and sharps.	1	
05-14-4552		MD, Telemetry Tray, Poured, Gray	1	REV
05-14-4650		MD, Doors, L3.5, Gray Poly carbonate Slider, CN 10 Compliant	1	REV
05-14-4662		MD, Doors, L3, Gray Poly carbonate Slider, CN 10 Compliant STREETSIDE REAR AREA #4	1	REV

PART NO	S	DESCRIPTION	QTY	ID
05-15-5051		> MD, Cabinet U4, Combined with U3.5	1	REV
05-15-5114	XS	< > MD, Cabinet C4, Custom	1	REV
		SHOP NOTE:		
		SR # 221901F 11.23.21		
		Custom C4/C3.5 (SO-H/M-361081) SR #221010F		
		Eng. Note: Reference 565198		
		Custom C4/C3.5 (H/M)combined cabt Oversized C\$/C3.5 is 8" deep 17" tall by 63"		
		wide lexan slider. Note the 3.5		
		(M) area of the H/M cabinet will be full depth just forward of compt 4.		
05-15-5118		MD, Cabinet L4, Deleted	1	REV
		CABINET DOORS	1	REV
05-15-6112		MD, Doors, U4/U3.5 Combined, Gray Poly carbonate Slider - CN 10 Compliant	1	REV
05-15-6127		MD, Doors, C4, Gray Poly carbonate Slider - CN 10 Compliant	1	REV
		SQUAD BENCH AREA	1	REV
05-16-0066	S	< > WC, Squad Bench, Custom	1	REV
		SHOP NOTE:		
		SR#		
		(SAP# 10214784) SR # 220023F No 6.5 comp.		
		Squad bench area of greater than 53 inches for 2 seated		
		positions, 4 point restraints, old style std backrests. Single lid.		
		Eng ref 565198 this unit will have aluminum interior cabinets		
		ILOS.		
05-16-0070	<	MD, Lid, Squad Bench, Single, No Bio-Waste	1	REV
		SHOP NOTE:		
		Aluminum Max .5 " overhang on lid.		
05-16-0082		MD, Handle, Trimark, Squad Bench, STD	1	REV
05-16-0094		MD, Strut, Gas, 30 LB, Installed	1	REV
05-16-0214	<	MD, Seatbelt, Assy, (4 Point), Per 4Max, Black, Vert. Mount, (1) Each, CN-8	2	REV
		SHOP NOTE:		
		Above bench Lid mounting		
		(1) for CPR side seat (Delete shop note if not required)		
		(2) for squad Bench		
05-16-0222		MD, Patient Restraint Belts, Squad Bench (3)	1	REV
		CURBSIDE REAR	1	REV
05-16-9930	< >	MD, Cabinet, Curbside Rear, Custom	1	REV
		SHOP NOTE:		
		SR #		
05-16-99SR	X	< Custom CS Splint Cabs	1	
		SHOP NOTE:		
		SR 22190F 11.23.21		
		Custom CS Splint Cabs (SAP# 10214787)		
		Aluminum		
		(3) 3/8 Gray flip up lexan doors		
		use a R1, R2, R3 CS Splint cabinet all same size KKK Compliant. Start cabinets from		
		CS Entry to CS rear		
		compartment. See Drawings and ref only 565198		
05-17-2508	< >	MD, Cabinet, Glove Box Holder, (3), Above C/S door,	1	REV
		SHOP NOTE:		
		Must use M1 latches for KKK Change notice 10 compliance		
05-17-2512	< >	MD, Cabinet, Glove Box Holder, (2), Above Rear Door, Clear Lexan IATS	1	REV
		SHOP NOTE:		

PART NO	S	DESCRIPTION	QTY	ID
		Glove box built into rear head knocker with One flap each side of center, allowing for clock in center if ordered.		
		REF 565198 (SO-CABT1-361081)		
		CURBSIDE RIGHT STACK STORAGE #8	1	REV
05-18-0095	S < >	MD, RF ALS, At Head of SB, 1/2 Height, Custom Configuration	1	REV
		SHOP NOTE: SR 22190F 11.23.21 MD, RF ALS, At Head of SB, Full Height, Custom Configuration: (SAP# 10843993) Send Dealer screen shot's of design to dealer prior to production for approval. SR # Aluminum interior ILOS Ref 565198 Per Eng design This will change due to new aluminum cabinets, consult with B.N. in Ext Eng if needed. CS entry forward design. A comp and tower. Customer requires a 36" wide by 32" tall clear ISOS area above floor line, A door hinged left ILOS must access isos clear. Above this will be a aisle facing 6"i.d full depth drawer, and two stacked bench facing drawers , 6.5 inch i.d. these are approx 12" deep ID. In dead space below the two drawers facing the squad bench, provide a slide out drawer Sharps only opens toward aisle. Corian TRAY. See ref drawings on file for design intent. two seating positions on squad bench BOM ENG NOTE NO NET, Customer requests BLACK hose cover type covering with shock cord and grommet / hook closure . https://syntexindustries.com/fire-apparatus/hose-bed-covers/ or similar. BOM Eng Look this is included under this BOM. Prod/Eng note module floor flush with ISOS access floor build up if needed. Use module flooring extended into RF cab/comp floor, cover seam with threshold per Eng.		
		ATTENDANT SEAT	1	REV
05-19-6902		MD, Attendant's Seat, EVS 1880, Comfort, Hi-Back Child Safety w/Per4Max	1	REV
05-19-6904	>	MD, Color, Gunmetal, Per4Max Belt, Black	1	REV
05-19-7216	<	MD, Attendant's Seat Base, EVS Swivel 2 Pos	1	REV
		SHOP NOTE: Engineering note !! atten seat base approx 12" off street side base wall, ref pics on file in folder.		
	<	INTERIOR COLORS	1	REV
		SHOP NOTE: Aluminum Interior Ref (SAP# 10819762) Color - Misty Grey #6028,ILOS		
		UPHOLSTERY	1	REV
05-20-5918	>	MD, Upholstery Color, Gunmetal	1	REV
05-20-5970	S < >	WC, Backrest Cushion, Gunmetal No Bio No Post Flat Style	1	REV
		SHOP NOTE: Flat style back rest ILOS to allow max width drawer's in cabinet at head of squad bench.		
		MISC. INTERIOR OPTIONS	1	REV
05-21-2030	< >	MD, Mat Black Ribbed Rubber	1	REV
		SHOP NOTE: Glued down to shelf in RF cabinet.		

PART NO	S	DESCRIPTION	QTY	ID
CABINET LATCHES- INTERIOR			1	REV
05-21-8219	< >	MD, Latch, Southco M1, 2" S/S, (3/8" Door) Non-Locking, CN 10-Rated 10lb	2	REV
		SHOP NOTE: (self latching) Flush Mount. Non-Locking		
05-21-8219	< >	MD, Latch, Southco M1, 2" S/S, (3/8" Door) Non-Locking, CN 10-Rated 10lb	1	REV
		SHOP NOTE: (self latching) Flush Mount. Non-Locking		
	<	GENERAL WIRING	1	REV
		SHOP NOTE: Elec Eng ref 565198		
06-01-0130		MD, Electrical System: Printed Circuitboard	1	REV
06-01-0250		MD, Vanner, "E" Spec, PC Board, No LB	1	REV
CAMERAS			1	REV
06-05-SR01	X <	Camera, Hanscom K # HC430RVM	1	
		SHOP NOTE: SR#221901F 11.23.21 Hanscom K #HC430RVM (SAP 10184826) Same as 565198 Make sure bracket fits on 2022 MY F550		
		(1) #HC430RVM rearview mirror with 4.3" integral monitor (1) #IR250 Camera, Black with 35' cable.		
		Camera Rear Mounted Off center toward drivers side above rear module entry doors.		
		HANSCOM CAMERA IGINTION HOT AND ON FULL TIME WITH IGNITION. SAME AS 565198		
COMMUNICATION			1	REV
06-06-5545	< >	MD, Base, Antenna, Motorola Mount, w/Coax	2	REV
		SHOP NOTE: From antenna base located above Dome Number: Coax to Terminate:		
		1) Dome 7 to terminate in cab console tag Ant #7 (1) Dome 6 to terminate in cab console Ant #6		
07-00-0610	<	MD, Light, in Circuit Board Area, for Electrical Troubleshooting	1	REV
		SHOP NOTE: - with integral switch; wired constant hot.		
POWER SOURCES			1	REV
07-01-1002	<	MD, Power Source, 12VDC, 20A, Ignition/Shoreline Hot	1	REV
		SHOP NOTE: 20amp 12 volt DC circuit ran to two locations, (1) pre-wire coil and tagged in action area and (1) pre-wire coil and tagged behind driver's seat.		
07-01-1008	< >	MD, Power Source, 12 VDC, 15 Amp (+-), Ignition Hot	3	REV
		SHOP NOTE: - Ignition hot,		
		(1) terminating in cab console - with 6 foot tails (hot and ground). (1) Ignition hot to bulkhead electrical cabinet. - Tag and label "Sierra Ignition Hot". coil with Sierra Constant Hot, and Sierra #4 ANT in the bulkhead electrical cabinet.		

PART NO	S	DESCRIPTION	QTY	ID
		(1) Constant hot to bulkhead elec cab thru sw in CC. Tag and label "Sierra constant Hot". coil with Sierra Ignition Hot, and Sierra #4 ANT in the bulkhead electrical cabinet		
07-01-1010	< >	MD, Power Source, 12 VDC, 20 Amp (+-), Constant Hot SHOP NOTE: - (1) Constant hot to cab console	1	REV
07-01-1016	< >	MD, Power Source, 12 VDC, 30 Amp (+-), Constant Hot SHOP NOTE: - Constant Hot, to terminate behind the passenger seat - with 6 foot tails (hot and ground).	1	REV
		VOLTMETER	1	REV
07-02-1150		WC, Voltmeter, Analog, F1	1	REV
07-02-1155	<	MD, Alarm, Low Voltage, Audio/Visual SHOP NOTE: Light in cab console and Buzzer in cab.	1	REV
		BATTERY SYSTEM	1	REV
07-04-8721	<	MD, Battery Sw, 5min Timer, F1, Fig 5B, Batt under Hood SHOP NOTE: Activated thru OEM ignition switch timer function upon ignition "off". Momentary rocker switch, on driver's side of cab console, to function as timer shutoff and also reactivate timer. (2) OEM batteries under hood ONLY Module power is turned on/off. Chassis power is NOT turned off.	1	REV
07-09-1023	< >	MD, Battery Charger, Kussmaul, Auto 1200, 40 amp w/remote Ind. Light SHOP NOTE: Charger/Conditioner mounted in comp #2 with the indicator light above the shoreline inlet	1	REV
07-10-1101	< >	MD, Outlet, Power Point Style, (2), A/A SHOP NOTE: - on standard 20-amp ignition hot circuit. ("elect battery switch")	1	REV
07-10-1105	< >	MD, Outlet, Power Point Style, Each SHOP NOTE: Ignition Hot (1) Above tower on CS wall (1) At rear of AA wall 2 near wall #1 up high above rear AA shelf, see REF DRAWINGS (1) A comp/RF cab ISOS- wall #1 low, above mod floor next to 125V outlet.	3	REV
07-10-1109	<	MD, Power Outlet, Kussmaul, USB Dual Port, 5VDC, 4.8 Amp, switch panel SHOP NOTE: Located in the cab switch panel per Electrical Engineering	1	REV
07-10-1111	<	MD, Power Outlet, Kussmaul, USB Dual Port, 5VDC, 4.8 Amp, switch panel, Each SHOP NOTE: (1) Location in the Action area outlet panel.	2	REV

PART NO	S	DESCRIPTION	QTY	ID
		(1) Ign hot CS wall above tower at head of squad bench.		
		FRONT CONSOLE	1	REV
08-01-3525	<	WC, Console, Drivers Switch & Radio, Center, Aluminum, Black, Type1 Ford SHOP NOTE: Black polyurethane coated .125 Aluminum	1	REV
		See below for Optional panels 10.75 x 12.5 x 7" deep storage area at rear		
08-01-4652	>	WC, Single Blank Panel	1	REV
08-01-4654	>	WC, Double Blank Panel	1	REV
08-01-4666		WC, Flat Switch Panel	1	REV
08-02-0006	<	MD, Module Electrical Panels, Brushed Stainless Steel SHOP NOTE: brushed stainless steel panels for the Outlet panels, switch panels and other faceplates in the MODULE only.	1	REV
		ATTENDANT CONTROL PANEL	1	REV
08-03-0306		WC, Console, A/A, Wood, Angled	1	REV
08-04-6105	< >	MD, Switch, 12VDC, Rocker, Amber, Additional SHOP NOTE: 10 Amp constant hot Same as 477993 Additional switch in cab console, Switch is to reset wifi router for sierra system. terminate wires in CB cabt. with 6 ft tail, tag wire in CB cabt Wi Fi. -Tag and label "Sierra Constant" coil with "Sierra ignition" power and "Sierra ANT #4" Coax.	1	REV
08-04-6111	< >	MD, Switch, Momentary, Rocker, (1) SHOP NOTE: Air horns one each side of cab console switch panel	2	REV
08-04-6317	X <	Switch, 12 VDC, (1), For Additional Lights SHOP NOTE: Switch, 12 VDC, (1), For Additional Lights Ref 565198 (1) AA for IATS Domes (Note unit gets this sw)	1	
		SIREN ELECTRONIC - CONTROL HEADS / AMPS	1	REV
09-03-1802	>	MD, Siren, Whelen, WS-295-SLSA1	1	REV
		SIREN SPEAKERS	1	REV
09-03-2708	<	WC, Siren Speakers, Cast SAD/PSAD3827-20FSD-1, F-Series 2020 SHOP NOTE: Thru Front Bumper	1	REV
		AIR HORNS	1	REV
09-03-3502	>	MD, Additional, Air Tank, For Buell Air Horns	1	REV
09-03-3506	< >	MD, Air horn, Buell, 5440 comp, Dual 10" horns SHOP NOTE: mount compressor on fixed shelf in comp "2"	1	REV
09-03-3522	< >	MD, Brackets, Air horn Under Front Bumper, F-Series, 2017+ SHOP NOTE:	1	REV

PART NO	S	DESCRIPTION	QTY	ID
		Brackets Per Eng design		
		Under front bumper through plastic fairing.		
09-03-3530		MD, Switch, Siren/Horn Thru Horn Ring	1	REV
		BACK-UP ALARMS	1	REV
09-05-1112		MD, Back-up Alarm, No Cutoff Switch	1	REV
	<	EMERGENCY SEQUENCER/LOAD MANAGER	1	REV
		SHOP NOTE: Elec Engineering reference 477993		
09-06-0026	< >	MD, Emergency Sequencer, Kussmaul, Load Manager, w/Switch	1	REV
		SHOP NOTE: W/Sequencer switch and override on console		
09-06-0029	< >	MD, Switch, Emergency Master, Sequenced	1	REV
		SHOP NOTE: Must pick sequencer from the menu.		
09-40-5176	< >	MD, Cab Headliner Removal Fee, MAV	1	REV
		SHOP NOTE: for lightbar installation		
		TRAFFIC MANAGEMENT LIGHTS	1	REV
09-44-SR01	X <	Whelen TANF 85 LED Lightstick	1	
		SHOP NOTE: SR22190F 11.23.21 (SO-TA-361081) Same as 565198 TRAFFIC ADVISOR, TANF85, W/TACTL5 SAP# 10169624 Whelen TANF85 8-lamp linear-LED Traffic Adviser, Above rear doors & above CRA/load lights. TACTLD1 control head in CC per Eng.		
09-44-SR02	X <	GTT Opticom 792 M	1	
		SHOP NOTE: SR221901F 11.23.21 792 Emitter only, no GPS! Model 792 M emitter on OEM bracket mount, on front wall under cool bar. switched: primary only in gear only Eng note keep the Opticom high on the face above the go light.		
		WARNING LIGHT FLASHERS	1	REV
09-80-2006	< >	MD, Flasher, Whelen AFM-560	1	REV
		SHOP NOTE: Set flash pattern to Comet Flash unless otherwise specified.		
09-80-7005	<	MD, Circuit, Lights X-Pattern Flash	1	REV
		SHOP NOTE: Rear Upper outers and Rear Upper Window lights X pattern PRI/SEC. Upper window lights R/B Split. Red part of rear window lights brake over ride in Emergency Mode only. Eng ref 565198		
09-80-7009	<	MD, Brake Override Circuit	1	REV
		SHOP NOTE: Ref 565198 M9 R/B split window lights. Brake override on red portion		

PART NO	S	DESCRIPTION	QTY	ID
		of light in emergency mode only.		
09-80-7011	< >	MD, Automatic Secondary, Park/Neutral, w/Momentary Switch, Auto Reset SHOP NOTE: the circuit would automatically reset when the gear shift lever is placed back into gear.	1	REV
		WARNING LIGHTS	1	REV
		LED Series - M9 (Flange Included)	1	REV
09-95-1723	< >	MD, Light, M9RC, LED, Whelen, Red, Clear Lens, Internal Flash, w/Flange SHOP NOTE: (2) Cool Bar one each side of center light (2) Each side upper outer corner's (2) Front module upper outer corners	8	REV
09-95-1729	< >	MD, Light, M9C, LED, Whelen, Clear, Internal Flash, w/Flange SHOP NOTE: Cool Bar Center PRI only thru internal flasher, factory default FU	1	REV
09-95-1733	< >	MD, Light, M9J, LED, Whelen, R/B, Clear Lens, Internal Flash, w/Flange SHOP NOTE: (2) Cool Bar angled area Pri/Sec through lights internal flasher factory default (2) Rear Module Each upper outer corner Pri/Sec set to steady burn light to flash through AFM 560 flasher X pattern with rear window lights per Elec Eng (2) Rear Module thru top part of rear windows Pri/Sec set to steady burn light to flash through AFM 560 flasher, X pattern with rear upper outer corner lights. Wire the RED portion of the window light to Brake light. Flash and steady burn in EMERGENCY mode only. Not DOT approved for stand alone brake lights. Set up/wired per Elec Eng Ref 477993	6	REV
		LED Series - M7 (Flange Separate)	1	REV
09-95-2424	< >	MD, Light, Whelen M7 LED, Red, Clear Lens SHOP NOTE: Rear Intersectors Pri only thru lights internal flasher factory default H5-	2	REV
09-95-2428	< >	MD, Light, Whelen M7 LED, Amber, Clear Lens SHOP NOTE: (1) Center Amber under traffic adviser. PRI/SEC sync with lower rear window show thru M7 Ambers factory default flash. Internal flasher (2) Rear Window lower show thru lights PRI/SEC Sync with Center amber factory default flash. Internal flashers	3	REV
		WHELEN FLANGES 7 SERIES LIGHTS (Flange Separate)	1	REV
09-95-3038	<	MD, Flange, Whelen, Chrome, M7FC, each SHOP NOTE: For M7 Series Lights	1	REV

PART NO	S	DESCRIPTION	QTY	ID
Whelen 500 Series Super-LED® (Flange Separate)			1	REV
09-95-4247	< >	MD, Light, 5L TIR6, Whelen, Red, Red Lens, 50RR3ZRR	3	REV
		SHOP NOTE:		
		CS and rear entry door lower panel outer corner		
		Ign Hot flash when door is open internal flasher		
09-95-4262	>	MD, Light, 5L LIN6, Whelen, Red, Clear Lens, 50R02ZCR	2	REV
WHELEN 5E FLANGES/HOUSINGS:			1	REV
09-95-4311	>	MD, Housing, 5L Series, #5LSMAC, (1)	5	REV
WHELEN LINZ6			1	REV
09-95-4803	<	MD, Light, Whelen, LINZ6R, LED-Red, W/Chrome Flange	2	REV
		SHOP NOTE:		
		(2) front intersectors		
		Pri only internal flashers, comet flash.		
EXTERIOR AUTOMOTIVE LIGHTING			1	REV
10-01-0056	<	MD, Taillight Pkg, Whelen, M6 LED Stop/Tail (Clr), Turn Arrow & Max Intensity B.U	1	REV
		SHOP NOTE:		
		- Brake- Steady Burn		
		- Turn Arrow – sequential arrow		
10-01-1309		MD, Flanges, Whelen, (6) Chrome M6 series taillight set	1	REV
ICC/MARKER LIGHTS			1	REV
10-01-2177	<	MD, Light, Clearance, Amber LED, Each	3	REV
		SHOP NOTE:		
		On front as clearance lights.		
10-01-2178	<	MD, Light, Clearance, Red LED, Each	3	REV
		SHOP NOTE:		
		On rear as clearance lights.		
10-01-2255	<	WC, Corner Cap Lts, Multi, LED, (2) Amber (2) Red w/Flashers, No switch	1	REV
		SHOP NOTE:		
		- High intensity flashers; thru Primary /Secondary		
FLOOD AND LOAD SYSTEMS			1	REV
10-02-2206	<	MD, Light, LED, Whelen, Clear, #M9LZC w/Flange	4	REV
		SHOP NOTE:		
		(new code) (1)#AS00344, (1)#AS89004		
		(2) each side as scene lights		
10-02-2208	<	MD, Light, LED, Whelen, Clear, #M7ZC w/Flange	2	REV
		SHOP NOTE:		
		(2) on rear as load lights		
10-02-2250		MD, Scene Lighting, CS, Activate on Opening of Entry Door	1	REV
Cab Entry - Lighting			1	REV
10-02-8043	< >	MD, Lights, Running Board, Pair, Trucklite 4" LED, Constant Hot	1	REV
		SHOP NOTE:		
		SCOTT are these LED????		
		Activated with the cab doors.		
11 - INTERIOR LIGHTING			1	REV
11-01-2809	<	MD, Lights, Dome, LED, Whelen, White Flng, (4) S/S, (3) C/S	1	REV
		SHOP NOTE:		

PART NO	S	DESCRIPTION	QTY	ID
NOTE: NO VISABLE FASTENERS OR HOLES.				
11-01-2818	<	MD, Light, Dome, LED, Whelen, White Flng, (1) Additional SHOP NOTE: (3) rear headliner F,G, H separately switched (1) Rear module headliner liner above CS entry door way switch this light with CS bank of dome lights. NOTE: NO VISABLE FASTENERS OR HOLES.	4	REV
11-01-2871		WC, No Lighting Recessed into Trough Cover	1	REV
11-01-9032	< >	MD, Timer, Momentary Switch, 15 Minute, Constant Hot SHOP NOTE: (must have ECX timed battery switch with this option) Mount switch on C/S wall at the head of the squad bench in the standard location. Switch to allow activation and also deactivation. Wire to Streetside Domes in liner on High.	1	REV
SPOTLIGHTS / HANDHELD LIGHTS			1	REV
11-02-1003		MD, Handheld Spotlight - Sho-Me 200,000 CP	1	REV
11-02-SR01	X <	Spotlight, Go Light , Stryker LED Black #30214 SHOP NOTE: SR#221901F 11.23.21 Spotlight, Go Light , Stryker LED Black #30214 (SO-GL-361009) include SAP # on your order 10154430	1	
ATTENDANT LIGHT			1	REV
11-03-2033	<	MD, Light, Grote 12v, LED Strip, Each SHOP NOTE: (1) CS action area (1) Additional under R1 over tower at CS Wall.	2	REV
12 - ELECTRICAL 125 VOLT AC SHORELINE INLET			1	REV
12-01-9102		MD, Housing, Kussmaul EZ Plate for 15/20 Amp Shoreline w/ ind light	1	REV
12-01-9114	< >	MD, Shoreline, 20A, Super Auto Eject, Red SHOP NOTE: - with red cover; mounted above comp "#2"	1	REV
OUTLETS - 125VAC			1	REV
12-02-2110	<	MD, Outlets, 125 VAC, Duplex, (1) Action Wall, (1) Right Front Cabinet SHOP NOTE: (1) At rear of AA wall 2 near wall #1 up high above rear AA shelf, see REF DRAWINGS (1) A comp/RF cab ISOS- wall #1 low, above mod floor next to 125V outlet	1	REV
12-02-2114	< >	MD, Outlet, 125 VAC, Duplex, Each, State Location: SHOP NOTE: (1) Above tower on CS wall	1	REV
BLOCKHEATERS			1	REV
12-02-4001	<	Block Heater - With OEM Plug SHOP NOTE: This option does not include a switch.	1	REV

PART NO	S	DESCRIPTION	QTY	ID
		(STANDARD).		
		INVERTER - 125VAC	1	REV
12-03-1430	< >	MD, Inverter/Charger,Xantrex, Freedom HF 1000, 1000w/55 amp charger	1	REV
		SHOP NOTE: Remote switch in action area.		
		AUXILIARY ENVIRONMENTAL SYSTEMS	1	REV
13-02-0111		MD, Exhaust Fan, Single 12V, in Line Blower	1	REV
		WHEELED COACH HVAC UNITS	1	REV
13-02-5751	>	MD, Hoses, Heater, No Max, to Rear	1	REV
13-02-5763	< >	WC, Heat/AC, F1, Combo, w/Coolbar	1	REV
		SHOP NOTE: (new code)		
		with thermostat in action area.		
		12vdc External Condenser, in Coolbar mounted on front of module. Painted to match front of module.		
		Note: pick warning lights separately !!		
13-02-6028		WC, Air Conditioning Face Plate, Brushed Stainless Steel with Logo	1	REV
13-02-6051	< >	MD, Heat/AC Re-Located LF corner	1	REV
		SHOP NOTE: HVAC evaporator relocated to street side of front bulkhead adjacent to street side wall.		
		HVAC to be at 45 degree angle		
13-02-6082	>	MD, Generation I, Steel Cool Bar cover	1	REV
13-02-7754	<	MD, Thermostat, Hoseline Master Control Digital CM5000	1	REV
		SHOP NOTE: With cover over standard switch location. Mount probe in front of evaporator		
		COT MOUNTING PROVISIONS	1	REV
		Cot Mounts	1	REV
14-01-1546	<	MD, Cot Mount, Stryker Power Load, No Wheel Guides, CN 8 Compliant	1	REV
		SHOP NOTE: includes constant hot power supply for battery charging.		
14-01-4028		Center Mount	1	REV
		OXYGEN AND AIR SYSTEMS	1	REV
14-02-1010	< >	MD, O2 Cylinder Wrench ,Tethered	1	REV
		SHOP NOTE: in oxygen comp.		
14-02-2242	<	MD, O2 Cylinder Bracket, Multiversal, #QR-MV, W/ Straps	1	REV
		SHOP NOTE: (Uni-strut track mounting is now std)		
		Specify O2 bottle size.		
14-02-2244		MD, Track, Unistrut for Oxygen Rack	1	REV
14-02-3005		MD, Manual, O2 System	1	REV
14-02-3156	<	MD, O2 Regulator, Preset 50 PSI	1	REV
		SHOP NOTE: Ship Loose unless otherwise directed		

PART NO	S	DESCRIPTION	QTY	ID
14-02-4156	< >	MD, O2 System, Ohio Style (2 Action Area, 1 Liner, 1 CS Wall) SHOP NOTE: Ohio style (2) oxygen outlets in action area (1) oxygen outlet in liner at head of cot (1) (1) oxygen outlet cs wall at head of squad bench, above counter top see ref drawing's for design intent. Approx 2 inches from top of outlet to bottom of splint cabinet !	1	REV
14-02-4920	>	MD, Lexan Flap, w/Hinge	1	REV
		PORTABLE O2 HOLDERS	1	REV
14-02-6282	< >	MD, O2 Cylinder Holder, Single, Zico QR-D-2 Strapless, CN 10 Certified SHOP NOTE: Mounted in bulk head recess, next trash container. See ref drawing's.	1	REV
14-02-9045	< >	MD, Bracket, SCBA, Zico, UN-6-30-3-F-CRS, Each SHOP NOTE: Comp D on wall 2 unistrut track	2	REV
		SUCTION SYSTEM	1	REV
14-03-3030		MD, Suction Pump, SSCOR 90206	1	REV
14-03-3045	>	MD, Suction Port	1	REV
14-03-3070	< >	MD, Suction System, SSCOR 23002 Disposable w/Canister Clip & Regulator SHOP NOTE: NO Ohio style vacuum outlet - plumb hose from SSCOR canister through hole in AA wall panel Meets SAE J3043 Requirements	1	REV
		MISC MEDICAL	1	REV
14-04-1200	< >	MD, Fire Extinguisher, 5# ABC with Surface Mount Brkt., Each SHOP NOTE: HD Amerex Bracket #861H with Amerex 5LB fire extinguisher.	2	REV
		PAINT AND FINISH	1	REV
15-00-0200		WC, Wheeled Coach Paint Process	1	REV
15-01-2011	< >	Module Paint, Single Color, Paint other than OEM, Red or Metallic SHOP NOTE: Note: Must state color with paint code and request a paint spray-out for approval. Paint code #FLNA 3047 RED SEE REF PICS in WO FOLDER ON SERVER. Red unit with the module roof skin painted white inside the roof rails white: FA91:YZ No white paint to be seen from the ground, roof skin only white. SEE REF PICS in WO FOLDER ON SERVER.	1	REV
15-01-5600	<	Cab Paint - Single Color, Repaint other than OEM, Red or Metallic SHOP NOTE: Note: Must state color with paint code and request a paint spray-out for approval. Paint code #FLNA 3047 RED SEE REF PICS in WO FOLDER ON SERVER.	1	REV

PART NO	S	DESCRIPTION	QTY	ID
THE CAB INSERT MUST MATCH THE AREA THAT IT IS INSERTED INTO				
PAINT STRIPING DESIGN			1	REV
15-02-1200		Paint Belt, None	1	REV
DECALS AND NOMENCLATURE			1	REV
15-03-6370		MD, Roof Star, White Border, Installed	1	REV
	<	SHIP LOOSE ITEMS	1	REV
SHOP NOTE: DO NOT SHIP SPARE TIRE				
15-05-0038		WC, Ship Loose, W.C. Standard Items	1	REV
15-05-SR01	X <	Ship Loose Console Map Pocket F1	1	
SHOP NOTE: SR 221901F 11.23.21				
(SO-MAP-361081) Eng. Note: Aluminum- Same design as 565198				
74-09-0099	<	Indemnification Statement	1	REV
SHOP NOTE: The purchaser agrees to defend, indemnify and hold Rev Ambulance Group harmless from any claims, costs (including actual attorneys' fees), damages and liabilities caused in whole or in part by any alteration or modification of, or changes or additions to the purchased products OR use of product for purposes it was not designed or intended for.				
End Of Order			1	REV
== Factory Ship Loose - EMS Equipment - 1.017 11/12/21 ==			1	REV