




THIS DOCUMENT CONTAINS NEITHER RECOMMENDATIONS NOR CONCLUSIONS OF THE NATIONAL BUREAU OF STANDARDS. IT IS THE PROPERTY OF THE NATIONAL BUREAU OF STANDARDS AND IS LOANED TO YOUR ORGANIZATION; IT AND ITS CONTENTS ARE NOT TO BE DISTRIBUTED OUTSIDE YOUR ORGANIZATION.




feet

Width	: 7.8
Track	: 8.0
Lock to Lock Time	: 6.0
Steering Angle	: 40

Fire Access Plan Data Table		
Description	Value	Unit
a) Building Height	65.00	feet
b) Building Square Footage (typical)	275,000	square feet
c) Building fire suppression information including any proposed use of sprinkler systems, fire alarm systems, whether fire extinguishers are needed:		
Full fire alarm and sprinkler coverage per NFPA 13. Fire Extinguishers to be provided.		
d) General description of business to be conducted within each building including: will there be rack storage in the building, will there be storage of combustible materials over twelve feet in height, clearance of sprinkler heads and stored materials (18 inch minimum):		
Senior Living (R2, 11 occupancies). Compliance with codes will be provided.		

Kimley»Horn



FIRE ACCESS PLAN FOR
LOT 2A OF THE SECOND
RESUBDIVISION OF FOX
VALLEY EAST

**SENIOR HOUSING AT FOX
VALLEY MALL**
195 FOX VALLEY CENTER
AURORA, IL 60504
OWNER: INTEGRATED DEVELOPMENT II

ORIGINAL ISSUE 12/10/2021
KHA PROJECT N 268069001
SHEET NUMBER

EX2