

GENERAL PLANTING NOTES

1. Contractor shall be responsible for becoming aware of all related existing conditions, utilities, pipes and structures, etc. prior to bidding and construction. The Contractor shall be held responsible for contacting all utility companies for field location of all underground utility lines, including depths, prior to any excavation. The Contractor shall notify the Owner's representative of apparent conflicts with construction and utilities so that adjustments can be planned prior to installation. Contractor shall take sole responsibility for any and all cost or other liabilities incurred due to damage of said utilities/structures/etc.
2. The Contractor shall not willfully proceed with construction as designed when it is apparent that unknown obstructions and/or grade differences exist that may not have been known during design. Such conditions shall be immediately brought to the attention of the Owner's Representative for clarification. The Contractor shall assume full responsibility for all liabilities, including necessary revisions due to failure to give such notification.
3. Contractor shall be responsible for coordination with subcontractors and other contractors of related trades as required to accomplish the planting and related operations.
4. The acceptable tolerances for this project are minimal and specific layout is required as shown on the layout, planting and other plans. Final location and staking of all plant materials shall be accepted by the Owner's Representative in advance of plantings.
5. Coordinate installation of all plant material with installation of all adjacent irrigation, pavements, curb and related structures. Any damage to existing improvements is the responsibility of the Contractor.
6. Contractor shall notify Owner's Representative 48 hours prior to commencement of work to coordinate project inspection schedules.
7. The Contractor shall take all necessary scheduling and other precautions to avoid climatic damage to plants. A "planting" of specific calendar days is required to be submitted by the Contractor for approval and planting operations should occur per this approved schedule.
8. If conflicts arise between size of areas and plans, Contractor is required to contact Owner's Representative for resolution. Failure to make such conflicts known to the Owner's Representative will result in Contractor's liability to relocate the materials.
9. Plant names may be abbreviated on the drawings. See plant legend for symbols, abbreviations, botanical/common names, sizes, estimated quantities (if given) and other remarks.
10. It is the Contractor's responsibility to furnish all plant materials free of pests or plant diseases. Pre-selected or "tagged" material must be inspected by the Contractor and certified pest and disease free. It is the Contractor's obligation to maintain and warranty all plant materials per the specifications. All plants shall be subject to Owner's approval prior to installation.
11. Where provided, area takeoffs and plant quantity estimates in plant list are for information only. Contractor is responsible to do their own quantity take-offs for all plant materials and sizes shown on plans. In case of any discrepancies, plans take precedence over call-outs and/or the plant list(s).
12. Contractor shall provide "per-unit costs" for every size of plant material, and by type, as called out on Planting Plans in the Bid Proposal. Unit cost to include the plant material itself and installation, including all labor, amendments, fertilizers, warranty, etc., as detailed and specified for each size, "complete in place".
13. The Contractor is responsible to restore all areas of the site, or adjacent areas, where disturbed by operations of or related to the Contractor's work. Sod areas disturbed shall be restored with new sod. Native areas disturbed, if not already improved to meet other requirements of this contract, shall be restored consistent with type, rates and species of existing condition.
14. During plant establishment, native and wetland areas shall be protected from sedimentation and erosion. Prior to construction activities, native and wetland areas outside of the project limits shall be protected with silt fence.
15. When planting trees and shrubs in existing natural areas, minimize disturbance to adjacent existing vegetation.
16. No Ball & Burlap (B&B) material will be allowed or accepted unless specifically specified.
17. All plants shall be nursery grown, Grade 1 plants meeting American Nursery and Landscape Association (ANLA) standards set forth in the "American Standard for Nursery Stock" (ANSI Z60.1-2004). Plants are to be typical in shape and size for species. Plants shall not be root-bound or loose in their containers. Handle all plants with care in transporting, planting and maintenance until inspection and final acceptance.
18. Warranty: Provide a one-year replacement warranty for all plant materials. Warranty shall cover plants which have died or partially died (thereby ruining their natural shape), but shall not include damage by vandalism, browsing, hail, abnormal freezes, drought or negligence by the Owner. The Warranty is intended to cover Contractor negligence, infestations, disease and damage or shock to plants. Plants replaced under Warranty will be warranted for one year following replacement.

PLANTING LAYOUT AND INSTALLATION

1. The Contractor shall be responsible for accurately laying out the plant beds and lawn areas by scaling the Drawings. The Contractor shall provide paint lines/stakes/hose or other means to fully indicate the specific layout geometry of all bed lines for approval by Owner's Representative prior to installation. The Contractor's Base Bid shall anticipate minor adjustments as directed by the Landscape Architect in the field. Changes affecting quantities will be covered by unit prices.
2. Following the approval of layout, the Contractor shall closely coordinate the installation of the irrigation system to conform to the approved layout.
3. Provide matching sizes and forms for all species of trees and plants installed on grid or spaced equally in rows as shown on drawings. Adjust spacing (to "equal-equal") as necessary, subject to acceptance by the Owner's Representative.
4. Unless otherwise indicated:
- a. All groupings of groundcovers, perennials, ornamental grasses and annuals shall be triangularly spaced (equal-equal).
- b. All planting areas including sod, seed and planting beds, shall receive soil amendments per the notes and specifications.
- c. Sodded lawn shall have been grown between 9 and 18 months and shall be vigorous, well-rooted and healthy turf. Minimum thatch thickness shall be 3/4".
- d. Specific plant bed areas may be called out to receive weed barrier, see plans and details.
- e. All bulb planting shall occur after mid-October and before ground is frozen. See details for bulb planting layout.
5. All Plant Beds and pit planted plants shall receive a 3" depth layer of shredded hardwood mulch. Refer to plans, details and specifications for location and type of any alternate mulch used. In Bid Proposal furnish a unit price(s) per cubic yard of mulch(es) placed. This unit price(s) will be used in the adjustment of bed areas.
6. Planting pits for 1 and 5 gallon shrubs shall be at least 8" larger in diameter than the container size. Larger container sizes and B&B plants shall be planted in pits at least 3 times larger in diameter than the root ball size.
7. Plants shall be installed to present their best side facing the viewer.
8. Owner's representative shall have final approval of plant material layout.

Landscape Implementation Data Table: Plant List by Category							
	QTY	Percent	SYM	BOTANICAL NAME (Family / Genus / Species)	COMMON NAME	SIZE	COMMENTS
Canopy Trees	19	20%	ACFEJ	Acer freemanii	Freeman Maple	3" cal. 12'-15' ht. x 8' spd.	
	12	13%	ACRUJ	Acer rubrum	Red Maple	3" cal. 12'-15' ht. x 8' spd.	
	16	17%	GLIMJ	Gleditsia tricanthos var. inermis	Thornless Honey Locust	3" cal. 12'-15' ht. x 8' spd.	
	11	11%	QUMUJ	Quercus muhlenbergia	Chinquapin Oak	3" cal. 12'-15' ht. x 8' spd.	
	11	11%	TICOJ	Tilia cordata 'Greenspire'	Greenspire Linden	3" cal. 12'-15' ht. x 8' spd.	
	14	15%	ULMAJ	Ulmus morton	Alcolade Elm	3" cal. 12'-15' ht. x 8' spd.	
	4	4%	ULMGJ	Ulmus 'Morton Glossy'	Triumph Elm	3" cal. 12'-15' ht. x 8' spd.	
	9	9%	TITOS	Tilia tomentosa 'Sterling Silver'	Sterling Silver Linden	3" cal. 12'-15' ht. x 8' spd.	
	96	100%					
Evergreen Trees	27	44%	ABCOJ	Abies concolor	White Fir	10' ht.	
	3	5%	JUVIJ	Juniperus virginiana	Eastern Red Cedar	8' ht.	
	7	11%	PIGDI	Picea glauca 'Densata'	Black Hills Spruce	10' ht.	
	8	15%	PIPUJ	Picea pungens f. glauca 'Fastigata'	Fastigata Blue Spruce	10' ht.	
	16	26%	PISTJ	Pinus strobus	Eastern White Pine	10' ht.	
	61	100%					
Understory Trees	6	24%	CECAJ	Cercis canadensis	Eastern Redbud	8' ht. min. 3 trunks @ 1" cal. Ea.	
	3	12%	MACAJ	Malus x cardinal	Cardinal Crabapple	2" cal. 12' ht. x 6' spd.	
	10	40%	PRVCAJ	Prunus virginiana 'Canada Red'	Canada Red Chokecherry	2" cal. 12' ht. x 6' spd.	
	6	24%	SYISJ	Syringa reticulata 'Ivory Silk'	Ivory Silk Japanese Tree Lilac	8' ht. min. 3 trunks @ 1" cal. Ea.	
	25	100%					
Deciduous Shrubs	11	5%	ILVJD	Ilex verticillata 'Jim Dandy'	Jim Dandy Winterberry	5 gal. 18" ht. min.	
	85	37%	ILVRS	Ilex verticillata 'Red Sprite'	Red Sprite Winterberry	5 gal. 18" ht. min.	
	136	59%	CAKJ	Calamagrostis x acutiflora 'Karl Foerster'	Karl Foerster Feather Reed Grass	5 gal. 18" ht. min.	
	232	100%					
Evergreen Shrubs	30	10%	BUMJ	Buxus microphylla 'Green Mountain'	Green Mountain Boxwood	5 gal. 18" ht. min.	
	143	50%	EUFOJ	Euonymus fortunei 'Emerald 'N Gold'	Emerald 'N Gold Euonymus	5 gal. 18" ht. min.	
	32	11%	JUHBJH	Juniperus horizontalis 'Bar Harbor'	Bar Harbor Juniper	1 gal. 6" ht. min.	
	19	7%	JUKCJ	Juniperus 'Kallay Compact'	Kallay Compact Juniper	5 gal. 18" ht. min.	
	8	3%	PIMDJ	Pinus mugo var. pumilo	Dwarf Mugo Pine	5 gal. 18" ht. min.	
	28	10%	TAMDJ	Taxus x media 'Densaformis'	Dense Yew	5 gal. 18" ht. min.	
	19	7%	THGGJ	Thuja occidentalis 'Golden Globe'	Golden Globe Arborvitae	5 gal. 18" ht. min.	
	9	3%	THOTJ	Thuja occidentalis 'Techny'	Techny Arborvitae	5 gal. 8' ht.	
	288	100%					












LANDSCAPE PLAN FOR THE PEDESTRIAN BRIDGE

IRRIGATION GENERAL NOTES:

1. Obtain all permits and licenses applicable prior to the start of work.
2. All required landscape areas shall be irrigated per applicable local ordinances and state regulations.
3. Drip irrigation shall be placed in accordance with manufacturer recommendations. extend drip lines to irrigate planting adjacent to plant beds.
- a. Maximum drip lateral length shall not exceed manufacturer specifications
4. Any quantities shown are approximate. verify quantities and provide all labor, materials, and devices necessary to complete the irrigation system.
5. The layout shown is diagrammatic. do not place lines or devices in the critical root zone of any tree, or in pavement areas, or areas that conflict with proper installation and function of the system.
6. Site conditions:
- a. Verify and mark the location of all on-site utilities which might be affected by the irrigation system.
- b. Verify and mark the location of all buried cables, conduits, piping, etc. prior to trenching or digging. call Illinois 811.
- c. Adjust the design as necessary, together with the licensed irrigator, and owners, to suit site conditions, elevations and grades before proceeding with work.
- d. Protect from damage as necessary, existing property, existing landscape features, plant material, structures, this work in progress, and the work of other trades.
7. Provide professional grade valve boxes large enough to accommodate valves and other devices shown in the details. box extensions may be required. ground boxes shall be constructed of materials sufficient in strength to accept loads (pedestrian or vehicular) required based on actual installation location.
8. Pressure regulating component(s) shall be required where static pressure exceeds manufacturer's recommended operating range.
9. See details for other required materials and devices.

LINCOLN PRAIRIE (ZONE 5)  
PEDESTRIAN BRIDGE PLANT LIST

SHADE TREES					
NAME	Total QTY.	BOTANICAL NAME	COMMON NAME	SIZE	SPACING
ACFEJ	19	Acer freemanii	Freeman Maple	3" cal., 12'-15' ht. x 8' spd.	Per Plan
ACRUJ	12	Acer rubrum	Red Maple	3" cal., 12'-15' ht. x 8' spd.	Per Plan
GLIMJ	16	Gleditsia tricanthos var. inermis	Thornless Honey Locust	3" cal., 12'-15' ht. x 8' spd.	Per Plan
QUMUJ	11	Quercus muhlenbergi	Chinquapin Oak	3" cal., 12'-15' ht. x 8' spd.	Per Plan
TICOJ	11	Tilia cordata 'Greenspire'	Greenspire Linden	3" cal., 12'-15' ht. x 8' spd.	Per Plan
TITOS	9	Tilia tomentosa 'Sterling Silver'	Sterling Silver Linden	3" cal., 12'-15' ht. x 8' spd.	Per Plan
ULMAJ	14	Ulmus morton	Accolade Elm	3" cal., 12'-15' ht. x 8' spd.	Per Plan
ULMGJ	4	Ulmus 'Morton Glossy'	Triumph Elm	3" cal., 12'-15' ht. x 8' spd.	Per Plan
	96				
EVERGREEN TREES					
NAME	Total QTY.	BOTANICAL NAME	COMMON NAME	SIZE	SPACING
ABCOJ	27	Abies concolor	White Fir	10' ht.	Per Plan
JUVIJ	3	Juniperus virginiana	Eastern Red Cedar	8' ht.	Per Plan
PIGDI	7	Picea glauca 'Densata'	Black Hills Spruce	10' ht.	Per Plan
PIPUJ	8	Picea pungens f. glauca 'Fastigata'	Fastigata Blue Spruce	10' ht.	Per Plan
PISTJ	16	Pinus strobus	Eastern White Pine	10' ht.	Per Plan
	61				
ORNAMENTAL/UNDERSTORY TREES					
NAME	Total QTY.	BOTANICAL NAME	COMMON NAME	SIZE	SPACING
CECAJ	6	Cercis canadensis	Eastern Redbud	8' ht., min. 3 trunks @ 1" cal. Each	Per Plan
MACAJ	3	Malus x cardinal	Cardinal Crabapple	2" cal. 12' ht x 8' spd.	Per Plan
PRVCAJ	10	Prunus virginiana 'Canada Red'	Canada Red Chokecherry	2" cal. 6' ht x 3' spd.	Per Plan
SYISJ	6	Syringa reticulata 'Ivory Silk'	Ivory Silk Japanese Tree Lilac	8' ht., min. 3 trunks @ 1" cal. Each	Per Plan
	25				
EVERGREEN SHRUBS					
NAME	Total QTY.	BOTANICAL NAME	COMMON NAME	SIZE	SPACING
BUMJ	30	Buxus microphylla 'Green Mountain'	Green Mountain Boxwood	5 gal., 18" ht. min.	Per Plan
EUFOJ	143	Euonymus fortunei 'Emerald 'N Gold'	Emerald 'N Gold Euonymus	5 gal., 18" ht. min.	Per Plan
JUHBJH	29	Juniperus horizontalis 'Bar Harbor'	Bar Harbor Juniper	1 gal., 6" ht. min.	Per Plan
JUKCJ	19	Juniperus 'Kallay Compact'	Kallay Compact Juniper	5 gal., 18" ht. min.	Per Plan
PIMDJ	5	Pinus mugo var. pumilo	Dwarf Mugo Pine	5 gal., 18" ht. min.	Per Plan
TAMDJ	28	Taxus x media 'Densaformis'	Dense Yew	5 gal., 18" ht. min.	Per Plan
THGGJ	56	Thuja occidentalis 'Golden Globe'	Golden Globe Arborvitae	5 gal., 18" ht. min.	Per Plan
THOTJ	12	Thuja occidentalis 'Techny'	Techny Arborvitae	10' ht.	Per Plan
	322				
DECIDUOUS SHRUBS					
NAME	Total QTY.	BOTANICAL NAME	COMMON NAME	SIZE	SPACING
ILVJD	11	Ilex verticillata 'Jim Dandy'	Jim Dandy Winterberry	5 gal., 18" ht. min.	Per Plan
ILVRS	85	Ilex verticillata 'Red Sprite'	Red Sprite Winterberry	5 gal., 18" ht. min.	Per Plan
	96				
PERENNIALS					
NAME	Total QTY.	BOTANICAL NAME	COMMON NAME	SIZE	SPACING
ACMJ	38	Achillea millefolium	Common Yarrow	1 gal., 10" ht. min.	Per Plan
ALMJ	141	Allium 'Millenium'	Millennium Allium Ornamental Onion	1 gal., 10" ht. min.	Per Plan
COVEJ	34	Coreopsis verticillata	Tickseed	1 gal., 10" ht. min.	Per Plan
NEWLJ	162	Nepeta 'Walkers Low'	Walkers Low Catmint	1 gal., 10" ht. min.	Per Plan
PEALJ	102	Perovskia atriplicifolia 'Little Spire'	Little Spire Russian Sage	1 gal., 10" ht. min.	Per Plan
SEAJJ	131	Sedum 'Autumn Joy'	Autumn Joy Stonecrop	1 gal., 10" ht. min.	Per Plan
	608				
ORNAMENTAL GRASSES					
NAME	Total QTY.	BOTANICAL NAME	COMMON NAME	SIZE	SPACING
CAKJ	136	Calamagrostis x acutiflora 'Karl Foerster'	Karl Foerster Feather Reed Grass	5 gal., 18" ht. min.	Per Plan
SEAUJ	422	Sesleria autumnalis	Autumn Moor Grass	1 gal., 10" ht. min.	Per Plan
SPHEJ	1050	Sporobolus heterolepis	Prairie Dropseed	1 gal., 10" ht. min.	24" o.c.
	1608				
TURF GRASS/ PLANT BEDS					
NAME	Total QTY.	DESCRIPTION		SIZE	
Plant Bed	9,910				
	122.35	4" Depth (Topsoil)		c.y.	
	61.17	2" Depth (Aged Mushroom Compost)		c.y.	
	91.76	3" Depth (Double Shredded Hardwood Bark Mulch)		c.y.	
Turf (Sod and Seed)	164,406	Kentucky Bluegrass		s.f.	
	18,267			s.y.	
	2,029.70	4" Depth (Topsoil)		c.y.	

Landscape Data Table: Planting Material Key	
Note: Symbols are blackline for proposed grayscale for existing	
Canopy Trees (minimum size 2.5 caliper) Count:	96
	
Evergreen Trees (minimum size 6 feet) Count:	61
	
Understory Trees (minimum size 2.5 caliper or 8 feet if multi-stemmed) Count:	25
	
Evergreen Shrubs (minimum of 18 inches) Count:	328
	
Deciduous Shrubs (minimum of 18 inches) Count:	96
	
Ornamental Grasses Count:	1622
	
Perennials Count:	641
	
Annuals Count:	0
	
Groundcover Square Footage:	0
	
Turf (Seeded) Square Footage:	0
	
Turf (Sod) Square Footage:	164406
	

Landscape Data Table: CTEs Provided			
	CTE Value	Count Provided	Total CTEs Provided
Canopy Trees	1	96	96
Evergreen Trees	1/3	61	20
Understory Trees	1/3	25	8
Deciduous Shrubs	1/20	96	5
Evergreen Shrubs	1/20	328	16
Total:		606	146



THE LOCATION OF EXISTING UNDERGROUND UTILITIES ARE SHOWN IN AN APPROXIMATE WAY ONLY. THE CONTRACTOR SHALL DETERMINE THE EXACT LOCATION OF ALL EXISTING UTILITIES BEFORE COMMENCING WORK. HE AGREES TO BE FULLY RESPONSIBLE FOR ANY AND ALL DAMAGES WHICH MIGHT BE OCCASIONED BY HIS FAILURE TO EXACTLY LOCATE AND PRESERVE ANY AND ALL UNDERGROUND UTILITIES.

**SEC Planning, LLC**  
Austin, Texas  
LAND PLANNING  
LANDSCAPE ARCHITECTURE  
COMMUNITY BRANDING  
4201 W. Parmer Lane Bldg A Suite 220  
Austin, TX 78727  
T 512.266.7003  
www.secplanning.com  
Email - info@secplanning.com

**PULTEGROUP INC.**  
1900 EAST GOLF ROAD  
SUITE 300  
SCHAUMBURG, ILLINOIS 60173

LANDSCAPE PLAN FOR  
LINCOLN PRAIRIE  
PEDESTRIAN BRIDGE  
AURORA, ILLINOIS

Drawing File Name  
V:\200038-PULT\Caddfiles\LA\Lincoln Prairie Ped Bridge\Sheets\LPN-1.dwg

Issued:  
1. CITY SUBMITTAL 12/3/2021  
2. COMMENT RESPONSE 01/18/2022  
3. COMMENT RESPONSE 01/24/2022  
4.  
5.

Revisions:  
1.  
2.  
3.  
4.  
5.

Issue Date: 01/24/2022


Drawn By: AO, BE  
Reviewed By: AO, PV

Project No.  
200038.02-PULT

PLANTING NOTES


Sheet No.  
LPN-1 of





MATCHLINE - SEE SHEET LP-2

**NOTE:**  
PLANTING LAYOUT SHOWN AS DIRECTED BY JURISDICTIONAL REVIEW TEAM. CONSULTANT SHALL NOT BE HELD RESPONSIBLE FOR CONFLICTS SHOWN ON PLANS.  
TREE/PLANT MATERIAL LOCATIONS TO BE ADJUSTED IN THE FIELD TO AVOID CONFLICTS WITH UTILITY LINES, UTILITY CROSSINGS, STREETLIGHTS, DRIVEWAYS AND ANY OTHER INFRASTRUCTURE. TREES SHALL BE PLANTED 10' MIN. FROM UTILITY LINES PER THE ARBORICULTURAL SPECIFICATIONS MANUAL.



THE LOCATION OF EXISTING UNDERGROUND UTILITIES ARE SHOWN IN AN APPROXIMATE WAY ONLY. THE CONTRACTOR SHALL DETERMINE THE EXACT LOCATION OF ALL EXISTING UTILITIES BEFORE COMMENCING WORK. HE AGREES TO BE FULLY RESPONSIBLE FOR ANY AND ALL DAMAGES WHICH MIGHT BE OCCASIONED BY HIS FAILURE TO EXACTLY LOCATE AND PRESERVE ANY AND ALL UNDERGROUND UTILITIES.



**SEC Planning, LLC**  
Austin, Texas  
LAND PLANNING  
LANDSCAPE ARCHITECTURE  
COMMUNITY BRANDING  
4201 W. Parmer Lane Bldg A Suite 220  
Austin, TX 78727  
T 512-266-7003  
www.secplanning.com  
Email - info@secplanning.com

**PULTEGROUP INC.**  
1900 EAST GOLF ROAD  
SUITE 300  
SCHAUMBURG, ILLINOIS 60173

LANDSCAPE PLAN FOR  
LINCOLN PRAIRIE  
PEDESTRIAN BRIDGE  
AURORA, ILLINOIS

Drawing File Name	
V:\200038-PULT\Cadfiles\LA\Lincoln Prairie Ped Bridge\LPX-Base_Ped Bridge.dwg	
Issued:	
1. CITY SUBMITTAL	12/3/2021
2. COMMENT RESPONSE	01/18/2022
3. COMMENT RESPONSE	01/24/2022
4.	
5.	
Revisions:	
1.	
2.	
3.	
4.	
5.	
Issue Date: 01/24/2022	

Drawn By: AO, BE  
Reviewed By: AO, PV

Project No.  
200038.02-PULT

PLANTING PLAN

Sheet No.  
LP-1 of

The reproduction, copying or other use of this drawing without the written consent of SEC Planning, LLC is prohibited.  
© 2022  
SEC Planning, LLC





Austin, Texas

**LAND PLANNING  
LANDSCAPE ARCHITECTURE  
COMMUNITY BRANDING**

4201 W. Parmer Lane Bldg A Suite 220  
Austin, TX 78727  
T 512.246.7003

[www.secplanning.com](http://www.secplanning.com)  
Email : [info@secplanning.com](mailto:info@secplanning.com)

**PULTEGROUP INC.**  
1900 EAST GOLF ROAD  
SUITE 300  
SCHAUMBURG, ILLINOIS 60173

LANDSCAPE PLAN FOR  
LINCOLN PRAIRIE  
PEDESTRIAN BRIDGE

AURORA, ILLINOIS

Issued:

1. CITY SUBMITTAL	12/3/2021
2. COMMENT RESPONSE	01/18/2022
3. COMMENT RESPONSE	01/24/2022

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_

Issue Date: 01/24/2022

Drawn By: AO, BE  
Reviewed By: AO, PV


Project No.  
200038.02-PULT

## PLANTING PLAN

Sheet No.  
LP-2 \_\_\_\_\_ of \_\_\_\_\_


The reproduction, copying or other use of this drawing without the written consent of SEC Planning, LLC is prohibited.

© 2022  
SEC Planning, LLC




**NOTE:**  
**FALL PROTECTION RAILING TO BE DETERMINED**

NOTE:  
PLANTING LAYOUT SHOWN AS DIRECTED BY  
JURISDICTIONAL REVIEW TEAM. CONSULTANT SHALL  
NOT BE HELD RESPONSIBLE FOR CONFLICTS  
SHOWN ON PLANS.  
TREE/PLANT MATERIAL LOCATIONS TO BE  
ADJUSTED IN THE FIELD TO AVOID CONFLICTS  
WITH UTILITY LINES, UTILITY CROSSINGS,  
STREETLIGHTS, DRIVEWAYS AND ANY OTHER  
INFRASTRUCTURE. TREES SHALL BE PLANTED 10' MIN.  
FROM UTILITY LINES PER THE ARBORICULTURAL  
SPECIFICATIONS MANUAL.



THE LOCATION OF EXISTING UNDERGROUND UTILITIES ARE SHOWN IN AN APPROXIMATE WAY ONLY. THE CONTRACTOR SHALL DETERMINE THE EXACT LOCATION OF ALL EXISTING UTILITIES BEFORE COMMENCING WORK. HE AGREES TO BE FULLY RESPONSIBLE FOR ANY AND ALL DAMAGES WHICH MIGHT BE OCCASIONED BY HIS FAILURE TO EXACTLY LOCATE AND PRESERVE ANY AND ALL UNDERGROUND UTILITIES.





LANDSCAPE PLAN FOR  
**LINCOLN PRAIRIE  
PEDESTRIAN BRIDGE**  
AURORA, ILLINOIS

Drawing File Name  
V:\200038-PULT\Cadfiles\LA\Lincoln Prairie Ped  
Bridge\Sheets\LPD-1.dwg

Issued:	
1. CITY SUBMITTAL	12/3/2021
2. COMMENT RESPONSE	01/18/2022
3. COMMENT RESPONSE	01/24/2022
4.	
5.	
Revisions:	
1.	
2.	
3.	
4.	
5.	
Issue Date:	01/24/2022

Drawn By: AO, BE  
Reviewed By: AO, PV

Project No.  
**200038.02-PULT**

**PLANTING DETAILS**

Sheet No.  
**LPD-1** of

The reproduction, copying or other use of this drawing without the written consent of SEC Planning, LLC is prohibited.  
©2022  
SEC Planning, LLC



THE LOCATION OF EXISTING UNDERGROUND UTILITIES ARE SHOWN IN AN APPROXIMATE WAY ONLY. THE CONTRACTOR SHALL DETERMINE THE EXACT LOCATION OF ALL EXISTING UTILITIES BEFORE COMMENCING WORK. HE AGREES TO BE FULLY RESPONSIBLE FOR ANY AND ALL DAMAGES WHICH MIGHT BE OCCASIONED BY HIS FAILURE TO EXACTLY LOCATE AND PRESERVE ANY AND ALL UNDERGROUND UTILITIES.