### ARTICLE III. - TELECOMMUNICATIONS SERVICES AND FACILITIES DATA TRANSFER

Sec. 19-65. - Purpose.

- (a) The purpose of this article is to establish regulations for the facilities and equipment involved in all modes of communication, and intended to regulate all such communication as it now exists and in the future, including for example telecommunication and wireless data transfer services, as well as their accompanying facilities, including but not limited to antennas, dishes, poles, equipment and towers. The goals of this article are:
  - (1) To protect residential and riverfront areas and land uses by minimizing adverse impacts of towers, antennas, <u>dishes</u>, <u>poles</u> and telecommunications <u>and data transfer</u> facilities;
  - (2) To encourage the location of telecommunications all such facilities, towers and antennas in nonresidential and nonriverfront areas and to ensure that they are located in areas that minimize adverse impacts;
  - (3) To enhance the ability to provide telecommunications all such modes of \_\_\_\_\_communication services to the community quickly, effectively and efficiently;
  - (4) To promote, encourage and require, as appropriate, the shared use/collocation of <a href="such telecommunications">such telecommunications</a>-facilities <a href="and-towers">and-towers</a>-as a primary option, rather than construction of additional single-use structures and to encourage the attachment of antennas, <a href="dishes">dishes</a> <a href="and-equipment">and-equipment</a> to existing structures;
  - (5) To promote and encourage utilization of technological designs that will either eliminate or reduce the need for erection of new tower\_structures to support antenna and telecommunications such communication facilities;
  - (6) To ensure telecommunications such facilities, towers and antennas are configured in a way that minimizes adverse visual impacts by careful design, appropriate siting, landscape screening, and innovative camouflaging techniques;
  - (7) To avoid potential damage to property caused by telecommunications such facilities, towers and antennas by insuring such structures, facilities and equipment are soundly and carefully designed, constructed, modified, maintained and removed when no longer used or are determined to be structurally unsound;
  - (8) To ensure that telecommunications all such facilities, towers and antennas are compatible with surrounding land uses; and
  - (9) To ensure that telecommunications said communications facilities, towers and antennas do not compromise public safety communications.
- (b) In furtherance of these goals, the city shall give due consideration to its comprehensive plan, zoning map, existing land uses and environmentally sensitive areas in approving sites for the location of these facilities.

Sec. 19-66. - Definitions.

Alternative tower structure will-means manmade trees, clock towers, bell steeples, flag poles, light poles and similar alternative design mounting structures that are compatible with the natural setting and surrounding structures, and camouflages or conceals, the presence of antennas, dishes, poles, equipment and/or towers. This term also includes any antenna or antenna array attached to the alternative tower structure.

Antenna shall mean any exterior transmitting or receiving devices mounted on a tower, utility pole, light pole, building or structure and used in communications that radiate or capture electromagnetic waves, digital signals, analog signals, radio frequencies (excluding radar signals), wireless telecommunications signals and/or other communication signals. For purposes of this article, except as to antennas located or proposed to be located in a historic preservation district, the term antenna excludes any antenna under twelve (12) feet in total height.

Backhaul network shall mean the lines that connect a provider's <a href="mailto:antenna/">antenna/</a> tower/cell sites to one (1) or more cellular telephone switching offices, and/or long distance providers, or the public switched telephone network.

FAA shall mean Federal Aviation Administration.

FCC shall mean Federal Communications Commission.

<u>Commercial Zoning Districts</u> for the purpose of this article shall mean the following zoning districts: General Retail (B-2); Wholesale (B-3); P- Park and Recreation District; Planned developments where uses are consistent with B-2, B-3, and P zoning districts (PD); Planned development districts where uses are consistent with B-2, B-3, and P zoning districts (PDD).

<u>I-88 Technology Corridor</u> for the purpose of this article shall mean the area contained within one (1) mile of Interstate 88 as measured from the centerline of the Tollway.

Guy tower shall mean a tower that is supported in whole or in part by guy wires and ground anchors.

Industrial Zoning Districts for the purpose of this article shall mean the following zoning districts: Manufacturing (M); Office, research, light industrial (ORI); Research & development (R & D); Planned developments where uses are consistent with M, ORI and R & D zoning districts (PD); Planned development districts where uses are consistent with M, ORI, and R & D zoning districts (PDD).

Lattice or self-supporting tower shall mean a tower that has open-framed supports on three (3) or four (4) sides and is constructed without guy wires and ground anchors.

*Monopole* shall mean a tower consisting of a single-pole constructed without guy wires or ground anchors.

Telecommunications Communications facilities shall mean the plant, equipment and property, including but not limited to, cables, wires, conduits, ducts, pedestals, antennas, dishes, towers, telecommunications communications support facilities including base stations, radios and signal processing, GPS, Internet and electrical equipment, alternative tower structures, electronics and other appurtenances used to transmit, receive, distribute, provide or offer telecommunications communications services.

Telecommunications <u>Communications</u> service shall mean the providing or offering for rent, sale or lease or in exchange for other value received, of the transmittal of voice, data, image, graphic and video programming information between or among points by wire, cable, fiber optics, laser, microwave, radio, satellite or similar facilities, with or without benefit of any closed transmission medium.

<u>Telecommunications</u> <u>Communications</u> <u>support</u> <u>facilities</u> shall mean support buildings, structures, <u>platforms</u> and equipment cabinets containing electrical and mechanical equipment and devices used for the reception of or transmission of voice, data image, graphic and video programming information between or among points by wire, cable, fiber optics, laser, <u>Radio Frequency (RF) spectrummicrowave</u>, <u>radio</u>, satellite or similar facilities.

Tower shall mean any structure designed and constructed primarily for the purpose of supporting one (1) or more antennas, including self-supporting lattice towers, guy towers, or monopole towers. The term includes radio and television transmission towers, microwave towers, common carrier towers, cellular telephone towers, wireless data transmission towers, and other similar structures. This term also includes any antenna or antenna array attached to the tower structure. For purposes of this article, except as to towers located or proposed to be located in a historic preservation district, the term tower excludes any tower under twelve forty-five (1245) feet in total height, under said height the structure shall be considered a utility pole or light pole.

(Section 19.66) Tower height shall mean, when referring to a tower or other alternative tower structure, the distance measured from the lowest point on the ground within ten (10) feet of the structure to the highest point on the tower or other alternative tower structure, including the base pad and any antenna.

<u>Utility / light poles (sometimes "poles")</u> shall mean, a structure designed and constructed primarily for the purpose of supporting utilities and/or lighting such as electricity, wired phone or data service, street lights, and traffic signals, on private property, city property or public right of way, owned by the city or a third party. Said designation shall also include any structures, fifty (50) feet or under, designed and constructed primarily for the purpose of supporting one (1) or more antennas. For purposes of this article, the term utility pole or light pole excludes any utility pole or light pole over fifty (50) feet in total height, over said height the structure shall be considered a tower.

Sec. 19-67. - Applicability.

- (a) New towers, and antennas or poles with antenna(s). All new towers, or antennas or poles with antenna(s) in the city (including specifically land covered by 65 ILCS 5/7-4-2) shall be subject to these regulations, except as provided in subsections (b)—(d) inclusive, below.
- (b) Amateur radio station operators/receive only antennas. This article shall not govern any tower, or the installation of any antenna, that is sixty-five (65) feet and under in height and is owned and operated by a federally-licensed amateur radio station or citizens band radio operator; or an antenna or tower that is used exclusively for receive only transmissions and that is fifty (50) feet and under in total height. Such antennas and towers shall instead be regulated by the city zoning ordinance.
- (c) Preexisting towers, or antennas or poles with antenna(s). All Preexisting preexisting towers, and preexisting antennas or poles with antenna(s) in place prior to January 27, 1998 July 14, 2016, shall not be required to meet the requirements of this article, other than the requirements of sections 19-68(fh) and (gl), 19-73, 19-74, and 19-75.
- (d) AM array. For purposes of implementing this article, an AM array, consisting of one (1) or more tower units and supporting ground system which functions as one (1) AM broadcasting antenna, shall be considered one (1) tower. Measurements for setbacks and separation distances shall be measured from the outer perimeter of the towers included in the AM array. Additional tower units may be added within the perimeter of the AM array by right.
- (e) Fees. Any fees referenced in this article with respect to communication facilities in the public rights of way, shall not be applicable to those entities paying the city's Simplified Municipal Telecommunications Tax, pursuant to Section 91-2 of the city code.

Sec. 19-68. - General requirements.

- (a) Principal or accessory use. Telecommunications Communications facilities, towers, and antennas and poles, may be considered either principal or accessory uses. A different existing use of an existing structure on the same zoning lot shall not preclude the installation of an antenna, pole or tower on such lot.
- \_(b) Lot size. For purposes of determining whether the installation of telecommunications communications facilities, towers, and antennas and poles complies with this article, including but not limited to setback requirements, lot-coverage requirements, and other such requirements, the dimensions of the entire zoning lot shall control, where applicable, even though the telecommunications communications facilities may be located on leased parcels within such lot.
- (c) (Section 19-68.c) Inventory of existing sites. Every applicant shall provide to the zoning administrator an inventory of its existing telecommunications facilities, towers and antennas, or sites which have been approved for telecommunications facilities, towers and antennas, or for which applications or petitions for approval have already been filed, that are either within the jurisdiction of the city or within one (1) mile of the border thereof, including specific information about the location, height and design of each telecommunications facility, tower and antenna. The zoning administrator may share such information with other applicants applying for administrative approvals or special use permits under this article or other organizations seeking to locate telecommunications facilities within the jurisdiction of the city, provided, however that the zoning administrator is not, by sharing such information, in any way representing or warranting that such sites are available or suitable.
- (hc) (Section 19-68(h)) Measurement. For purposes of measurement, tower setbacks and separation distances shall be calculated and applied to facilities located in the city irrespective of municipal and county jurisdictional boundaries.
  - (Section 19.66) For the purposes of measurement, Tower height shall mean and be calculated as, when referring to a tower or other alternative tower structure, the distance measured from the lowest point on the ground within ten (10) feet of the structure to the highest point on the tower or other alternative tower structure, including the base pad and any antenna.
- (id) (Section 19-68(i)) Not essential services. Telecommunications facilities, towers and antennas shall be regulated and permitted pursuant to this article and shall not be regulated or permitted as essential services, public utilities, or private utilities.
- (ee) (Section 19-68(o)) *Inventory and tracking.* The zoning administrator shallmay compile a list of towers, antennas, and poles, and maintain and update the same from information furnished by all telecommunications providers. The zoning administrator shallmay issue a registration number to be affixed to and displayed on each towersuch facility. A reasonable fee as determined by the zoning administrator shallmay be assessed for an initial registration and annual inspection fees.
- (df) Aesthetics. All such communication facilities Antennas and towers shall meet the following requirements:
  - (1) Towers shall either maintain a galvanized steel finish or, subject to any applicable standards of the FAA, be painted so as to reduce visual obtrusiveness. Poles shall be of a design consistent with any existing adjacent poles
  - (2) At a tower site, the design Design of the accessory buildings and related structures shall, to the extent possible, use materials, colors, textures, screening, and landscaping that will blend them into the natural setting and surrounding buildings. Where there is

- <u>sufficient space, underground vaults may be utilized for equipment associated with</u> communications facilities.
- (3) If an antenna is installed on a structure other than a tower, the antenna Antenna and supporting electrical and mechanical equipment must be of a neutral color that is identical to, or closely compatible with, the color of the supporting structure so as to make the antenna and related equipment as visually unobtrusive as possible, unless a different color is needed for public safety or service reliability reasons.
- (eg) Lighting. Towers, antenna and poles shall not be artificially lighted, unless required by the FAA or other applicable authority. If lighting is required, the lighting alternatives and design chosen must cause the least disturbance to the surrounding views.
- (fn) State or federal requirements. All telecommunications communications facilities must meet or exceed current standards and regulations of the FAA, the FCC, and any other agency of the state or federal government with the authority to regulate telecommunications communications facilities. If such standards and regulations are changed, then the owners of the telecommunications communications facilities, towers and antennas governed by this article shall bring such facilities into compliance with such revised standards and regulations within six (6) months of the effective date of such standards and regulations, unless a different compliance schedule is mandated by the controlling state or federal agency. Failure to bring telecommunications facilities, towers and antennas into compliance with such revised standards and regulations shall constitute grounds for their removal at the owner's expense as provided in section 19-76.
- (gi) Building codes: safety standards. To ensure the structural integrity telecommunications facilities, towers and antennas, the owner shall ensure that they are maintained in compliance with standards contained in applicable state or local building codes and the applicable standards published in the National Electrical Code, as amended from time to time. If, upon inspection, the city concludes that any telecommunications communications facility, tower or antenna fails to comply with such codes and standards and constitutes a danger to persons or property, then upon notice being provided to the owner, the owner shall have thirty (30) days to bring such structure into compliance with such code and/or standard which constitutes a danger to persons or property. Failure to do so within such said thirty (30) days shall constitute grounds for the removal of the telecommunications communications facility, tower or antenna at the owner's expense, as provided in section 19-76.
- (h) (Section 19-68(h)) Measurement. For purposes of measurement, tower setbacks and separation distances shall be calculated and applied to facilities located in the city irrespective of municipal and county jurisdictional boundaries.
- (i) (Section 19-68(i)) Not essential services. Telecommunications facilities, towers and antennas shall be regulated and permitted pursuant to this article and shall not be regulated or permitted as essential services, public utilities, or private utilities.
- (j) (Section 19-68(j)) Franchises. Owners and/or operators of telecommunications facilities shall certify that all franchises required by law for the construction and/or operation of telecommunications services with the city have been obtained and shall file a copy of all required franchises with the zoning administrator.
- (kj) Public notice. For purposes of this article, any special use request, variance request, or appeal of an administratively approved use or special use shall require public notice and individual notice by the city at applicant's expense to all abutting property owners and within two hundred fifty (250) feet of the boundaries of the zoning lot in question. Streets, alleys and

- watercourses shall not be considered in the determination of "abutting" nor in calculating the two hundred fifty (250) feet.
- (lk) Signs. No signs shall be allowed on <u>communication facilitesan antenna or tower</u>, except warning or notification signs required by federal law or regulations, identification and location markings, or as otherwise required by this article. <u>Antenna shall not have signs installed</u> thereon.
- (ml) Buildings and support equipment. Buildings and support equipment associated with telecommunications facilities shall comply with the requirements of section 19-72.
- (nm) Multiple telecommunications communications facilities plan. The city encourages the owners of all telecommunications communications facilities, towers and antennas to submit a single application for approval of multiple sites. Applications for approval of multiple sites shall be given priority in the review process.
- (e) (Section 19-68(e)) Inventory and tracking. The zoning administrator shall compile a list of towers and maintain and update the same from information furnished by all telecommunications providers. The zoning administrator shall issue a registration number to be affixed to and displayed on each tower. A reasonable fee as determined by the zoning administrator shall be assessed for an initial registration and annual inspection fees.
- (3n) (Section 19-71.b.3) Availability of suitable existing towers, other structures, or alternative technology. No—For a new tower, or pole with antenna(s)—shall be permitted unless the applicant shall demonstrates to the reasonable satisfaction of the zoning administrator, FoxWwalk Overlay District Design Review Committee, the planning commission, or city council, as the case may be, that no existing tower, pole, structure or alternative technology that which does not require the use of towers or additional structures can accommodate the applicant's proposed pole or antenna. An applicant shall submit information requested by the Foxwalk Overlay District Design Review Committee, planning commission, or city council, as the case may be, related to the availability of suitable existing towers, other structures or alternative technology. Evidence submitted to demonstrate that no existing tower, pole, structure or alternative technology which does not require the use of towers or structures can accommodate the applicant's proposed pole or antenna may consist of any of the following:
  - <u>a(1)</u>. No existing towers, <u>poles</u> or structures are located within the geographic area <u>which meet applicant's engineering requirements.</u>
  - <u>b.(2)</u> Existing towers, poles or structures are not of sufficient height to meet applicant's engineering requirements and cannot be enlarged sufficiently to meet their needs.
  - <u>e.(3)</u> Existing towers, <u>poles</u> or structures do not have sufficient structural strength to <u>support applicant's proposed antenna and related equipment.</u>
  - d.(4) The applicant's proposed , pole or antenna would cause electromagnetic interference with the antenna on the existing towers or structures, or the antenna on the existing towers or structures would cause interference with the applicant's proposed antenna.
  - <u>e.(5)</u> The fees, costs, or contractual provisions required by the owner in order to share an existing tower, pole or structure or to adapt an existing tower, pole or structure for sharing are unreasonable.
  - <u>f.(6)</u> The applicant demonstrates that there are other limiting factors that render existing towers, pole and structures unsuitable.

- g.(7) The applicant demonstrates that an alternative technology that does not require the use of towers, pole or structures, such as a microcell network using multiple low-powered transmitters/receivers attached to a wireline system, is unsuitable. Costs of alternative technology that exceed new tower or antenna development shall not be presumed to render the technology unsuitable.
- (4o) (Section 19-71.b.4) Setbacks. The following setback requirements shall apply to all telegrommunications facilities from any adjoining lot line except as otherwise provided for in a license or lease approved by the city: towers and antennas for which a special use permit is required; provided, however, that the Foxwalk Overlay District Design Review Committee, planning commission, or city council, as the case may be, may reduce the standard setback requirements if the goals of this article would be better served thereby:
  - a. Telecommunications facilities, towers and antennas must be set back a distance equal to at least seventy-five (75) percent of the height of the facility from any adjoining lot line, except that the setback for monopoles shall be equal to fifty (50) percent of its height.
  - <u>b. Guys and accessory buildings must satisfy the minimum zoning district setback</u>
     <u>requirements, including the provision of transitional yards, if required.</u>

#### (1) Non-Guyed Tower Structures

- a. Within, abutting or across a public right of way from a residential
  use or district must be set back a distance equal to the greater of the
  required building setback in the applicable zoning district or to at least two
  hundred (200) percent of the height of the facility.
- b. Not within, abutting or across a public right of way from a residential
  use or district must be set back a distance equal to the greater of the
  required building setback in the applicable zoning district or to at least
  seventy-five (75) percent of the height of the facility, or at least fifty (50)
  percent of the height of the facility if a monopole.

### (2) Guyed Tower Structures

- a. Within, abutting or across a public right of way from a residential
  use or district the entire facility including guy anchors must be set back a
  distance equal to the greater of the required building setback in the
  applicable zoning district or the height of the tower.
- b. Not within, abutting or across a public right of way from a residential use or district must be set back a distance equal to the greater of the required building setback in the applicable zoning district, or one hundred (100) percent of the breakpoint of the tower.

# (3) Poles with antenna(s)

In addition to the requirements in Chapter 42, Article X "Construction of Facilities in the Public Rights of Way", the following additional setbacks shall apply:

a. Within, abutting or across a public right of way from a residential use or district - must be set back from any structure a distance of at least one hundred (100) percent of the height of the facility.

- b. Not within, abutting or across a public right of way from a residential use or district must be set back from any structure a distance of at least seventy five (75) percent of the height of the facility.
- (5p) (Section 19-71.b.5) Separation. The following separation requirements shall apply to all telegrommunications facilities except as otherwise provided for in a license or lease approved by the city: towers and antennas for which a special use permit is required; provided, however, that the Foxwalk Overlay District Design Review Committee, the planning commission, or city council, as the case may be, may reduce the standard separation requirements if the goals of this article would be better served thereby.
  - a.(1) Tower Separation from Certain Uses and Zonesoff-site uses/designated areas.
    - 1.a. Tower separation from off-site uses/designated areas shall be measured from the base of the tower to the lot line of the off-site uses and/or designated areas as specified in Table 1, except as otherwise provided in Table 1.
    - <u>2.b.</u> Separation requirements for towers shall comply with the minimum standards established in Table 1 below:

<u>Table 1. Minimum Tower Separation From Certain Uses And Zones</u>

Off-site Use/Designated Area - Separation Distance

Single or two-unit dwellings - 500 feet

Vacant platted or un-platted residentially zoned land - 500 feet

Existing multi-family residential units - 300 feet

Fox River - 300 feet

Proposed Tower Type

Non-residentially zoned lands with nonresidential uses - None; only setbacks apply

- b.(2) Tower Separation from distances between towers.
  - 4.a. Separation distances between towers shall be applicable for and measured between the proposed tower and preexisting towers. The separation distances shall be measured by drawing or following a straight line between the base of the existing tower and the proposed base, pursuant to a site plan, of the proposed tower. The separation distances (listed in linear feet) shall be as shown in Table 2.

Existing Towers - TypesHeight

-Table 2. Minimum Tower Separation Between Towers (in feet)

Troposed rower type - Existing rowers - Types reight						
	<u> Lattice</u>	Guved	Monopole 75	- Monopole less		
			feet in height	than 75		
			or greater	feet in height		
<u>Lattice</u>	2,500	2,500	1,500	<u>1,000</u>		
Guyed	2,500	2,500	1,500	<u>1,000</u>		

Monopole 75 1,000 1,500 1,000 1,000 1,000 feet in height or greater

Monopole less 1,000 1,000 1,000 750 than 75 feet in height

	A) More than 50 less than or equal to 100 Feet	B) More than 100 less than or equal to 150 Feet	C) More than 150 less than or equal to 200 Feet	D) More than 200 Feet
A) More than 50 less than or equal to 100 Feet	<u>750</u>	1,000	<u>1,500</u>	1,500
B) More than 100 less than or equal to 150 Feet	1,000	<u>1,500</u>	2,000	2,000
C) More than 150 less than or equal to 200 Feet	<u>1,500</u>	2,000	2,500	2,500
D) More than 200 Feet	2,000	2,500	2,500	3,000

- (3) Poles with antenna(s) Minimum Separation distances between Poles.
  - a. Separation distances between poles with antenna(s) shall be applicable for and measured between the proposed pole with antenna(s) and preexisting pole with or without antenna(s). The separation distances shall be measured by drawing or following a straight line between the base of the existing pole and the proposed base, pursuant to a site plan, of the proposed pole.
  - b. In addition, the following separation distances shall apply:
    - i. Within, abutting or across a public right of way from a residential use or district must be separated by a minim of \_\_\_\_ (\_\_) feet.
    - ii. Not within, abutting or across a public right of way from a residential use or district must be separated by a minim of ( ) feet.
- (6q) (Section 19-71.b.6) Security fencing. Towers and associated Communication Support Facilities Telecommunications facilities shall be enclosed by security fencing not less than six (6) feet in height and shall also be equipped with an acceptable anti-climbing device or design; provided however, that the zoning administrator, FoxwWalk Overlay District Design

- Review Committee, planning commission, or city council, as the case may be, may waive such requirements, as they deem appropriate.
- (<u>7r</u>) (<u>Section 19-71.b.7</u>) Landscaping. The following requirements shall govern the landscaping surrounding telecommunications facilities: for which a special use permit is required; provided, however, that the Foxwalk Overlay District Design Review Committee, planning commission, or city council, as the case may be, may waive such requirements if the goals of this article would be better served thereby.
  - <u>a.(1)</u> <u>Telecommunications</u> <u>Communications</u> <u>facilities</u>, <u>towers and antennas shall be</u> <u>landscaped with a buffer of plant materials that effectively screens the view of the facilities from property used for residences. The standard buffer shall consist of a landscaped strip at least four (4) feet wide outside the perimeter of the facility.</u>
  - <u>b.(2)</u> In locations where the visual impact of the facility would be minimal, the landscaping requirement may be reduced or waived.
  - <u>e.(3)</u> Existing mature tree growth and natural land forms on the site shall be preserved to the maximum extent possible. In some cases, such as towers sited on large, wooded lots, natural growth around the property perimeter may be a sufficient buffer. No tower or other telecommunications facility shall be located on a wetland as designated by local, state or federal authorities.
  - (4) Communications support facilities shall be screened as follows:
    - a. In any yard the communications support facilities shall be screened from view of all residential properties which abut or are directly across the street from the communications support facilities by a solid fence six (6) feet in height or an evergreen hedge with an ultimate height of eight (8) feet and a planted height of at least thirty-six (36) inches.
    - b. In a side yard the communications support facilities shall be screened by an evergreen hedge with an ultimate height of at least forty-two (42) to forty-eight (48) inches and a planted height of at least thirty-six (36) inches.
    - c. In a rear yard the communications support facilities shall be screened by an evergreen hedge with an ultimate height of eight (8) feet and a planted height of at least thirty-six (36) inches.
    - d. In a public right of way, if deemed necessary by the zoning administrator, communications support facilities shall be screened by an evergreen hedge with an ultimate height of at least forty-two (42) to forty-eight (48) inches and a planted height of at least thirty-six (36) inches.
- (1s) (Section 19-71.b.1) Application Information required. In addition to any information required for applications for special use permits pursuant to section 14-6 of the zoning ordinance or building code, applicants for a communication facility usespecial use permit may be required to submit all, or a portion of, the following information depending upon the requested use and site:
  - a.(1) The name, address and telephone number of the owner and lessee of the parcel of land as well as for the owner and operator of the telecommunications facility which is the subject of the application. If the applicant is not the owner of the parcel of land, the written consent of the owner shall be evidenced in the application.

- <u>b.(2)</u> A scaled site plan clearly indicating the location, type and height of the proposed facility, and other information deemed by the zoning administrator to be necessary to assess compliance with this article, including but not limited to:
  - a. On-site land uses and zoning, adjacent land uses and zoning (including when located in other municipalities), comprehensive plan classification of the site and all properties within the applicable separation distances set forth in subsection 19-68(ob) and 19-68(p)(5) below.
  - b. <u>Adjacent roadways</u>, proposed means of access, setbacks from property lines, elevation plan drawn to scale in blueprint form and other supporting blueprints of the proposed facility and any other structures, topography, and parking, and other information deemed by the zoning administrator to be necessary to assess compliance with this article.
  - c. Legal description of the parent tract and leased parcel (if applicable).
  - d. The setback distance between the proposed tower or pole and the nearest residential unit, platted residentially zoned (or planned) properties.
  - e. A landscape plan showing specific landscape materials.
  - <u>f.</u> Method of fencing, finished color and, if applicable, the method of camouflage or concealment and illumination.
  - (c)g. (Section 19-68.c) Inventory of existing sites. Every applicant shall provide to the zoning administrator an inventory of its existing telecommunications facilities, towers and antennas, or sites which have been approved for telecommunications facilities, towers and antennas, or for which applications or petitions for approval have already been filed, that are either within the jurisdiction of the city or within one (1) mile of the border thereof, including specific information about the location, height and design of each telecommunications facility, tower and antenna. The zoning administrator may share such information with other applicants applying for administrative approvals or special use permits under this article or other organizations seeking to locate telecommunications facilities within the jurisdiction of the city, provided, however that the zoning administrator is not, by sharing such information, in any way representing or warranting that such sites are available or suitable.
- (j)(3) (Section 19-68(j)) Franchises. Owners and/or operators of telecommunications facilities shall certify that all franchises required by law for the construction and/or operation of telecommunications services with the city have been obtained and shall file a copy of all required franchise Agreements with the zoning administrator.
- (4p) Affidavit for co-location. For a new tower or pole with antenna(s) a notarized statement by the applicant as to whether the communication facility will accommodate collocation of additional antennas for future users. If so, This article also requires the applicant shall to submit an affidavit stating that space on the proposed new tower or pole will be made available to future users for co-locationwhen technically possible.
- (5) An affidavit from a third party professional addressing the following:
  - <u>ga.</u> A description of compliance with subsections 19-68(ef)—(gn) and (j)—(m), and subsections (b)(4) and (b)(5) of this section, and all applicable federal, state or local laws.

- <u>hb.</u> Current radio frequency coverage prediction <u>maps showing in the area served both</u> <u>prior to and after construction of the proposed telecommunications facility and technical performance goals for the desired signal strength.</u>
- <u>ic.</u> Drive test results which confirm or refute the areas shown on coverage maps used in planning the system used by the telecommunications provider.
- <u>i. A notarized statement by the applicant as to whether construction of the tower will accommodate collocation of additional antennas for future users.</u>
- kd. The suitability or A description of the unsuitability of the use of existing towers, other structures or alternative technology not requiring the use of towers or structures to provide the services to be provided through the use of the proposed new communication facilitytewer, including information regarding the number of calls dropped and failed hand-offs between existing call sights within two (2) miles of the city.
- <u>the city based upon existing physical, engineering, technological or geographical limitations in the event the proposed tower is erected.</u>
- f. A written statement from an engineer(s) that the construction and placement of the telecommunications facility, tower or antenna will not interfere with public safety communications and the usual and customary transmission or reception of radio, television or other communications services enjoyed by adjacent residential and nonresidential properties.
- <u>m.(6)</u> An affidavit by the owner of the parent tract (if the location is leased) agreeing to the terms relating to removal of the facility, as described in section 19-73.
- <u>n.(7)</u> Identification of the entities providing the backhaul network for the telecommunications facility described in the application and other cellular sites owned or operated by the applicant in the city, updated on at least an annual basis, and the method of providing backhaul, wired or wireless.
- <u>e.(8)</u> A notarized statement by a licensed structural engineer attesting to the structural integrity of the telecommunications facility and for its proposed use.
- p. A written statement from an engineer(s) that the construction and placement of the telecommunications facility, tower or antenna will not interfere with public safety communications and the usual and customary transmission or reception of radio, television or other communications services enjoyed by adjacent residential and nonresidential properties.
- <u>q.(9)</u> Color photo simulations showing the proposed site of the telecommunications facility, tower or antenna with a photo-realistic representation of the proposed facility as it would appear viewed from the closest residential property or other adjacent land use.
- <u>f-(10)</u> Upon the request of the zoning administrator, the director of public property or their designees, the telecommunications provider shall meet with the requesting official(s) and provide them with information concerning the proposed system design, which information shall not be reduced to writing and shall be treated as a confidential trade secret.

Sec. 19-69. - Permitted Uses.

- (a) Generally. The uses listed in this section are deemed to be permitted uses and shall not require administrative approval Administrative Review or a special use permit, but require a building permit(s) and any other applicable permits.
- (b) Permitted uses.
  - (1) Telecommunications Communications facilities, towers or antennas located on property owned, leased or otherwise controlled by the city are specifically permitted in any <u>public right of way or zoning district, except in a historic or overlay district, provided a license or lease authorizing such telecommunications communications facilities, towers or antennas has been approved by the city, except in a historic or overlay district and not in any public right-of-way within five hundred (500) feet of any residential zoning district.</u>
  - (2) Antennas mounted on new, existing or modified poles are permitted in any zoning district, provided a license or lease authorizing such antennas has been approved by the city. Said antennas shall not be allowed on historic designed light poles.
  - (3) New, replacement or modifications to existing, poles are permitted in any zoning district, provided a license or lease authorizing such installations or modifications has been approved by the city.
  - (4) In order to encourage the use of monopoles, the reconstruction of an existing tower to monopole construction in the same location, of equal height, and deemed in conformance with the provisions of this article shall be permitted.
  - (5) New Antennas (not attached to a tower) on an existing building may be permitted as an accessory use, provided:
    - a. The property is in a Commercial Zoning District, Industrial Zoning District or on a three story or higher building in a R-5 Multiple-Family Dwelling District; R-5A Midrise Multiple-Family Dwelling District; Planned developments where uses are consistent with R-5 or R-5A zoning districts (PD); Planned development districts where uses are consistent with R-5 or R-5A zoning districts (PDD);
    - b. The antenna does not extend more than fifteen (15) feet above the highest point of the building;
    - c. The antenna complies with all applicable FCC and FAA regulations;
    - d. The antenna complies with all applicable building codes; and
    - e. The antenna is set back from any existing or planned off-site residential property zoned R-1 through and including R-4A, a distance of no less than one hundred (100) feet.
  - (6) New Antennas on existing towers. To encourage the maximum use of existing towers, an antenna which is attached to an existing tower may be permitted provided the type, location and height of the tower is not changed.

Sec. 19-70. - Administrative Reviewly approved uses.

- (a) Generally. The following provisions shall govern the issuance of administrative approval for of telecommunications facilities, towers and antennas through Administrative Review.
  - \_(1) The directors of community development, public property, and public works ("the administrative panel") in consultation with the zoning administrator, may administratively approve the uses listed in this section.

- (21) Each applicant for administrative Administrative Review approval shall apply to the zoning administrator providing the information required and a non-refundable fee as set by resolution of the city council from time to time, to reimburse the city from time to time for the costs of reviewing the application. An application shall not be reviewed nor otherwise acted upon until all required information is completed and delivered to the zoning administrator.
- (32) The zoning administrator administrative panel shall review the application for administrative Administrative Review approval and shall to determine if the proposaled use complies with this article, and specifically with sections 19-68, and 19-71(b)(4), (5) and (7).
- (4) The zoning administrator administrative panel shall respond to each such application in writing within sixty (60) days after receiving it by either accepting approving or denying the application. Failure to respond to the applicant within such sixty (60) days, shall result in the application being deemed to be approved accepted.
- (5) In connection with any such <u>administrative Administrative Review</u> approval, the <u>administrative panelcity council</u> may <u>administratively waivereduce</u> any <u>zoning district</u> setback or separation requirements in <u>Section 19-68</u>subsection (b)(2) below, subsection <u>19-71(b)(4)</u> or separation distances in subsection 19-7168(b)(5)b., Table 2 only, by up to fifty (50) percent.
- \_(6) In connection with any such administrative approval, the administrative panel may, in order to encourage the use of monopoles, administratively allow the reconstruction of an existing tower to monopole construction.
- (7) If an administrative Administrative Review approval is denied, the applicant shall may file an application for a special use permit pursuant to section 19-71 prior to filing any appeal that may be available under the zoning ordinance.
- (b) List of administratively Administrative Review approved uses. The following uses may be approved by the administrative Administrative Review process if it is determined that the proposed communications facility is not in any historic or overlay district, complies with the applicable standards of this article and with the following panel after conducting an administrative review:
  - (1) Alternative tower structures, provided the structure is equal to or less than one hundred and fifty (150) feet. not in any historic or overlay district.
  - (2) New Towers, poles or antennas in a Commercial Zoning District or Industrial Zoning District, provided the structure is equal to or less than one hundred (100) fifty (50) feet in total height and under, located in any nonresidential zoning district except not in any historic or overlay district, and further provided:
  - a. That such tower or antenna is separated from any existing or planned off-site residential property line a distance of no less than one hundred (100) feet;
  - b. That such tower is separated by no less than three hundred (300) feet from any other tower; and
  - c. The administrative panel may allow a tower or antenna to be up to seventy (70) feet in height under subsection (b)(2) above where financial hardship is demonstrated, and the impact on surrounding properties is minimal.
  - (3) Antennas or towers over fifty (50) feet in total height located in the following zoning districts, so long as the tower structure is no less than five hundred (500) feet from a

single and/or two-family residential zoning district boundary line and three hundred (300) feet from the Fox River, and not in any historic or overlay district:

- a. Manufacturing (M);
- b. Office, research, light industrial (ORI);
- c. Research & development (R & D);
- d. Planned developments where uses are consistent with M, ORI and R & D zoning districts (PD);
- e. Planned development districts where uses are consistent with M, ORI, and R & D zoning districts. (PDD)
- (4) Locating antennas on existing structures or towers consistent with the terms of subsections a, and b, below.
  - a. Antennas on existing structures. Any antenna which is not attached to a tower may be approved by the administrative panel as an accessory use, excluding residentially zoned R-1 through and including R-4A properties, provided:
    - 1. The antenna does not extend more than fifteen (15) feet above the highest point of the structure:
    - 2. The antenna complies with all applicable FCC and FAA regulations;
    - 3. The antenna complies with all applicable building codes; and
    - 4. The antenna is set back from any existing or planned off-site residential property zoned R-1 through and including R-4A, a distance of no less than one hundred (100) feet.
  - b.(4) Modification or Reconstruction of Existing Tower for Co-location. Antennas on existing towers. To encourage the maximum use of existing towers, an antenna which is attached to an existing tower may be approved provided the height of the tower is not increased. To minimize adverse visual impacts associated with the proliferation and clustering of towers or poles, modification or reconstruction to accommodate the, collocation of antennas by more than one (1) carrier on existing towers shall take precedence over the construction of new towers, provided such collocation is accomplished in a manner consistent with the following:
    - a1. Type. A tower which is modified or reconstructed to accommodate the collocation of an additional antenna shall be of the same tower type as the existing tower, unless it is the administrative panel allows reconstructed ion as a monopole.

### 2b. Height.

- i. An existing tower may be modified or rebuilt to a taller height, not to exceed twenty (20) feet over the tower's existing height, to accommodate the collocation of an additional antenna.
- ii. The height change referred to in subsection i. above may only occur one (1) time per tower.
- iii. The additional height referred to in subsection i. above shall not require an additional distance separation as set forth in section 19-68(s)74. The

tower's premodification height shall be used to calculate such distance separations.

## 3c. Onsite location.

- i. A tower which is being rebuilt to accommodate the collocation of an additional antenna may be moved onsite within thirty (30) feet of its existing location.
- ii. A bond in the amount of twenty-five thousand dollars (\$25,000.00) shall be required at time of filing of application for relocation under this section to ensure removal of an existing tower. After the tower is rebuilt to accommodate collocation, only one (1) tower may remain on the site, and the existing tower shall be removed in any event no later than six (6) months after the newly relocated tower is functioning.
- iii. A relocated onsite tower shall continue to be measured from the original tower location for purposes of calculating separation distances between towers pursuant to subsection 19-68(s)71(b)(5). The relocation of a tower hereunder shall in no way be deemed to cause a violation of subsection 19-68(s)71(b)(5).
- iv. The onsite relocation of a tower which comes within the separation distances to residential units or residentially zoned lands as established in subsection 19-68(s)71(b)(5) shall only be permitted when approved by the administrative panel city council.
- (5) New towers in nonresidential an Industrial Zoning Districtzoning districts, the structure is two hundred (200) feet or under in total height, provided the tower is accessory to a building with a use permitted or approved as a special use under the applicable zoning district, and provided. Locating any new tower in an M, ORI, R & D, PD or PDD zoning district, provided a licensed structural engineer certifies the tower can structurally accommodate the number of shared users proposed by the applicant; the administrative panel concludes the tower is in conformity with the goals set forth in section 19-65 and the requirements of section 19-68; the tower meets the setback requirements in subsection 19-71(b)(1) and separation distances in subsection 19-71(b)(5); and the tower meets the following height and usage criteria:
  - For a single user, up to and including one hundred (100)ninety (90) feet in height;
  - b. For two (2) users, up to one hundred fifteen fifty (15015) feet in height; and
  - c. For three (3) or more users, up to and including one two hundred fifty (150200) feet in height.
- (6) Alternative technology. Installing a microcell network through the use of multiple low-powered transmitters/receivers attached to existing wireline systems, such as conventional cable or telephone wires, or similar technology that does not require the use of towers.
- (7) Educational uses. Towers or antennas on school property to be used for educational purposes only.

Sec. 19-71. - Special use permits.

(a) *Generally.* The following provisions shall govern the issuance of special use permits for telecommunications facilities, towers and antennas:

- (1) A Special Use Permit shall be required in all zoning districts for the telecommunications communications facilities, towers and antennas that are:
  - a. \_not a permitted use under section 19-69, or
  - b. not permitted to be approved administratively pursuant to section 19-70, then a special use permit shall be required in all zoning districts.
  - c. New towers and/or new communication support facilities within the I-88 Technology Corridor
- (2) Applications for special use permits under this section shall be subject to the procedures and requirements of section 4410-6 of the zoning ordinance, except as modified in this section.
- (3) In connection with any such Special Use Permit, the City Council may reduce any fencing, landscaping, setback or separation or other requirements in section 19-68 if the goals of this article would be better served thereby.
- (43) In granting a special use permit, the Foxwalk Overlay District Design Review Committee, the planning commission, or city council, as the case may be, may impose conditions to the extent they conclude such conditions are necessary to minimize any adverse effect of the proposed telecommunications communications facilities, towers and antennas, including but not limited to extension facade materials and design, on adjoining properties.
- (54) Any information of an engineering nature that the applicant submits, whether civil, mechanical, or electrical, shall be certified by a licensed professional engineer or licensed professional architect as determined by the zoning administrator.
- (65) An applicant for a special use permit shall apply to the zoning administrator, provide submit the information described in this section required and a non-refundable fee as set by resolution of the city council from time to time to reimburse the city for the costs of reviewing the application.

#### (b) Towers and antennas.

- (1) (Section 19-71.b.1)Information required. In addition to any information required for applications for special use permits pursuant to section 14-6 of the zoning ordinance, applicants for a special use permit may be required to submit all, or a portion of, the following information depending upon the requested use and site:
  - a. The name, address and telephone number of the owner and lessee of the parcel of land as well as for the owner and operator of the telecommunications facility which is the subject of the application. If the applicant is not the owner of the parcel of land, the written consent of the owner shall be evidenced in the application.
  - b. A scaled site plan clearly indicating the location, type and height of the preposed facility, on-site land uses and zoning, adjacent land uses and zoning (including when located in other municipalities), comprehensive plan classification of the site and all properties within the applicable separation distances set forth in subsection (b)(5) below, adjacent readways, proposed means of access, setbacks from property lines, elevation plan drawn to scale in blueprint form and other supporting blueprints of the proposed facility and any other structures, topography, parking, and other information deemed by the zoning administrator to be necessary to assess compliance with this article.

- c. Legal description of the parent tract and leased parcel (if applicable).
- d. The setback distance between the proposed tower and the nearest residential unit, platted residentially zoned (or planned) properties.
- A landscape plan showing specific landscape materials.
- f. Method of fencing, finished color and, if applicable, the method of camouflage and illumination.
- g. A description of compliance with subsections 19-68(c)—(g) and (j)—(m), and subsections (b)(4) and (b)(5) of this section, and all applicable federal, state or local laws.
- h. Current radio frequency coverage prediction maps showing the area served both prior to and after construction of the proposed telecommunications facility and technical performance goals for the desired signal strength.
- i. Drive test results which confirm or refute the areas shown on coverage maps used in planning the system used by the telecommunications provider.
- j. A notarized statement by the applicant as to whether construction of the tower will accommodate collocation of additional antennas for future users.
- k. A description of the unsuitability of the use of existing towers, other structures or alternative technology not requiring the use of towers or structures to provide the services to be provided through the use of the proposed new tower, including information regarding the number of calls dropped and failed hand offs between existing call sights within two (2) miles of the city.
- I. A description of the feasible location(s) of future towers or antennas within the city based upon existing physical, engineering, technological or geographical limitations in the event the proposed tower is erected.
- m. An affidavit by the owner of the parent tract (if the location is leased) agreeing to the terms relating to removal of the facility, as described in section 19-73.
- n. Identification of the entities providing the backhaul network for the telecommunications facility described in the application and other cellular sites owned or operated by the applicant in the city, updated on at least an annual basis, and the method of providing backhaul, wired or wireless.
- o. A notarized statement by a licensed structural engineer attesting to the structural integrity of the telecommunications facility and for its proposed use.
- p. A written statement from an engineer(s) that the construction and placement of the telecommunications facility, tower or antenna will not interfere with public safety communications and the usual and customary transmission or reception of radio, television or other communications services enjoyed by adjacent residential and nenresidential properties.
- q. Color photo simulations showing the proposed site of the telecommunications facility, tower or antenna with a photo-realistic representation of the proposed facility as it would appear viewed from the closest residential property or other adjacent land use.
- Upon the request of the zoning administrator, the director of public property or their designees, the telecommunications provider shall meet with the requesting

official(s) and provide them with information concerning the proposed system design, which information shall not be reduced to writing and shall be treated as a confidential trade secret.

- \_(2b) Factors considered in granting special use permits. In addition to any standards for consideration of special use permit applications pursuant to section 14-6 of the zoning ordinance, the Foxwalk Overlay District Design Review Committee, the planning commission, or city council, as the case may be, shall consider the following factors in determining whether to issue a special use permit, although they may waive or reduce the burden on the applicant of one (1) or more of these criteria if they conclude that the goals of this article are better served thereby:
  - Height of the proposed telecommunications communications facility, tower or antenna;
  - b. Proximity of the telecommunications communications facility, tower or antenna to residential structures and residential district boundaries;
  - c. Nature of uses on adjacent and nearby properties;
  - d. Surrounding topography;
  - e. Surrounding tree coverage and foliage;
  - f. Design of the <u>telecommunications</u> communications facility, tower or antenna with particular reference to design characteristics that have the effect of reducing or eliminating visual obtrusiveness;
  - g. Proposed ingress and egress; and
  - h. Availability of suitable existing telecommunications communications facilities, other structures, or alternative technologies not requiring the use of towers or structures, as discussed in subsection 19-68(q)(b)(3) below.
- (3) (Section 19-71.b.3) Availability of suitable existing towers, other structures, or alternative technology. No new tower shall be permitted unless the applicant demonstrates to the reasonable satisfaction of the Fexwalk Overlay District Design Review Committee, the planning commission, or city council, as the case may be, that no existing tower, structure or alternative technology that does not require the use of towers or structures can accommodate the applicant's proposed antenna. An applicant shall submit information requested by the Foxwalk Overlay District Design Review Committee, planning commission, or city council, as the case may be, related to the availability of suitable existing towers, other structures or alternative technology. Evidence submitted to demonstrate that no existing tower, structure or alternative technology can accommodate the applicant's proposed antenna may consist of any of the following:
  - a. No existing towers or structures are located within the geographic area which meet applicant's engineering requirements.
  - b. Existing towers or structures are not of sufficient height to meet applicant's engineering requirements and cannot be enlarged sufficiently to meet their needs.
  - Existing towers or structures do not have sufficient structural strength to support applicant's proposed antenna and related equipment.
  - d. The applicant's proposed antenna would cause electromagnetic interference with the antenna on the existing towers or structures, or the antenna on the existing

- towers or structures would cause interference with the applicant's proposed antenna.
- The fees, costs, or contractual provisions required by the owner in order to share an
  existing tower or structure or to adapt an existing tower or structure for sharing are
  unreasonable.
- f. The applicant demonstrates that there are other limiting factors that render existing towers and structures unsuitable.
- g. The applicant demonstrates that an alternative technology that does not require the use of towers or structures, such as a microcell network using multiple low-powered transmitters/receivers attached to a wireline system, is unsuitable. Costs of alternative technology that exceed new tower or antenna development shall not be presumed to render the technology unsuitable.
- (4) (Section 19-71.b.4) Setbacks. The following setback requirements shall apply to all tolecommunications facilities, towers and antennas for which a special use permit is required; provided, however, that the Foxwalk Overlay District Design Review Committee, planning commission, or city council, as the case may be, may reduce the standard setback requirements if the goals of this article would be better served thereby:
  - a. Telecommunications facilities, towers and antennas must be set back a distance equal to at least seventy five (75) percent of the height of the facility from any adjoining lot line, except that the setback for monopoles shall be equal to fifty (50) percent of its height.
  - b. Guys and accessory buildings must satisfy the minimum zoning district setback requirements, including the provision of transitional yards, if required.
- (5) (Section 19-71.b.5) Separation. The following separation requirements shall apply to all telecommunications facilities, towers and antennas for which a special use permit is required; provided, however, that the Foxwalk Overlay District Design Review Committee, the planning commission, or city council, as the case may be, may reduce the standard separation requirements if the goals of this article would be better served thereby.
  - a. Separation from off-site uses/designated areas.
    - Tower separation from off-site uses/designated areas shall be measured from the base of the tower to the lot line of the off-site uses and/or designated areas as specified in Table 1, except as otherwise provided in Table 1.
    - 2. Separation requirements for towers shall comply with the minimum standards established in Table 1.

Table 1. Tower Separation From Certain Uses And Zones

Off-site Use/Designated Area - Separation Distance

Single or two-unit dwellings - 500 feet

Vacant platted or unplatted residentially zoned land - 500 feet

Existing multi-family residential units - 300 feet

Fox River - 300 feet

Nonresidentially zoned lands with nonresidential uses - None; only setbacks apply

# b. Separation distances between towers.

1. Separation distances between towers shall be applicable for and measured between the proposed tower and preexisting towers. The separation distances shall be measured by drawing or following a straight line between the base of the existing tower and the proposed base, pursuant to a site plan, of the proposed tower. The separation distances (listed in linear feet) shall be as shown in Table 2.

Table 2. Minimum Separation Between Towers (in feet)

Proposed Tower Type	Existing Towers Types				
	Lattice	Guyed	Monopole 75 feet in height or greater	Monopole less than 75 feet in height	
Lattice	2,500	2,500	1,500	<del>1,000</del>	
Guyed	2,500	2,500	1,500	<del>-1,000</del>	
Monopole 75 feet in height or greater	1,000	<del>-1,500</del>	1,000	<del>-1,000</del>	
Monopole less than 75 feet in height	<del>-1,000</del>	<del>-1,000</del>	1,000	<del>-750</del>	

- (6) (Section 19-71.b.6) Security fencing. Telecommunications facilities shall be enclosed by security fencing not less than six (6) feet in height and shall also be equipped with an acceptable anti-climbing device or design; provided however, that the Fexwalk Overlay District Design Review Committee, planning commission, or city council, as the case may be, may waive such requirements, as they deem appropriate.
- (7) (Section 19-71.b.7) Landscaping. The following requirements shall govern the landscaping surrounding telecommunications facilities for which a special use permit is required; provided, however, that the Foxwalk Overlay District Design Review Committee, planning commission, or city council, as the case may be, may waive such requirements if the goals of this article would be better served thereby.
  - a. Telecommunications facilities, towers and antennas shall be landscaped with a buffer of plant materials that effectively screens the view of the facilities from property used for residences. The standard buffer shall consist of a landscaped strip at least four (4) feet wide outside the perimeter of the facility.
  - b. In locations where the visual impact of the facility would be minimal, the landscaping requirement may be reduced or waived.

c. Existing mature tree growth and natural land forms on the site shall be preserved to the maximum extent possible. In some cases, such as towers sited on large, wooded lots, natural growth around the property perimeter may be a sufficient buffer. No tower or other telecommunications facility shall be located on a wetland as designated by local, state or federal authorities.

Sec. 19-72. - Telecommunications Communications support facilities.

- (a) Antennas mounted on structures or rooftops. The telecommunications support facilities used in association with such antennas shall comply with the following:
  - (1) The telecommunications support facilities shall not contain more than four hundred fifty (450) square feet of gross floor area or be more than fifteen (15) feet in height. In addition, for buildings and structures which are less than sixty-five (65) feet in height, the related telecommunications support facilities if over one hundred fifty (150) square feet of gross floor area or ten (10) feet in height, shall be located on the ground and shall not be located on the roof of the structure, unless alternative architecturally acceptable screening is utilized.
  - (2) If the telecommunications support facilities are located on the roof of a building, the area of the telecommunications support facilities and other equipment and structures shall not occupy more than twenty-five (25) percent of the square footage of the roof area.
  - (3) Teles Communications support facilities shall comply with all applicable building codes.
- (b) Antennas mounted on utility poles or light poles. The telecommunications support facilities used in association with such antennas shall be located in accordance with the following:
  - (1) In <u>Commercial Zoning Districts</u> residential districts, the telecommunications support facilities may be located:
    - a. In a side yard, provided the telecommunications support facilities meet the applicable zoning district setback requirements and are no greater than four (4) feet in height or twenty-four (24) square feet of gross floor area and the telecommunications support facilities are located a minimum of six (6) feet from all lot lines. The telecommunications support facilities shall be screened by an evergreen hedge with an ultimate height of at least forty-two (42) to forty-eight (48) inches and a planted height of at least thirty-six (36) inches.
    - b. In a rear yard, provided the telecommunications support facilities meet the applicable zoning district setback requirements and are no greater than six (6) feet in height or two hundred forty (240) square feet in gross floor area. The telecommunications support facilities shall be screened by an evergreen hedge with an ultimate height of eight (8) feet and a planted height of at least thirty-six (36) inches.
    - c. On the support structure, provided the communications support facilities are lower than ten (10) feet above grade level measured from the bottom of the support structure, shall be no greater than () square feet and must be of a neutral color that is identical to, or closely compatible with, the color of the supporting structure so as to make the antenna and related equipment as visually unobtrusive as possible, unless a different color is needed for public safety or service reliability reasons.
  - (2) In <u>Industrial Zoning Districts commercial or industrial districts the tele</u>communications support facilities <u>may be located</u>:

- a. In a side or rear yard provided communications support facilities meet the applicable zoning district setback requirements and shall be no greater than six (6) feet in height or sixty-four (64) square feet in gross floor area. The telecommunications support facilities shall be screened by an evergreen hedge with an ultimate height of eight (8) feet and a planted height of at least thirty-six (36) inches. In all other instances, telecommunications support facilities shall be screened from view of all residential properties which abut or are directly across the street from the telecommunications support facilities by a solid fence six (6) feet in height or an evergreen hedge with an ultimate height of eight (8) feet and a planted height of at least thirty-six (36) inches.
- b. On the support structure, provided the communications support facilities be lower than ten (10) feet above grade level measured from the bottom of the support structure, shall be no greater than \_\_\_\_ (\_\_) square feet and must be of a neutral color that is identical to, or closely compatible with, the color of the supporting structure so as to make the antenna and related equipment as visually unobtrusive as possible, unless
- (3) In all other zoning districts, the communications support facilities may be located:
  - a. In a side yard provided the communications support facilities meet the applicable zoning district setback requirements and are no greater than four (4) feet in height or twenty-four (24) square feet of gross floor area and the communications support facilities are located a minimum of six (6) feet from all lot lines.
  - b. In a rear yard, provided the communications support facilities meet the applicable zoning district setback requirements and are no greater than six (6) feet in height or two hundred forty (240) square feet in gross floor area. a different color is needed for public safety or service reliability reasons.
  - c. On the support structure, provided the communications support facilities are lower than ten (10) feet above grade level measured from the bottom of the support structure, shall be no greater than \_\_\_\_\_(\_\_)square feet and must be of a neutral color that is identical to, or closely compatible with, the color of the supporting structure so as to make the antenna and related equipment as visually unobtrusive as possible, unless a different color is needed for public safety or service reliability reasons.
- (4) In public right of way, provided a license or lease authorizing such communications support facilities has been approved by the city.
  - a. At grade, provided the communications support facilities meet the requirements in Chapter 42, Article X "Construction of Facilities in the Public Right of Way".
  - b. On the support structure, provided the communications support facilities are lower than ten (10) feet above grade level measured from the bottom of the support structure, shall be no greater than ( ) square feet and must be of a neutral color that is identical to, or closely compatible with, the color of the supporting structure so as to make the antenna and related equipment as visually unobtrusive as possible, unless a different color is needed for public safety or service reliability reasons.

- (c) Antennas located on towers. The telecommunications support facilities used in association with such antennas shall comply with the following:
  - (1) The communications support facilities may be located in a side or rear yard provided communications support facilities meet the applicable zoning district setback requirements and shall be no greater than ten (10) feet in height or not contain more than two hundred forty (240) square feet inef gross floor area or be more than ten (10) feet in height, and shall be located in accordance with the minimum yard requirements of the zoning district in which located.
- (d) Modification of building size requirements. The requirements of subsections (a)—(c) above may be modified by the zoning administrator, administrative panel in the case of administratively approved uses, or by the FoxWwalk Overlay District Design Review Committee, the planning commission, and or city council, as in the case may be, of uses permitted by special use, to facilitate collocation or alternative methods of screening or housing such facilities.

Sec. 19-73. - Removal of abandoned antennas and towers.

- (a) Any telecommunications facility, tower, or antenna that is not operated for a continuous period of twelve (12) months shall be considered abandoned, whether or not the owner or operator intends to make use of such facility.
- (b) If upon inspection by the zoning administrator it is determined that a telecommunications facility, tower, or antenna is abandoned, or, upon receipt by the city of the owner's notice to the FCC of intent to cease operations, the zoning administrator shall send a written notice of such abandonment to the owner of the telecommunications facility, tower, or antenna and the owner of the property if such owner is different from the owner of such facility. Such notice shall be mailed by certified mail, return receipt requested.
- (c) The owner of the telecommunications facility, tower, or antenna and the owner of the property if such owner is different from the owner of such facility, shall have sixty (60) days after receipt of the notice to remove all of such facility, including any and all footings and foundation.
- (d) If such telecommunications facility, tower, or antenna\_is not removed within sixty (60) days after receipt of notice from the city notifying the owners of such abandonment, the city may remove such facility and file a lien against the property for the costs of removal.
- (e) The city may pursue any and all available legal remedies to insure that an abandoned telecommunications facility, tower, or antenna is removed.
- (f) Any delay by the city in taking action to enforce the removal of an abandoned telecommunications facility, tower, or antenna against the owner of the telecommunications facility, tower, or antenna and the owner of the property if such owner is different from the owner of such facility, shall not waive the city's right to take any action at a later time.
- (g) The city may seek to have the telecommunications facility, tower, or antenna removed regardless of the owners' or operator's intent to operate such facility, and regardless of any permits, federal, state or otherwise, which may have been issued or granted.
- (h) If the owner of an abandoned telecommunications facility, tower, or antenna wishes to use such an abandoned facility, the owner shall first apply for and receive all applicable permits and meet all of the conditions of this article as if such telecommunications facility, tower, or antenna were a new facility.

(i) In those instances where the city has located communications equipment in a facility owned by a communications provider, and such facility is abandoned by the communications provider without due advance notice to the city, the city may take all available legal remedies in order to take control of the facility in order to maintain and operate its communications equipment.

Sec. 19-74. - Nonconforming uses.

- (a) No expansion of nonconforming use. Towers and telecommunication facilities that are constructed, and antennas that are installed, in accordance with the provisions of this article shall not be deemed to constitute the expansion of a nonconforming use or structure.
- (b) Preexisting towers and antennas. Preexisting towers, telecommunications facilities and antennas shall be allowed to continue their usage as they presently exist. Routine maintenance shall be permitted on such preexisting facilities. New construction other than routine maintenance on a preexisting tower, telecommunications facilities or antenna (other than as permitted in subsection 19-70(b)(4)) shall comply with the requirements of this article. This article shall not be interpreted to legalize any structure or use existing at the time this article is adopted which structure or use is in violation of this Code prior to enactment of this article.
- (c) Rebuilding damaged or destroyed nonconforming towers or antennas. Notwithstanding section 19-73, bona fide nonconforming towers, telecommunications facilities or antennas that are damaged or destroyed may be rebuilt without having to first obtain administrative approval or a special use permit and without having to meet the separation requirements specified in subsections 19-68(r)71(b)(4) and 19-68(s)71(b)(5). The type, height, and location of the tower, telecommunications facilities and antennas onsite shall be of the same type and intensity as the original facility approval. Building permits to rebuild the facility shall comply with the then applicable building codes and shall be obtained within one hundred eighty (180) days from the date the facility is damaged or destroyed. If no permit is obtained or if such permit expires, the tower, telecommunications facility or antenna shall be deemed abandoned as specified in section 19-73.

Sec. 19-75. - Annual reporting of information.

Each owner of a telecommunications facility, tower and antenna regulated under this article and including those previously existing structures which would have been regulated under this article, but specifically excluding towers and antennas which are fifty (50) feet or under in total height, shall, on an annual basis, furnish the city with such information as is required by the city to aid with the administration of this article, including notice to the FCC of intent to cease operation, all reports submitted to the FAA and FCC which contain information on RF and EMF emissions at the site, as well as changes in availability of space on any tower for collocation of additional antennas, plans to abandon a position on a tower, thereby leaving space for the possible collocation of another antenna, plans and/or willingness to modify such tower and antenna structure so as to provide for the possibility of collocation, or intentions to abandon a tower structure, or other non-proprietary information as may be required by the city. The owner of such telecommunications facility, tower and antenna shall pay a yearly fee to the city in an amount as set by resolution of the city council from time to time to aid in the administration of this article. Upon written notice from the city to the owner thereof, the owner of any telecommunications facility, tower and antenna in existence at the time of January 27, 1998, which structure would otherwise be regulated by this article, shall register with the city, and shall provide such nonproprietary information as is deemed useful by the city for administration of this article. The city or its agents shall have authority to enter onto the property upon which a telecommunications

facility, tower and antenna is located to inspect for the purpose of determining whether it complies with the building code and all other construction standards provided by this Code and federal and state law. This section is specifically deemed to have retroactive effect.

Sec. 19-76. - Remedies.

Any violation of any provision of this article shall result in any of the following remedies available to the city:

- (1) Commencing work without applying for and receiving appropriate approval, in accordance with the provisions of the city code, on private property, in any city right of way, or other city owned property shall result in a fine of one thousand dollars (\$1,000) per day for each day the violation exists, and the city may remove or cause the removal of any facility without notice to the owner thereof, and any contractor involved in such un-permitted work shall be banned from doing business in the city for a minimum of one (1) year.
- (2) If, upon inspection by the zoning administrator, it is determined that a telecommunications facility, tower, or antenna fails to comply with any of the applicable standards of this ccode, the zoning administrator shall send a written notice of such violation to the owner of the telecommunications facility, tower, or antenna and the owner of the property if such owner is different from the owner of such facility. Such notice shall be mailed by certified mail, return receipt requested.
- (32) The owner of the telecommunications facility, tower, or antenna and the owner of the property if such owner is different from the owner of such facility, shall have thirty (30) days after receipt of the violation notice to bring such facility into compliance. In the event such telecommunications facility, tower, or antenna is not brought into compliance within the required thirty-day period, the city may provide notice to the owners requiring such a facility to be removed.
- (43) In the event such telecommunications facility, tower, or antenna is not removed within thirty (30) days after receipt of the notice of removal, the city may remove or cause the removal of such facility and file a lien against the property for the costs of removal.
- (54) In the event that the failure of the telecommunications facility, tower or antenna to comply with any such standards constitutes a present danger to persons or property, the city may abate the danger, provide notice to the owner as soon as reasonably practicable and recover the costs of abatement from the owner and file a lien against the property for the costs of abatement.
- (65) The city may pursue any and all available legal remedies to insure that a telecommunications facility, tower, or antenna which fails to comply with this Code or which constitutes a danger to persons or property is brought into compliance or removed.
- (76) Any delay by the city in taking enforcement action against the owner of a telecommunications facility, tower, or antenna and the owner of the property if such owner is different from the owner of such facility, shall not waive the city's right to take any action at a later time.
- (87) The city may seek to have the telecommunications facility, tower, or antenna removed regardless of the owner's or operator's intent to such facility, and regardless of any permits, federal, state or otherwise, which may have been issued or granted.
- (98) A fine of between fifty two hundred dollars (\$2050.00) and two five hundred dollars (\$5200.00) per day for each day the violation is in existence may be assessed against

the owners of the telecommunications facility, tower and antenna and the owner(s) of the property if such owner is different from the owner of such facility.

(109) Whenever a telecommunications facility, antenna or tower is found to have interfered with public safety communications, then in that event the owners of same shall be liable to the city for all of the city's costs in determining, locating and enforcing the terms of this article. Further, such owner shall promptly take all reasonable steps necessary to correct and eliminate such interference within a reasonable period of time; provided, however, if such facilities materially interfere with the city's emergency transmitting and/or receiving equipment, such corrective steps shall be taken immediately upon notice by the city. If the owner of such facilities fails to take immediate corrective action, the city may do so at the owner's expense which amount shall become a debt due and owing the city by such owner.

Sec. 19-77. - Decisions.

Any decision rendered upon an application to locate, construct, or install a telecommunications facility, tower, antenna, or for a special use for any such facility shall be written and shall include findings of fact supported by substantial evidence in a written record.

Sec. 19-78. - Appeals.

- (a) Appeals from any decision rendered upon an application to locate, construct, or install a telecommunications facility, tower, or antenna via special use permit shall be filed pursuant to section 14.6 of the zoning ordinance.
- (b) Appeals from any decision of the city council rendered upon an application to locate, construct, or install a telecommunications facility, tower or antenna, via special use permit for any such facility shall be filed with the Circuit Court for the 16th Judicial Circuit, Kane County, Illinois, within thirty (30) days after the date the decision is rendered.

Secs. 19-79—19-99. - Reserved.