



NOTE: 2025 AERIAL PHOTOGRAPHY

 <p>CITY OF AURORA ENGINEERING DIVISION 2185 LIBERTY ST</p>	REVISIONS:	PROJECT	SHEET NUMBER
	DESIGNED BY: IW	CHECKED BY: IW	PHILLIPS PARK GOLF COURSE PARKING LOT
	DRAWN BY: AHB	APPROVED BY: IW	1001 HILL AVE
	SCALE: 1" = 40'		1
	DATE: 2026		1

LEVEL SPREADER



NOTES:

1. Coarse aggregate shall meet one of the following IDOT gradations: CA-1, or CA-3.
2. Filter fabric shall meet the requirements of material specification 592 GEOTEXTILE, Table 1 or 2, Class I, II, or IV.
3. See sheet FILTER STRIP-GRASSED IL-535 for filter strip requirements.
4. See sheet EROSION BLANKET IL-530 for blanket material and installation requirements.
5. See plans for permanent seeding requirements.
6. See plans for D and W dimensions.

REFERENCE

Project _____
 Designed _____ Date _____
 Checked _____ Date _____
 Approved _____ Date _____



NRCS


Natural Resources Conservation Service

STANDARD DWG. NO.

IL-570

SHEET 2 OF 2

DATE 1-29-99



- NOTES: 1. CURB & GUTTER SHALL HAVE A LIGHT BROOM FINISH.
 2. CURB & GUTTER TO BE PLACED ON MINIMUM COMPACTED **6" CA-6** BASE.
 3. EQUALS 2" AT DRIVEWAYS, $\frac{1}{2}$ " MAXIMUM AT ACCESSIBLE CURB RAMPS.



REVISIONS	
DATE: 02/2013	BY: DG

CONCRETE CURB & GUTTER

SCALE: NOT TO SCALE	CHECKED: DF
DATE: 1/04	DRAWN: NM

DRAWING NUMBER:
EXHIBIT II-C-4