

Invitation to Bid 20-47

PURCHASE OF ONE (1) COMBINATION SEWER CLEANER FOR THE WATER AND SEWER DIVISION

BID PROPOSALS DUE

Wednesday, September 23, 2020 at 2:00 p.m.

City of Aurora Purchasing Division 44 E Downer Place Aurora, Illinois

PURCHASE OF ONE (1) COMBINATION SEWER CLEANER

TABLE OF CONTENTS

SECTION	TITLE	PAGE NUMBER
	Invitation	iv
	Bidder's Certification	01
	Bidder's Tax Certification	02
INSTRUCTIONS	S TO BIDDERS	
01	Requirements of Bidder	03
02	Acceptance of Proposals	03
03	Receipt of Proposals	04
04	Withdrawal of Proposals	04
05	Bid Deposit	05
06	Bonds and Insurance	05
07	City's Agent	05
08	Investigation	05
09	Bidder Capability	05
10	Alternate Proposals	06
11	Award	06
12	Payment	06
13	Prices	07
14	Discounts	07
15	Taxes	07
16	Interpretation or Correction of Bidding Documents	07
17	Default	07
18	Inspection	08
19	Warranty	08
20	Regulatory Compliance	08
21	Cancellation	08
22	Special Conditions	08
23	Signatures	08
24	Royalties and Patents	09
25	References	09
26	Eligibility	09
27	Data	09
28	Compliance with Laws and Regulations	09
29	Insurance and Hold Harmless Provision	10
30	Workers Compensation Act	11
31	Subletting or Assignment of Work	11
32	Local Bidder Preference	11
33	Minority Participation	12
34	Prosecution of Work	12
35	Time	12
36	Questions	12

PURCHASE OF ONE (1) COMBINATION SEWER CLEANER

TABLE OF CONTENTS

SECTION	<u>TITLE</u> <u>P</u>	AGE NUMBER
APPENDIX A		
BID PROPOSA	AL SPECIFICATIONS	
Section 1	Project Introduction and Purpose	01
Section 2	Minimum Qualifications	01
	General Requirements	01
	Illinois Non-Appropriation Clause	01
	Termination for Cause	02
	Response Instructions	02
Section 3	Specifications – Combination Sewer Cleaner	03
	General	03
	Debris Body	03
	Automatic Vacuum Breaker	04
	Centrifugal Compressor	05
	Vacuum Pick Up Hose	05
	Water Supply	06
	Auxiliary Engine – if applicable	07
	High-Pressure Water Pump	07
	Hose Reel Assembly	08
	Sewer Cleaning Hose	08
	Manhole Cleaning and Hydro-Excavation Syst	tem 09
	Hydraulic System and Lubrication	09
	Additional Equipment and Accessories	10
	Electrical and Lighting	11
	Paint	12
	Chassis Specifications	12
	Engine Equipment	12
	Transmission	13
	Front Axle and Equipment	13
	Front Suspension	14
	Rear Axle and Equipment	14
	Rear Suspension	15
	Brake System	15
	Wheelbase & Frame	15
	Fuel Tanks	15
	Tires and Wheels	16
	Cab Exterior	16
	Cab Interior	17
	Chassis Warranty	19
	ii	

PURCHASE OF ONE (1) COMBINATION SEWER CLEANER

TABLE OF CONTENTS

SECTION	TITLE	PAGE NUMBER
	Training & Manuals Mounting and Delivery Delivery Silence of Specification Delivery Address Exceptions	19 19 19 19 19 20
APPENDIX B	Contact Information	
APPENDIX C	Reference List	
APPENDIX D	Bid Proposal Form	
APPENDIX E	Local Preference Application	
APPENDIX F	Bid Submittal Checklist	



CITY OF AURORA INVITATION TO BID 20-47 PURCHASE OF ONE (1) COMBINATION SEWER CLEANER FOR THE WATER AND SEWER DIVISION

The City of Aurora invites you to bid on the anticipated purchase of one (1) truck mounted combination vacuum – jetting sewer cleaner for the Water and Sewer Division.

Sealed Bid Proposals must be received by the City of Aurora Purchasing Division, 1st Floor, City of Aurora, 44 E. Downer Place, Aurora, IL 60507 **no later than 2:00 pm CST, Wednesday, September 23, 2020.** Bid proposals received after the closing time and date will be returned unopened.

Attached please find specifications and other pertinent documents necessary for you to respond to this Invitation to Bid.

Inquiries and/or questions pertaining to the provisions and specifications of this bid proposal package shall be directed to the Director of Purchasing, in writing at PurchasingDL@aurora-il.org. Questions will be accepted until 12:00 pm, Tuesday, September 15, 2020. Questions will be answered via addendum and posted to the City's website at https://www.aurora-il.org/bids.aspx by 5:00 pm, Thursday, September 17, 2020. NO questions will be accepted or answered verbally. No questions will be accepted or answered after the September 15, 2020 12:00 pm cut-off date/time. It is the Bidder's responsibility to check the website before submitting their Bid Proposal.

The City of Aurora has a local preference ordinance that would apply to this contract.

The City of Aurora encourages minority business firms to submit bids and encourages the successful firm to utilize minority businesses as applicable.

Any Bidder who owes the City money may be disqualified at the City's discretion.

All proposals are to be submitted on the bid proposal form provided entitled: "Bid Proposal Form 20-47 Purchase of One (1) Combination Sewer Cleaner."

Each bid must be placed in an envelope, sealed, and clearly marked on the outside: "20-47 Purchase of One (1) Combination Sewer Cleaner."

The City of Aurora reserves the right at any time and for any reason to cancel this Invitation to Bid, to accept or reject any or all Bids or portion thereof, or accept an alternate bid. The City reserves the right to waive any immaterial defect in any bid, or technicality, informality or irregularity in the bids received, and to disregard all nonconforming or conditional bids or counter-proposals. Unless otherwise specified by the bidder or the City, the City reserves the right to hold the best bids for ninety (90) days from the opening date set forth above. The City may seek clarification from any bidder at any time and failure to respond promptly is cause for rejection. The City further reserves the right to award the bid to the lowest responsible Bidder whose offer best responds in quality, fitness and capacity to the requirements of the proposed work or usage and therefore is in the best interest of the City.

CITY OF AURORA Jolene Coulter Director of Purchasing

BIDDER'S CERTIFICATION

I/We hereby certify that:

- A. A complete set of bid proposal papers, as intended, has been received, and that I/We will abide by the contents and/or information received and/or contained herein.
- B. I/We have not entered into any collusion or other unethical practices with any person, firm, or employee of the City which would in any way be construed as unethical business practice.
- C. I/We have adopted a written sexual harassment policy which is in accordance with the requirements of Federal, State and local laws, regulations and policies and further certify that I/We are also in compliance with all equal employment practice requirements contained in Public Act 87-1257 (effective July 1, 1993) and 775 ILCS 5/2-105 (A).
- D. I/We operate a drug free environment and drugs are not allowed in the workplace or satellite locations as well as City of Aurora sites in accordance with the Drug Free Workplace Act of January, 1992.
- E. The Bidder is not barred from bidding on the Project, or entering into this Bid as a result of a violation of either Section 33E-3 or 33E-4 of the Illinois Criminal Code, or any similar offense of "bid rigging" or "bid rotating" of any state or the United States.
- F. I/We will abide by all other Federal, State and local codes, rules, regulations, ordinances and statutes.

COMPANY NAME	
ADDRESS	
CITY/STATE/ZIP CODE	
NAME OF CORPORATE/COMPANY OFFICIAL	PLEASE TYPE OR PRINT CLEARLY
TITLE	
AUTHORIZED OFFICIAL SIGNATURE	
DATE	Subscribed and Sworn to
TELEPHONE ()	Before me this day
FAX No. ()	of, 2020
	Notary Public

STATE OF ILLINOIS)	
)	SS.
County of Kane)	

BIDDER'S TAX CERTIFICATION

(BIDDER'S EXECUTING OFFICER), being first duly sworn on oath, deposes and states that all statements made herein are made on behalf of the BIDDER, that this despondent is authorized to make them and that the statements contained herein are true and correct.

Bidder deposes, states and certifies that Bidder is not barred from Biding with any unit of local government in the State of Illinois as result of a delinquency in payment of any tax administered by the Illinois Department of Revenue unless Bidder is contesting, in accordance with the procedures established by the appropriate statute, its liability for the tax or the amount of the tax, all as provided for in accordance with 65 ILCS 5/11-42.1-1.

DATED this	_ day of	, 2020.
	Ву	(Signature of Bidder's Executing Officer)
		(Print name of Bidder's Executing Officer)
		(Title)
ATTEST/WITNESS:		
Ву		
Title	_	
Subscribed and sworn to before me th day of, 2020.	is	
Notary Public	_	
(SEAL)		

PURCHASE OF ONE (1) COMBINATION SEWER CLEANER

INSTRUCTIONS TO BIDDERS

01. REQUIREMENTS OF BIDDER

The successful Bidder may be required to (a) enter into a fully signed Bid in writing with the City of Aurora covering matters and things as are set forth in the Bid Proposal Package; and (b) carry insurance acceptable to the City covering public liability, property damage and workers compensation.

02. ACCEPTANCE OF BID PROPOSALS

- a. Bidder must submit an original bid response, marked as "original" and shall have provided all requested information, and submitted all appropriate forms, certificates, affidavits and addendum acknowledgements in each copy in order to be considered responsive.
- b. Bids must be submitted on the forms provided and all information and certifications called for must be furnished. Bids submitted in any other manner, or which fail to furnish all information or certificates required, may be summarily rejected. Bids may be modified or withdrawn prior to the time specified for the opening of bids. Bids shall be filled out legibly in ink or type-written with all erasures, strike overs and corrections initialed in ink by the person signing the bid. The bid shall include the legal name of the bidder, the complete mailing address, and be signed in ink by a person or persons legally authorized to bind the bidder to a Bid. Name of person signing should be typed or printed below the signature.

Envelopes containing bids must be sealed and addressed to the City of Aurora Purchasing Division. The name and address of the bidder and the Invitation Number must be shown in the upper left corner of the envelope.

c. The City of Aurora reserves the right at any time and for any reason to accept or reject any or all Bids or portion thereof, or accept an alternate bid. The City reserves the right to waive any immaterial defect in any bid, or technicality, informality or irregularity in the bids received, and to disregard all nonconforming or conditional bids or counter-proposals. Unless otherwise specified by the bidder or the City, the City reserves the right to hold the best bids for ninety (90) days from the opening date. Bidder agrees to accept a notice of award, if selected, based on the terms of this Bid Proposal in the event that a notification of award is received on or before expiration of the 90-day time period. The City reserves the right to cancel the Bid Proposal at any time, without liability for any loss, damage, cost or expense incurred or suffered by any Bidder as a result of that cancellation. Each Bidder is solely responsible for the risk and cost of preparing and submitting a Bid Proposal.

d. Although price is a consideration, qualifications and experience, capacity to handle the work, and response to the bid, will also be considered. No Bid Proposal will be considered unless the Bidder shall furnish evidence satisfactory to the City that they have the necessary facilities, abilities, experience, equipment, and financial and physical resources available to fulfill the conditions of the Bid and execute the Work should the Bid be awarded to them. Bid Proposal documents which are not responsive to the requirements herein may not be considered by the City for an award of the Bid.

The Bid will be awarded to the lowest responsive responsible Bidder. In determining the responsibility of any Bidder, the City may take into account other factors such as past records of its or other entities transactions with the Bidder, experience, ability to work cooperatively with the City and its staff, adequacy of equipment, ability to complete performance within necessary time limits, and other pertinent considerations such as, but not limited to, reliability, reputation, competency, skill, efficiency, facilities and resources.

The Bidder will be awarded in the City's best interests based on these and other legally-allowable considerations. The City and its representatives and agents may make any investigations deemed necessary to determine the ability of the Bidder to perform the Work. The Bidder shall furnish any information and data requested by the City for this purpose.

03. RECEIPT OF BID PROPOSALS

- a. It is suggested that Bidders allow a minimum of four days for delivery through U.S. mail, or Bid Proposals may be delivered to the Purchasing Division in person. Overnight courier is acceptable provided timely receipt of Bid Proposals. The City shall not be responsible for late delivery of your Bid by a third party courier. The Bidder assumes responsibility for late delivery of the mail. It is the sole responsibility of the Bidder to see that their Bid Proposal is received in the proper time.
- b. Bids must be mailed to the Purchasing Division office located at 44 E. Downer Place, Aurora, IL 60507. City Hall is open to the public on Monday, Wednesday and Fridays, but is accepting deliveries Monday through Friday 8:00 am 5:00 pm.
- c. Any Bid Proposal received by the Purchasing Division after 2:00 p.m. on Wednesday, September 23, 2020 shall be rejected and returned unopened. There will be no exceptions!

04. WITHDRAWAL OF BID PROPOSALS

Bidders are cautioned to verify their bids before submission. Negligence on the part of the bidder in preparing the bid confers no right for withdrawal or modification of the bid after it has been opened. Bidders may not withdraw their bid after the opening without the approval of the Director of Purchasing. Requests to withdraw a bid must be in writing and properly signed. Bidders may, however, without prejudice, modify or withdraw its bid by written request, provided that the request is received by the City Clerk prior to the scheduled opening and at the address to which bid proposals were to be submitted. Following withdrawal or modification of its Bid Proposal, Bidder may submit a new Bid Proposal, provided it is received by the City Clerk prior to the bid proposal due date. No bid proposal will be opened which is received after the time and date scheduled for the Bid Proposals to be received.

05. BID DEPOSIT

No Bid Deposit Required.

06. BONDS AND INSURANCE

The requirement of a labor and material payment and performance bond will be waived for purpose of this Invitation to Bid.

07. CITY'S AGENT

The Director of Purchasing, or delegate, shall represent and act for the City in all matters pertaining to the bid proposal and Bid in conjunction thereto.

08. INVESTIGATION

It shall be the responsibility of the Bidders to make any and all investigations necessary to become thoroughly informed of what is required and specified in the bid. No plea of ignorance by the Bidders of conditions that exist or may hereafter exist as a result of failure or omission on the part of the Bidder to make the necessary examinations and investigations will be accepted as a basis for varying the requirements of the City of the compensation to the Bidder.

Each Bidder submitting a bid proposal is responsible for examining the complete Invitation to Bid Package and all Addenda, and is also responsible for informing itself of all conditions that might in any way affect the cost or the performance of any Work. Failure to do so will be at the sole risk of the Bidder, and no relief will be given for errors or omissions by the Bidder. If awarded the Bid, the Bidder will not be allowed any extra compensation by reason of any matter or thing concerning which such Bidder should have fully informed himself, because of his failure to have so informed himself prior to submitting the bid proposal. The submission of a bid proposal shall be construed as conclusive evidence that the Bidder has made such examination as is required in this section and that the Bidder is conversant with local facilities and difficulties, the requirements of the Invitation to Bid documents, and of pertinent, local, state and federal laws and codes, prevailing local labor and material markets, and has made due allowance in its bid proposal for all contingencies.

09. BIDDER CAPABILITY

The City reserves the right to require of the Bidder proof of his/her capability to perform as required by the specifications. However, prequalification of the Bidder shall not be required. The City may, at its option, disqualify a Bidder and reject his bid proposal for cause. Reasons deemed sufficient for this action shall include, but not be limited to, the following:

- Evidence of collusion among Bidders.
- Receipt of more than one bid proposal on any project from an individual, or from a corporation. This restriction does not apply to subcontractors.
- Default on any previous Bid.
- Unreasonable failure to complete a previous Bid within the specified time or for being in arrears on an existing Bid without reasonable cause for being in arrears.

- Inability to perform as revealed by an investigation of the Bidder's financial statement, experience and/or plant and equipment.
- Any Bidder who owes the city money may be disqualified at the City's discretion.

10. ALTERNATE PROPOSALS

The specifications are prepared to describe the goods and/or service which the City deemed to be in the best interest to meet its performance requirements. Bidders desiring to submit a Bid Proposal on items which deviate from the stated specifications, but which they believe to be equal, may do so, but all specification deviations must be clearly stated on the form provided in the Bid Package. The Purchasing Director reserves the right to rule upon specification deviation in a manner as best befits the needs of the City. If a Bidder wishes to submit more than one Bid Proposal, each Bid Proposal, after the first, is to be considered an **alternate**. THESE BID PROPOSALS MUST BE PLACED IN SEPARATE ENVELOPES. THE ENVELOPE AND THE PROPOSAL PAGE MUST BE PLAINLY MARKED "ALTERNATE PROPOSAL". The Purchasing Director will reject all deviations that amount to a material nonconformity with the specifications of the Bid Proposal.

11. AWARD

It is the intent of the City to award the bid to the lowest responsive responsible bidder meeting specifications. Award will be based on the following factors, but not limited to (where applicable): (a) adherence to all conditions and requirements of the bid specifications; (b) price; (c) qualifications of the bidder, including past performance, financial responsibility, general reputation, experience, service capabilities, and facilities; (d) delivery or completion date; (e) product appearance, workmanship, finish, taste, feel, overall quality, and results of product testing; (f) maintenance costs and warranty provisions; and (g) repurchase or residual value.

If the Bidder modifies limits, restricts or subjects his bid proposal to conditions that would change the requirements of the bid, this would be considered a conditional or qualified Bid Proposal and will not be accepted. The City reserves the right to delete any item listed in the bid.

Notification of the Bid Award will be made by the issuance of a purchase order.

12. PAYMENT

Payment shall be made for services rendered. The City, after inspection and acceptance, and in consideration of the faithful performance by the Proposer, agrees to pay for the completion of the work embraced in this contract, payment shall be made in accordance with the Illinois Local Government Prompt Payment Act (50 ILCS 505/1, et.seq.)

Time, in connection with any discount offered, will be computed from the date of delivery to the City or from the date a correct invoice is received by the City of Aurora Purchasing Division, if the latter date is later than the date of delivery

Prices will be considered NET, if no payment discount is shown.

The successful Bidder shall submit invoices via e-mail to:

PurchasingDL@aurora-il.org

or Mail to the following address:

City of Aurora Attn: Purchasing Division 44 E. Downer Place Aurora, IL 60507

The City of Aurora offers electronic funds transfer (EFT) payment to our vendors. EFT is fast, simple, safe and secure and is *our preferred method of payment!*

13. PRICES

The price quoted for each item is the full purchase price, including delivery to destination and includes all transportation and handling charges, premiums on bonds, material or service costs and all other overhead charges of every kind and nature. Unless otherwise specified, prices shall remain firm for the duration of the purchase.

Unit prices shall not include any local, state or federal taxes. In case of mistake in extension of price, unit price shall govern. All prices must be typewritten or written in black ink. (The party signing the Bid Proposal or his/her authorized representative must initial any alteration in ink.)

14. DISCOUNTS

Prices quoted must be net after deducting all trade and quantity discounts. Where cash discounts for prompt payment are offered, the discount period shall begin with the date of receipt of a correct invoice or receipt or final acceptance of goods, whichever is later.

15. TAXES

The City of Aurora is exempt, by law, from paying State and City Retailer's Occupation Tax, State Service Occupation Tax, State Use Tax and Federal Excise Tax (per Illinois Revised Statutes, Chapter 120, Paragraph 44) upon City works and purchases. The City of Aurora's Sales Tax Exemption Number is E9996-0842-07.

16. INTERPRETATION OR CORRECTION OF BIDDING DOCUMENTS

Bidders shall promptly notify the City of any ambiguity, inconsistency of error which they may discover upon examination of the bidding documents. Interpretations, corrections and changes will be made by addendum. Each bidder shall ascertain prior to submitting a bid that all addenda have been received and acknowledged in the bid.

17. DEFAULT

Time is of the essence of this bid and if delivery of acceptable items or rendering of services is not completed by the time promised, the City reserves the right, without liability, in addition to its other rights and remedies, to terminate the Bid by notice effective when received by Bidder, as to stated items not yet shipped or services not yet rendered. The City will procure articles or service from other sources and hold the Bidder responsible for any excess cost incurred as provided for in Article 2 of the Uniform Commercial Code.

18. INSPECTION

Materials or equipment purchased are subject to inspection and approval at the City's destination. The City reserves the right to reject and refuse acceptance of items which are not in accordance with the instructions, specifications, drawings or data of Bidder's warranty (express or implied). Rejected materials or equipment shall be removed by, or at the expense of, the Bidder promptly after rejection.

19. WARRANTY

Bidder warrants that all goods and services furnished hereunder will conform in all respects to the terms of the solicitation, including any drawings, specifications or standards incorporated herein, and that they will be free from latent and patent defects in materials, workmanship and title, and will be free from such defects in design. In addition, Bidder warrants that said goods and services are suitable for, and will perform in accordance with, the purposes for which they are purchased, fabricated, manufactured and designed or for such other purposes as are expressly specified in this solicitation. The City may return any nonconforming or defective items to the Bidder or require correction or replacement of the item at the time the defect is discovered, all at the Bidder's risk and expense. Acceptance shall not relieve the Bidder of its responsibility.

20. REGULATORY COMPLIANCE

Bidder represents and warrants that the goods or services furnished hereunder (including all labels, packages and container for said good) comply with all applicable standards, rules and regulations in effect under the requirements of all Federal, State and local laws, rules and regulations as applicable, including the Occupational Safety and Health Act as amended, with respect to design, construction, manufacture or use for their intended purpose of said goods or services.

21. CANCELLATION

The City reserves the right to cancel the whole or any part of the Bid if the Bidder fails to perform any of the provisions in the Bid or fails to make delivery within the time stated. The Bidder will not be liable to perform if situations arise by reason of strikes, acts of God or public enemy, acts of the City, fires or floods.

22. SPECIAL CONDITIONS

Wherever special conditions are written into the Special Conditions and Specifications which are in conflict with conditions stated in these Instructions to Bidders, the conditions stated in Special Conditions and Specifications shall take precedence.

23. SIGNATURES

Bid Proposals must be signed by the Bidder with his/her usual signature. Bid Proposals by partnerships must be signed with the partnership name by all members of the partnership, or an authorized representative, followed by the signature and title of the person signing. Bid Proposals by corporations must be signed with the name of the corporation, followed by the signature and title of the person authorized to bind it in the matter. All signatures must be in ink.

When a corporation submits a Bid Proposal, its agent must present legal evidence that he has lawful authority to sign said Bid Proposal and that the corporation has a legal existence. In the event that any corporation organized and doing business under the laws of any foreign state is the successful Bidder, such corporation must present evidence before any Bid is executed that it is authorized to do business in the State of Illinois. Bidders by corporations must be executed in the corporate name by the President or a Vice President (or other corporate officer accompanied by evidence of authority to sign), and the signature must be attested by the Secretary or an Assistant Secretary, and the corporate seal must be affixed. The corporate address and state of incorporation must be shown below the signature. Bid Proposals by partnerships must be executed in the partnership name and signed by a partner whose title must appear under the signature, and the official address of the partnership must be shown below the signature. Any corrections to entries made on the Bid Proposal forms shall be initialed by the person signing the Bid Proposal. When requested by the City, satisfactory evidence of the authority of any signature on behalf of the Bidder shall be furnished.

24. ROYALTIES AND PATENTS

Bidder shall pay all royalties and license fees. Bidder shall defend all suits or claims for infringement of any patent or trademark rights and shall hold the City harmless from loss on account thereof.

25. REFERENCES

Sufficient references of all like public and/or private agencies must be presented on a separate sheet and attached to this Bid. Listing must include company name, contact person, telephone number and date purchased. All Bidders, as a condition of and prior to entry into a contract, agree that a complete background investigation of the principals of the Bidder and all employees who will work on the project may be made. Bidders agree to cooperate with the appropriate City of Aurora personnel to supply all information necessary to complete these investigations. The City of Aurora in its complete discretion may disqualify any Bidder, including low Bidder, and may void any contract previously entered into based on its background investigation.

26. ELIGIBILITY

By signing this bid, the bidder hereby certifies that they are not barred from bidding on this Bid as a result of a violation of Article 33E, Public Bids of the Illinois Criminal Code of 1961, as amended (Illinois Compiled Statutes, 720 ILCS 5/33E-1).

27. **DATA**

Complete and detailed brochures and vehicles equipment, materials, goods, supplies and/or services to be furnished must be included with each Bid.

28. COMPLIANCE WITH LAWS AND REGULATIONS

The Bidder shall at all times observe and comply with all Federal, State, Municipal and other local laws, ordinances, regulations, and requirements which in any manner affect the conduct of the Work, and with all Federal, State and local laws and policies of non-discrimination, sexual harassment, prevailing wages and others applicable thereto; and all such orders or decrees as exist

at the present and which may be enacted later, of bodies or tribunals having jurisdiction or authority over the Work, and no plea of misunderstanding or ignorance thereof will be considered. He shall indemnify and save harmless the City and all its officers, agents, employees and servants against any requirement, claim or liability arising from or based on the violation of any such law, ordinance, regulation, order or decree, whether by himself or his employees.

This Bid shall be governed by and construed according to the laws of the State of Illinois.

29. INSURANCE AND HOLD HARMLESS PROVISION

At the Bidder's expense, the Bidder shall secure and maintain in effect throughout the duration of this Bid, insurance of the following kinds and limits to cover all locations of the Bidder's operations. The Bidder shall furnish Certificates of Insurance to the City before starting or within ten (10) days after the execution of the Bid, whichever date is reached first. All insurance policies shall be written with insurance companies approved by the City of Aurora and licensed to do business in the State of Illinois and having a rating of not less than A IX, according to the latest edition of the A.M. Best Company; and shall include a provision preventing cancellation of the insurance policy unless thirty (30) days prior written notice is given to the City. This provision shall also be stated on each Certificate of Insurance as: "Should any of the above described policies be canceled before the expiration date thereof, the issuing company will endeavor to mail 10 days written notice to the certificate holder named to the left". Upon requested, the awardee of this Bid will give the City a copy of the insurance policies. The policies must be delivered to the City within two weeks of the request. The limits of liability for the insurance required shall provide coverage for not less than the following amount, or greater where required by law:

- (1) Worker's Compensation Insurance Statutory amount.
- (2) General Liability Insurance:
 - (a) \$1,000,000 per occurrence and \$2,000,000 general aggregate
 - (b) \$500,000 per occurrence for Property Damage
 - (c) \$1,000,000 per occurrence for Personal Injury
- (3) Auto Liability Insurance:
 - (a) Bodily injury with limits not less than \$1,000,000
 - (b) Property damage with limits not less than \$500,000
- (4) Umbrella excess liability of \$1,000,000 per occurrence, \$2,000,000 aggregate

The Bidder shall include the City as a primary, non-contributory additional named insured on both General and Auto Liability Insurance policies and indicate said status on any Certificates of Insurance provided to the City pursuant to this project. All insurance premiums shall be paid without cost to the City.

The Bidder agrees to indemnify and save harmless the City of Aurora, their agents and employees from and against all loss and expenses (including costs and attorneys' fees) by reason of liability imposed by law or claims made upon the City of Aurora for damages because of bodily injury, including death at any time resulting therefrom sustained by any person or persons or on account of damage to property, including loss of use thereof, arising out of or in consequence of the performance of this project work, whether such claims or injuries to persons or damage to property

be due to the negligence of the Bidder or his Subcontractors. The Bidder shall assume total risk and shall be responsible for any and all damages or losses caused by or in any way resulting from the work and provide all insurance necessary to protect and save harmless the City of Aurora and its employees.

30. WORKERS COMPENSATION ACT

The Bidder further agrees to insure his employees and their beneficiaries and to the employees and the beneficiaries of any subcontractor employed from time to time by him on said Work, the necessary first-aid, medical, surgical, and hospital services and any compensation provided for in the Workers Compensation Act of the State of Illinois that is or may be in force in the State.

Such insurance shall be placed by said Bidder in a company or association (to be approved by the City and to be accepted by the Council thereof) authorized under the laws of the State of Illinois to insure the liability above specified.

Said Bidder hereby further agrees to indemnify, keep and save harmless said City from all action, proceedings, claims, judgments, awards, and costs, loss, damages, expenses, and attorney's fees which may in any way come against said City by reason of any accidental injuries or death suffered by any of his employees or the employees of any subcontractor employed by him in and about the performance of the Work provided for in the Bid, and any and all liability resulting thereupon; and said Bidder, in case of any suit, action, or proceeding on account of any or all of the foregoing shall defend the same for and on behalf of said City and indemnify the City therefore, and pay the amount of any and all awards and final judgments and orders rendered and entered therein, together with all loss, costs, damages, attorney's fees, and expenses incurred therein. Said Bidder shall be the sole employer of its employees and workers, and in no way so shall the City be considered a joint employer of same under any circumstance.

31. SUBLETTING OR ASSIGNMENT OF WORK

If the Bidder sublets the whole or any part of the Work to be done under the contract, with or without the written consent of the City, he shall not, under any circumstances, be relieved of his liabilities and obligations. All transactions of the City shall be with the Bidder; subcontractors shall be recognized only in the capacity of employees or workmen and shall be subject to the same requirements as to character and competence. In case any party or parties, to whom any work under the contract shall have been sublet, shall disregard the directions of the City or his duly authorized representatives, or shall furnish any unsatisfactory Work or shall fail or refuse in any way to conform to any of the provisions or conditions of the contract, then in that case, upon the written order of the City, the Bidder shall require said party or parties in default to discontinue Work under the contract. Said Work shall be corrected or made good and shall be continued and completed by the said Bidder or by such other party or parties as are approved by the City, in the manner and subject to all of the requirements specified in the contract.

32. LOCAL BIDDER PREFERENCE

O18-070, amended by O20-029 approved August 28, 2020 defines "Local business" to mean a vendor or contractor who has a valid, verifiable physical business address located within the corporate boundaries of the City of Aurora at least twelve months prior to a bid or proposal opening date, from which the vendor, contractor or consultant operates or performs business on a daily

basis, including manufacturing production or distribution. The business must disclose the percentage of workforce in the City of Aurora; be registered with the City of Aurora, if applicable; be subject to City of Aurora taxes (inclusive of sales taxes); be current with property tax payments and sales tax payments; not have any outside cited code violations; not have any outstanding debts to the City of Aurora; have adequately qualified and trained staff to service the bid of interest

33. MINORITY PARTICIPATION

The City of Aurora encourages minority business firms to submit Bidders and encourages the successful Bid Bidder to utilized minority businesses as sub-contractors for supplies, equipment, services and construction.

34. PROSECUTION OF WORK

The Bidder shall begin the Work to be performed under the Bid as specified in the specifications after the execution and acceptance of the Bid, unless otherwise provided. The Work shall be conducted in such a manner and with sufficient materials, equipment and labor as is considered necessary to insure its completion within the time specified in the Bid.

35. TIME

Bidder shall schedule its Work to meet the requirement of the City. Bidder shall perform the Work expeditiously in cooperation with the City's agents, employees, Bidders and subcontractors. Bidder shall make no claim against City and no claim shall be allowed for any damages which may arise out of any delay caused by City, its agents, employees, Bidder or subcontractors. Bidder's sole remedy for delay shall be an extension in the Bid time.

36. QUESTIONS

Inquiries and/or questions pertaining to the provisions and specifications of this bid proposal package shall be directed to the Director of Purchasing, in writing at PurchasingDL@aurora-il.org. Questions will be accepted until 12:00 pm, Tuesday, September 15, 2020. Questions will be answered via addendum and posted to the City's website at https://www.aurora-il.org/bids.aspx by 5:00 pm, Thursday, September 17, 2020. NO questions will be accepted or answered verbally. No questions will be accepted or answered after the September 15, 2020 12:00 pm cut-off date/time.

It is the responsibility of the interested bidder to check our website and assure they have received addendum, if any issued, and acknowledge such receipt where indicated.

PURCHASE OF ONE (1) COMBINATION SEWER CLEANER

BID PROPOSAL SPECIFICATIONS

Section 1. Project Introduction and Purpose

Bidders are required to read and understand all information contained within the entire Bid Proposal package. By responding to this Bid, the Bidder agrees to have read and understand these documents.

Purpose: The City of Aurora (hereinafter "the City") is accepting competitive sealed bid proposals for the anticipated purchase of One (1) truck mounted combination vacuum – jetting sewer cleaner for the Water and Sewer Division.

Section 2. Minimum Qualifications

The following are minimum requirements that the vendor must meet in order to be eligible to submit a bid proposal. Responses must clearly show compliance with these minimum qualifications. The City will reject without further consideration those applications that are not clearly responsive to these minimum qualifications.

General Requirements

Bids must be submitted on the forms provided and all information and certifications called for must be furnished. Bids submitted in any other manner, or which fail to furnish all information or certificates required, may be summarily rejected. Bids may be modified or withdrawn prior to the time specified for the opening of bids. Bids shall be filled out legibly in ink or type-written with all erasures, strike overs and corrections initialed in ink by the person signing the bid. The bid shall include the legal name of the bidder, the complete mailing address, and be signed in ink by a person or persons legally authorized to bind the bidder to a Bid. Name of person signing should be typed or printed below the signature.

The Bid shall be in the form of a purchase order. All properly authorized purchases and services of the City shall be evidenced by the issuance of the same. Please be advised that any invoice received by the City not referencing a purchase order number may not be accepted as a valid City obligation.

Illinois Non-Appropriation Clause:

A forfeit clause is provided pursuant to the Illinois Non-Appropriation Clause of funds for government entities that if funds or budgets are not approved, service may be cancelled. No early cancellation penalties will be assessed, but the customer must be given 30-day notice of intent to cancel.

Page 1 Appendix A

Termination for Clause:

This Bid may be terminated by the City at any time upon thirty (30) days written notice, or by either party in the event of substantial failure to perform in accordance with the terms hereof by the other party through no fault of the terminating party. This Bid is also subject to termination by either party if either party is restrained by state or federal law of a court of competent jurisdiction from performing the provisions of this Agreement.

Upon such termination, the liabilities of the parties to this Bid shall cease, but they shall not be relieved of the duty to perform their obligations up to the date of termination. Mailing of such notice, as and when above provided, shall be equivalent to personal notice and shall be deemed to have been given at the time of mailing.

If this Bid is terminated due to the City's substantial failure to perform, the Bidder shall be paid for labor and expenses incurred to date, subject to offset of any damages, losses or claims against the City resulting from or relating to Bidder's performance or failure to perform under this agreement.

In the event of termination by the City upon notice and without cause, upon completion of any phase of the Basic Services, fees due the Bidder for services rendered through such phase shall constitute total payment for services. In the event of such termination by the City during any phase of the Basic Services, the Bidder will be paid for services rendered during the phase on the basis of the proportion of work completed on the phase as of the date of termination to the total work required for that phase.

Response Instructions

Bidder must submit an original bid response, marked as "original" and shall have provided all requested information, and submitted all appropriate forms, certificates, affidavits and addendum acknowledgements in each copy in order to be considered responsive.

City of Aurora Purchasing Division 44 E Downer Place Aurora, Illinois 60507

The City shall not be responsible for late delivery of your Bid by a third party courier. There will be no exceptions!

Inquiries and/or questions pertaining to the provisions and specifications of this bid proposal package shall be directed to the Director of Purchasing, in writing at PurchasingDL@aurora-il.org. Questions will be accepted until 12:00 pm, Tuesday, September 15, 2020. Questions will be answered via addendum and posted to the City's website at https://www.aurora-il.org/bids.aspx by 5:00 pm, Thursday, September 17, 2020. NO questions will be accepted or answered verbally. No questions will be accepted or answered after the September 15, 2020 12:00 pm cut-off date/time.

It is the responsibility of the interested bidder to check our website and assure they have received addendum, if any issued, and acknowledge such receipt where indicated.

BIDS MAY NOT BE SUBMITTED ELECTRONICALLY.

Page 2 Appendix A

Section 3. Specifications for One (1) Combination Sewer Cleaner for the Water and Sewer Division

The specifications are for one truck mounted combination vacuum – jetting sewer cleaner for the Water and Sewer Division.

The bidder shall indicate if the vehicle that is being furnished complies or does not comply with each section of the specifications as written. **The bidder shall explain the reason for each exception taken in each section.** Any variations to the specifications must be fully stated in writing at time of bid on provided bid forms. Failure to properly complete the Specifications for Bid Form (Yes/No/Exception) may result in the disqualification of the bid proposal.

<u>Gene</u>	<u>cal</u>	Yes	No
1.	The machine shall be capable of removing stones, grit, grease, sludge and other debris from sanitary sewer and/or storm drain lines by the flushing action of high-pressure water. The high-pressure sewer cleaner operates independent of the vacuum system.		
2.	The machine includes an air conveying vacuum system to provide for the simultaneous removal of the debris flushed to the manhole by the high-pressure water system or for the removal of debris from sewers, sumps, catch basins, digesters, wet wells, bar screens, etc.		
3.	The machine is capable of being operated by one man, with all operating controls for high-pressure water pump, hose reel and vacuum located at the front of the machine for safety.		
4.	The machine shall be either dual or single engine configuration supplying the required horsepower to operate both the vacuum and water systems at maximum performance levels with required 10% reserve. A minimum of 370 HP shall be supplied.		
<u>Debri</u>	<u>s Body</u>	Yes	No
1.	Debris storage body has a minimum usable liquid capacity of 12 cubic yards. The debris body shall be round for maximum strength and constructed of 3/16-inch ASTM A242 Corten A steel for enhanced corrosion resistance.		
2.	The debris body shall have a minimum yield point of 50,000 PSI and minimum tensile strength of 70,000PSI		
3.	The rear door shall be flat for maximum strength, full opening, hinged at the top with low profile and adjustable style hinges.		
4.	There shall be a 6" diameter liquid drain, "knife valve type" and screen weldment inside for removing excess liquids. Drain will have 10' of 6" lay flat hose.		
5.	The debris tank shall be supplied with a debris deflector curtain located inside the debris tank. The debris curtain shall deflect material from rear door, and aid in draining off excess liquids.		

6.	A rear door safety prop shall be provided. For ease of maintenance there shall be no hydraulic components located inside the debris body or rear door.		
7.	The debris body has five (5) externally mounted door locks that lock hydraulically. Hydraulic operated, heavy duty wedge style door locks shall be installed. The door locks shall be operated by two double acting hydraulic cylinders. The rear door shall also hydraulically open and close (raise and lower) by means of two double acting hydraulic cylinders. The unlocking-opening and the closing-locking operations shall be controlled by a single switch and sequence valve.		
8.	Dual steel stainless steel screen weldments, $8" \times 28"$ each providing up to 1200 square inches of added filtration for the vacuum system shall be provided inside the debris tank. These weldments shall be easily removable for cleaning and require no cutting or welding.		
9.	A double acting power up/power down hydraulic scissors lift mechanism will be provided to raise body to a minimum 60-degree angle. The scissors lift mechanism shall be designed to support a minimum of 24 inches of the debris tank width to provide stability and when dumping on uneven ground. The lift capacity of hydraulic scissors lift cylinder is 56,000 lbs.		
10	0. A splash shield that be mounted around the lower 60% of door opening to direct liquid and debris away from the chassis. Shield shall be a bolt on assembly.		
13	l. Dump controls are located on curbside mid-ship of the unit, well forward of the dumping area for operator safety. A manual override system is provided.		
17	2. The debris body shall have a five-year warranty. A copy of manufacturer's warranty statement shall be enclosed with bid.		
13	3. An integrated safety body prop shall be provided to safely hold the body in place for service.		
14	4. An internal polyethylene float device with external indicator is supplied to show when body is loaded to capacity.		
<u>Auto</u>	matic Vacuum Breaker	Yes	No
1.	The automatic vacuum breaker assembly shall be located inside the body.		
2.	The automatic vacuum breaker assembly shall be controlled by an electric over hydraulic circuit. The entire system shall be replaceable via a bolt on assembly. The assembly shall consist of a 12" inlet and two 8" ports that provide air flow to the vacuum system.		
3.	A full indication activates an automatic vacuum breaker shut down system that completely shuts down 100 percent of the airflow to the vacuum system to prevent overfilling and wastewater discharge into the atmosphere.		
4.	The vacuum breaker system is automatically activated (closed) when the parking		

5.	enables the operator to pick up large debris with boom and place debris on the road surface. This system can be used for safety in the event suction must be shut off in case of an emergency.		
<u>Centr</u>	ifugal Compressor (Fan Design)	Yes	No
1.	The centrifugal vacuum compressor shall be of 3-stage construction (i.e. 3-27" minimum diameter fans in tandem). The centrifugal compressor (fans) shall be constructed of Corten steel. The compressor's outer housing shall be spun from one piece of $3/16$ " steel for strength and provide proper airflow in operation. The vacuum system shall operate independent of the high-pressure water system.		
2.	The compressor is driven by the chassis engine via a closed loop hydrostatic system using a variable piston pump and motor. This system shall include a heat exchanger for extreme ambient conditions and to maintain the pump suction oil temp at 160 deg. F. max. The heat exchanger shall be protected by a 30-micron filter and cold weather bypass valve. Hydrostatic loop filtration shall be accomplished by a 10 Beta micron return filter and a 10-micron Absolute (no bypass) charge filter.		
3.	To maximize long term durability by reducing the load on one side of the compressor, the compressor shaft shall extend through the compressor and shall be additional stabilized by using two high speed bearings, one at each side of the shaft.		
4.	A means of starting, stopping and varying the vacuum suction from operator station at the front of the machine is provided.		
5.	A centrifugal separator located in the inlet chamber to the fans with cleanout box is provided. The separator removes particles from the air stream, thus enabling unit to vacuum wet or dry material. The separator is separate from the debris body.		
6.	The centrifugal compressor (fan) system shall be capable of producing 90% vacuum with no airflow. This performance allows material to be vacuumed under the water surface, i.e. lift stations, plugged manholes, etc. Unit must be capable of vacuuming under water 16.6' (200") without air induction. A manometer/vacuum test may be required to demonstrate the system performance.		
7.	The centrifugal compressor fans have a 5-year replacement non-prorated warranty.		
<u>Vacui</u>	ım Pick Up Hose	Yes	No
1.	Shall be front loading, attached at the front of the machine in order to provide ease of positioning the machine over the manhole, as well as afford maximum safety for the operator.		
2.	The 8" vacuum intake will be mounted on a boom that will provide a minimum of 18' vertical lift utilizing dual hydraulic cylinder and 230 degree of boom rotation powered hydraulically for non-interrupted smooth movement. Boom to have a lift capacity of 500 lbs. at the front bumper.		
3.	The boom will be powered by an electric over hydraulic system: up/down by dual lift cylinders. The right/left movements shall be hydraulic via worm gear rotation.		

Page 5 Appendix A

4.	The boom shall hydraulically telescope a minimum of 10 ft. forward from the operator's station. The height of the boom shall not change while the boom is being telescoped. A manual override system shall be provided for right/left, and up/down functions in case of system failure.		
5.	Control of the boom is by means of a joystick control at the operator's station, requiring no cables at operator's feet for boom operation. A manual override system shall be provided for right/left, and up/down functions in case of system failure.		
6.	A boom coverage chart shall be provided stating the square feet the boom covers.		
7.	8-inch diameter pipe extensions with clamps will be provided and carried on the truck as follows: A. (1) - 6 ½' Catch Basin Nozzle B. (1) - 6' Aluminum Pipe Extension C. (1) - 5' Aluminum Pipe Extensions D. (1) - 3' Aluminum Pipe Extension E. (5) Quick clamps F. 5-Pipe Carousel Storage Rack G. (2) Additional J-Hook Pipe Storage Locations		
<u>Water</u>	<u>r Supply</u>	Yes	No
1.	The water tanks shall have a minimum usable capacity of 1,300 U.S. gallons.		
2.	The water tanks shall be constructed of non-corrosive, non-metallic, durable, cross-		
	linked polyethylene to eliminate rust, corrosion, and stress cracking.		
3.			
3.	linked polyethylene to eliminate rust, corrosion, and stress cracking. The water tanks shall be mounted at and below the truck frame level to provide a		
3.	linked polyethylene to eliminate rust, corrosion, and stress cracking. The water tanks shall be mounted at and below the truck frame level to provide a low center of gravity for truck stability. A 2 ½" diameter x 25' long hydrant hose with hydrant wrench is supplied on the		
3. 4.	linked polyethylene to eliminate rust, corrosion, and stress cracking. The water tanks shall be mounted at and below the truck frame level to provide a low center of gravity for truck stability. A $2\frac{1}{2}$ " diameter x 25' long hydrant hose with hydrant wrench is supplied on the unit.		
3.4.5.	linked polyethylene to eliminate rust, corrosion, and stress cracking. The water tanks shall be mounted at and below the truck frame level to provide a low center of gravity for truck stability. A 2 ½" diameter x 25' long hydrant hose with hydrant wrench is supplied on the unit. An anti-siphon fill device is installed on the unit.		
3.4.5.6.	linked polyethylene to eliminate rust, corrosion, and stress cracking. The water tanks shall be mounted at and below the truck frame level to provide a low center of gravity for truck stability. A 2 ½" diameter x 25' long hydrant hose with hydrant wrench is supplied on the unit. An anti-siphon fill device is installed on the unit. Inspection ports shall be provided to fill or to add chemicals to the water system.		

Page 6 Appendix A

<u>Auxili</u>	ary Engine - If supplied (Water Pump Drive Engine)	Yes	No
1.	The shrouded auxiliary engine used to derive the water pump shall be liquid cooled, heavy duty gas powered 8-Cylinder industrial engine with a displacement of 535 CID and a rated gross horsepower of 208HP.		
2.	Engine performance is driven by an ECU that integrates and coordinates all critical functions including governor, variably ignition timing, air-fuel control and engine protection.		
3.	All gauges, auxiliary engine tachometer, oil pressure, water temperature, hour meter, and shut down system shall be located on the driver side of the unit in a control panel. Engine protections for oil pressure, coolant temperature and overspeed shall be supplied.		
4.	The auxiliary engine start and stop controls will be at the front hose reel operator station for safety and convenience.		
5.	The shrouded auxiliary engine will have a hinged driver's side door for access to the engine. Oil checking shall be accomplished from ground level on driver's side of the unit.		
6.	The auxiliary engine will power all hydraulic functions allowing water system and jetting capability with the chassis engine turned off. This feature results in lower fuel consumption and quieter machine operation, increasing on street operator awareness and lowering cost of operations.		
7.	The auxiliary engine shall include CANBUS J1939 interface.		
8.	The auxiliary engine shall include a remote engine oil drain for ease of service.		
High-	Pressure Water Pump	Yes	No
1.	The high-pressure water pump shall be rated to deliver smooth continuous pressure and flow through the entire flow range of the pump. The high pressure shall have smooth continuous flow for both the high-pressure system and the handgun system.		
2.	A continuous duty flow of 80 GPM and 2,500 PSI shall be provided.		
3.	The water pump shall have variable flow capability to allow 60 GPM and 2,500 PSI when conservation of water is needed. The variable flow system will also adjust flow and pressure for the hydro-excavation handgun system.		
4.	High-pressure relief valves are provided for both the high-pressure system and handgun system.		
5.	The water pump operates independently of the vacuum system and is powered by the auxiliary engine via clutchless, direct dual powerband drive system.		

6.	The high-pressure water pump drive system carries a five-year replacement warranty. Warranty excludes the drive engine, i.e. auxiliary engine.		
7.	The water pump shall be capable of running dry.		
8.	Controls for starting and stopping the water pump and to vary the flow and pressure shall be at the front hose reel operator's station.		
9.	The high-pressure water pump is equipped with a cold weather drain valves. The valve allows the operator to completely drain the high-pressure pump.		
Hose	Reel Assembly	Yes	No
1.	The hose reel assembly is mounted on the front of the vehicle.		
2.	The hose reel shall have a minimum of 30" inside diameter with a capacity of 800' x 1" hose.		
3.	The hose reel is hydraulically powered in both directions by means of a double chain and sprocket drive. The controls for operating the motor have a speed control device to regulate the rotational speed of the reel in both directions. All hydraulic hoses are behind a steel housing to protect operator from hydraulic oil if a hose fails.		
4.	The hydraulic motor, chain, and sprockets have a protective cover or are mounted on the radiator side of the hose reel for operator safety.		
5.	The hose reel articulates 180 degrees to the driver's side allowing operator to work in any position through this arc. This allows greater flexibility in truck placement for manholes located in tough areas and provides greater safety to the operator.		
6.	Reel extends beyond the width of unit for greater flexibility for positioning reel over offset manholes, catch basins, etc.		
7.	A hydraulically controlled outrigger leg shall be supplied that will contact the ground at any one position. For ease of use, integrated electric and hydraulic systems only allow operator to articulate reel or move chassis when the outrigger leg is in its transport position.		
8.	A manual bypass system for the hose reel assembly is provided to manually pull the reel assembly away from its transported position. This feature allows operator to check fluids without starting engines.		
10	O. The hose reel will include a dual roller level wind guide		
Sewe	er Cleaning Hose	Yes	No
1.	800° x 1" continuous jet rodding hose will be supplied rated for 2,500 PSI working pressure and 6,250 PSI burst pressure.		
2.	A heavy-duty hose guide with 25' of nylon rope will be provided.		

3.	A leader hose, 20' x 1" shall be provided		
4.	Nozzles shall be hardened steel with replaceable ceramic orifices as follows: A. Standard Cleaning Nozzle, 30 degree B. Chisel Head Penetrator Nozzle C. Nozzle skid D. Nozzle rack holding (6) nozzles		
<u>Manh</u>	ole Cleaning and Hydro-Excavation System (Handgun)	Yes	No
1.	The high-pressure pump and independent water tank assembly supplied shall be used for manhole cleaning and Hydro-excavation operations. A smooth continuous flow of up to 20 GPM and pressure of 2,500 PSI shall be provided with a pressure relief unloading valve and on/off control.		
2.	A pressure relief unloading valve set at 2,500 PSI shall be provided		
3.	One full functioning handgun with on/off trigger hand control, replaceable nozzle tip, 18-inch extension and adjustable spray pattern with quick couple connection shall be provided.		
4.	One full functioning hydro-excavation lance with horizontal on/off trigger control, 72" x $\frac{1}{2}$ " aluminum schedule 80 extension with quick couple connection. A single jet nozzle with quick couple connection shall be provided.		
5.	The handgun will attach to the system via a quick couple connection at the curbside of the unit with a 50' x $\frac{1}{2}$ " spring retractable reel.		
<u>Hydra</u>	aulic System and Lubrication	Yes	No
1.	The hydraulic system has a 55-gallon capacity.		
2.	The hydraulic system shall incorporate a main shut off valve in case of hydraulic failure.		
3.	The hydraulic system shall incorporate hydraulic pressure relief valves and pressure gauges for ease of trouble shooting and maintenance.		
4.	The unit is equipped on the passenger side, mid-section of the module, a permanent weatherproof white vinyl lubrication chart that points out lubrication points on the module and specifies what type of lubrication and hydraulic fluids are required. The chart also specifies the frequency of each lubrication point.		
5.	Remote plumbed grease fittings are provided for the vacuum compressor, debris body and rear door functions, boom functions, and water pump drive areas.		

Page 9 Appendix A

<u>Addit</u>	Additional Equipment and Accessories		No
1.	In addition to specific warranties specified, minimum twelve (12) month manufacturer's warranty shall be provided.		
2.	2) 24" x 18" x 18" Aluminum side mounted toolboxes, one each side		
3.	16" x 42" x 96" Aluminum storage box behind cab with adjustable shelf		
4.	(2) Roll out storage shelved for behind cab toolbox		
5.	(2) Long handled tool storage, PVC located in behind cab toolbox under shelf		
6.	Cone storage rack, located street side deck		
7.	Debris body power flush out system		
8.	Cold weather re-circulating system capable of operating through the entire flow range of the high-pressure jetting hose system in transport or stopped positions. Sewer hose reel and handgun reel shall have water re-circulating capability.		
9.	Bidder to state flow capacity of cold weather re-circulating (GPM):		
10	. Pre-tank water filter (in-line)		
11	. ¼ Turn ball valve(2-1/2") water tank drain plumbed to the curbside of vehicle allowing draining of water tanks as well as wash down of tools or other items.		
12	. Air Purge winterization system utilizing on board chassis air system.		
13	. Low water audible alarm sensor		
14	. Front and rear mounted tow hooks		
15	Vacuum compressor quiet package, replacing existing compressor exhaust diffuser, reduces discharge noise lower than other typical noise generated by other equipment on the chassis. It reduces compressor discharge noise by 5 dBA and stabilizes full vacuum air lift for increased performance. Constructed of 304 stainless steel.		
16	The hydraulic pump provides power for all hydraulic functions (except vacuum compressor drive) and is direct mounted to the auxiliary engine gear drive adapter. It is not necessary to run the chassis engine to operate the machine hydraulics. Applicable to two engine configuration		
17	Chassis engine stop/start shall be provided to allow the operator to shut down the chassis motor during jet rodding operations for quieter on street operation and increased operator awareness. Applicable to two engine configuration.		

Elect	and Lighting Yes		No
1.	The entire module electrical system is vapor sealed to eliminate moisture damage to NEMA 4 standards		
2.	All wiring is color-coded, labeled and run in sealed terminal enclosures.		
3.	Precision Power Control System utilizing a 7" display screen and multi-function operator joystick for centralized control of machine operations. The color 7" display screen monitors the following primary and minimum operator functions: A. Work Mode B. Water Pressure C. Hose Footage D. Hose Reel Speed E. Vacuum Level F. Vacuum Breaker Status G. Emergency Stop Activation H. Primary Chassis and Auxiliary Engine Gauges: Tachometers, Fuel Levels and Hydraulic Oil Temperature and Alarm		
4.	Display shall be 7" full color, 800×480 resolution with sensor for automatic adjustment to variable ambient lighting. In the event of display damage, the machine can operate without the display.		
5.	Operator joystick, switches and display shall be IP 68 rated.		
6.	Pressure compensating hydraulics allows proportional control of hydraulic functions for smooth control of boom and hose reel movements.		
7.	Multiplex system capable of troubleshooting, diagnostics and on-board monitoring of fuses, relays, joysticks and switches.		
8.	Remote Control (Wireless): Boom, Vacuum Breaker, Throttle, Debris Body and Emergency Stop Operations.		
9.	Clearance lights and reflectors are furnished in accordance with DOT requirements.		
10	. (2) Mirror mounted LED strobe light, with limb guard		
11	. LED Arrow stick - Whelen TAM85 Traffic Advisor		
12	. (2) LED Boom Mounted Flood Light - Whelen NP6BB		
13	. (2) LED Work Area Flood Light, one each side - Whelen NP6BB		
14	. (2) LED Rear Mounted Flood Light - Whelen NP6BB		
15	. LED 4 Strobes - (2) Mid Body / (2) Rear Bumper		
16	. Traffic Safety Camera with Color Monitor - Rear Camera Placement		

17	. Chassis Back Up Alarm		
Paint		Yes	No
1.	Unit paint surface is shot blasted, sanded and zinc primed prior to paint. Unit to be painted with PPG Polyurethane paint. Color Code:School Bus Yellow		
2.	Unit shall have reflective white side striped, boom stripes and rear door chevrons		
3.	Chassis shall be painted to match body		
<u>Chass</u>	sis Specifications	Yes	No
1.	2021 MODEL YEAR CONVENTIONAL CHASSIS		
Engin	<u>le Equipment</u>	Yes	No
1.	CUMMINS L9 370 HP @ 2000 RPM, 2100 GOV RPM, 1250 LB/FT @ 1400 RPM		
2.	SIDE OF HOOD AIR INTAKE WITH DONALDSON HIGH CAPACITY AIR CLEANER WITH SAFETY ELEMENT, FIREWALL MOUNTED		
3.	12V 160 ALTERNATOR WITH REMOTE BATTERY VOLT SENSE		
4.	BATTERIES, (2) DTNA GENUINE, FLOODED STARTING, MIN 2000CCA, 370RC, THREADED STUD		
5.	STANDARD BATTERY JUMPERS		
6.	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB		
7.	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		
8.	POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT		
9.	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER		
10	. CUMMINS 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE		
11	. ELECTRONIC ENGINE INTEGRAL WARNING AND DERATE PROTECTION SYSTEM		
12	. CUMMINS EXHAUST BRAKE INTEGRAL WITH VARIABLE GEOMETRY TURBO WITH ON/OFF DASH SWITCH		
13	. RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE		

	1.	DETROIT DA-F-20.0-5 20,000 LBS FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE		
Fre	<u>ont</u>	Axle and Equipment	Yes	No
	6.	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK		
	5.	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK		
	4.	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED		
	3.	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN		
	2.	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION		
	1.	ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION		
Tr	ans	mission	Yes	No
	28.	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH		
	27.	ELECTRIC GRID AIR INTAKE WARMER		
	26.	1350 ADAPTER FLANGE FOR FRONT PTO PROVISION		
	25.	RADIATOR DRAIN VALVE		
	24.	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES		
	23.	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
	22.	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT		
	21.	1300 SQUARE INCH ALUMINUM RADIATOR		
	20.	COMBINATION FULL FLOW/BYPASS OIL FILTER		
	19.	CUMMINS SPIN ON FUEL FILTER		
	18.	HORTON 2-SPEED DRIVEMASTER ADVANTAGE POLAREXTREME FAN DRIVE		
	17.	6 GALLON DIESEL EXHAUST FLUID TANK		
	16.	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP		
	15.	INTEGRATED STACK AND B-PILLAR PIPE WITH MINIMUM STACK PROTRUSION ABOVE CAB		
	14.	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH		

2.	MERITOR 16.5X6 Q+ CAST SPIDER CA FABRICATED SHOES	M FRONT BRAKI	ES, DOUBLE ANCHOR,		
3.	NON-ASBESTOS FRONT BRAKE LININ	G			
4.	CAST IRON OUTBOARD FRONT BRAKE	E DRUMS			
5.	FRONT BRAKE DUST SHIELDS				
6.	FRONT OIL SEALS				
7.	VENTED FRONT HUB CAPS WITH WIN	NDOW, CENTER A	AND SIDE PLUGS - OIL		
8.	STANDARD SPINDLE NUTS FOR ALL A	AXLES			
9.	MERITOR AUTOMATIC FRONT SLACK	ADJUSTERS			
10	TRW THP-60 POWER STEERING WITH	H RCH45 AUXILIA	ARY GEAR		
11.	OIL/AIR POWER STEERING COOLER N CROSSMEMBER	MOUNTED ABOV	E FRONT CLOSING		
<u>Front</u>	<u>Suspension</u>			Yes	No
1.	20,000 LBS FLAT LEAF FRONT SUSPE	NSION			
2.	GRAPHITE BRONZE BUSHINGS WITH	SEALS - FRONT S	SUSPENSION		
3.	FRONT SHOCK ABSORBERS				
Rear A	Axle and Equipment			Yes	No
1.	RT-46-160 46,000 LBS R-SERIES TANK	DEM REAR AXLE			
2.	5.63 REAR AXLE RATIO				
3.	MXL 176T MERITOR EXTENDED LUBBYOKES	E MAIN DRIVELII	NE WITH HALF ROUND		
4.	MXL 17T MERITOR EXTENDED LUBE YOKES	INTERAXLE DRI	VELINE WITH HALF ROUND		
5.	(1) INTERAXLE LOCK VALVE FOR TAN	NDEM OR TRIDE	M DRIVE AXLES		
6.	MERITOR 16.5X7 Q+ CAST SPIDER CA FABRICATED SHOES	M REAR BRAKES	S, DOUBLE ANCHOR,		
7.	NON-ASBESTOS REAR BRAKE LINING				
8.	CAST IRON OUTBOARD REAR BRAKE	DRUMS			
9.	REAR BRAKE DUST SHIELDS	Page 15	Appendix A		

1	0. REAR OIL SEALS		
1	1. BENDIX EVERSURE LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS		
1	2. HALDEX AUTOMATIC REAR SLACK ADJUSTERS		
Rea	<u> Suspension</u>	Yes	No
1	. HENDRICKSON RT463 @46,000# REAR SUSPENSION		
2	. 54 INCH AXLE SPACING		
3	. STEEL BEAMS AND BRONZE CENTER BUSHINGS WITH BAR PIN ADJUSTABLE END CONNECTIONS		
4	. FORE/AFT CONTROL RODS		
Bral	<u>ke System</u>	Yes	No
1	. WABCO 4S/4M ABS		
2	. REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		
3	. FIBER BRAID PARKING BRAKE HOSE		
4	. BW AD-9 BRAKE LINE AIR DRYER WITH HEATER		
5	. STEEL AIR BRAKE RESERVOIRS		
6	. PULL CABLES ON ALL AIR RESERVOIR(S)		
<u>Whe</u>	eelbase & Frame	Yes	No
1	. 264 INCH WHEELBASE		
2	. 11/32X3-1/2X10-15/16 INCH STEEL FRAME, 120,000 PSI		
3	. 1/4 INCH C-CHANNEL INNER FRAME REINFORCEMENT		
4	. 12 INCH INTEGRAL FRONT FRAME EXTENSION		
5	. CALCULATED BACK OF CAB TO REAR SUSP C/L (CA): 180.32 in		
Fuel	<u>Tanks</u>	Yes	No
1	. 100 GALLON/378 LITER ALUMINUM FUEL TANK - LH		
2	. DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR, HAND PRIMER AND 12 VOLT PREHEATER"		
3	FOLIELO INROARD FLIEL SYSTEM		

4	4.	AUXILIARY FUEL SUPPLY AND RETURN PORTS LOCATED ON LH FUEL TANK		
į	5.	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
(6.	FUEL COOLER		
<u>Tire</u>	es	and Wheels	Yes	No
	1.	CONTINENTAL HAC3 425/65R22.5 20 PLY RADIAL FRONT TIRES		
;	2.	CONTINENTAL HDR2 11R22.5 14 PLY RADIAL REAR TIRES		
3	3.	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS		
4	4.	CONMET PRESET PLUS PREMIUM IRON REAR HUBS		
!	5.	ALCOA LVL ONE 82462 X 22.5 X 12.25 10-HUB PILOT 4.68 INSET 10-HAND ALUMINUM DISC FRONT WHEELS		
(6.	ALCOA LVL ONE 88367 X 22.5 X 8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS		
<u>Cab</u>	E	<u>xterior</u>	Yes	No
	1.	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB		
2	2.	AIR CAB MOUNTING		
3	3.	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE		
4	4.	FRONT FENDERS		
į	5.	3-1/2 INCH FENDER EXTENSIONS		
(6.	LH AND RH GRAB HANDLES		
•	7.	BRIGHT FINISH RADIATOR SHELL/HOOD BEZEL		
8	8.	STATIONARY BLACK GRILLE WITH BRIGHT ACCENTS		
Ģ	9.	FIBERGLASS HOOD WITH ACCESS HATCHES		
	10.	. SINGLE 14 INCH ROUND HADLEY AIR HORN UNDER LH DECK		
	11.	. DUAL ELECTRIC HORNS		
	12.	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME		
	13.	. KEY QUANTITY OF (4)		
	14.	. HALOGEN COMPOSITE HEADLAMPS WITH BRIGHT BEZELS		

	15	LED AERODYNAMIC MARKER LIGHTS		
	16	. DAYTIME RUNNING LIGHTS - LOW BEAM ONLY		
	17	LED STOP/TAIL/TURN LIGHTS GROMMET MOUNTED WITH SEPARATE LED BACKUP LIGHTS		
	18	. STANDARD FRONT TURN SIGNAL LAMPS		
	19	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE		
	20	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS		
	21	. STANDARD SIDE/REAR REFLECTORS		
	22	. RH AFTERTREATMENT SYSTEM CAB ACCESS WITH POLISHED DIAMOND PLATE COVER		
	23	. REAR WINDOW, 63X14 INCH TINTED		
	24	. TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS		
	25	. RH AND LH ELECTRIC POWERED WINDOWS, PASSENGER SWITCHES ON DOOR(S)		
	26	. TINTED WINDSHIELD		
	27	. 8 LITER WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL INDICATOR		
<u>Ca</u>	<u>b Ir</u>	<u>nterior</u>	Yes	No
	1.	OPAL GRAY VINYL INTERIOR		
	2.	BLACK MATS WITH SINGLE INSULATION		
	3.	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING		
	4.	IN DASH STORAGE BIN		
	5.	(2) CUP HOLDERS LH AND RH DASH		
	6.	SMART SWITCH EXPANSION MODULE		
	7.	HEATER, DEFROSTER AND AIR CONDITIONER		
	8.	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		
	9.	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR		

10. SOLID-STATE CIRCUIT PROTECTION AND FUSES	
11. 12V NEGATIVE GROUND ELECTRICAL SYSTEM	
12. DOME LIGHT WITH 3-WAY SWITCH ACTIVATED BY LH AND RH DOORS	
13. LH AND RH ELECTRIC DOOR LOCKS	
14. (1) 12 VOLT POWER SUPPLY IN DASH	
15. BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	
16. BASIC HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	
17. ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	
18. 4-SPOKE 18 INCH STEERING WHEEL	
19. DRIVER AND PASSENGER INTERIOR SUN VISORS	
20. ENGINE REMOTE INTERFACE WITH PARK BRAKE AND NEUTRAL INTERLOCKS	
21. LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM	
22. DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS	
23. PRECO/ECCO 1040 87 DECIBELS TO 112 DECIBELS AUTOMATIC SELF-ADJUSTING BACKUP ALARM	
24. ELECTRONIC CRUISE CONTROL WITH SWITCHES ON AUXILIARY GAUGE PANEL	
25. MANUAL REMOTE ENGINE STOP/START WITH PTO RE-ENGAGE	
26. DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED	
27. ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY	
28. AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939	
29. DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY	
30. ONE VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING INDICATOR	
31. SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE	

Page 19 Appendix A

<u>Chassis Warranty</u>	Yes N	
1. (1) ONE YEAR CHASSIS WARRANTY		
2. (2) TWO YEAR ENGINE WARRANTY		
3. (3) THREE YEAR TRANMISSION WARRANTY		
4. TOWING: 6 MONTHS/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE		
Training & Manuals	Yes	No
 Operator training will be conducted by a factory-trained representative for a minimum of one day at the time of delivery. (2) Digital copies of the operating and maintenance manual for the sewer cleaner module shall be provided upon unit delivery. 		
Mounting & Delivery	Yes	No
 The unit described will be mounted on a truck chassis acceptable to the body manufacturer at the factory of the body manufacturer. 		
<u>Delivery</u>		
Bidder must state delivery time in days at time of bid.		
Silence of Specification		
Where the specifications are silent on any part of the description of the equipment, it that the manufacturer's best quality item shall be provided.	shall be take	n
Exception		

Delivery Address

City of Aurora 720 N. Broadway Avenue Aurora, IL 60505

Exceptions and Deviations Bidder shall fully explain every variance, exception, and or deviation to the bid specifications. Additional sheets/lines may be added if required.

Page 21 Appendix A

PURCHASE OF ONE (1) COMBINATION SEWER CLEANER

CONTACT INFORMATION

Vendor shall provide the following contact information assigned to service the City of Aurora account. Customer Service/General Information: Ph: To place an order: Name: _____ Fax: _____ E-mail: Billing & Invoicing question: Ph: _____ Fax: _____ E-mail: Questions: _____ Fax: _____ E-mail: Bidder's Name:

Signature & Date:____

Page 1 Appendix B

PURCHASE OF ONE (1) COMBINATION SEWER CLEANER

REFERENCES

Organization
Address
City, State, Zip
Phone Number_
Contact Person_
Date of Project
********* Organization
Address
City, State, Zip
Phone Number_
Contact Person_
Date of Project_

Address
City, State, Zip
Phone Number
Contact Person
Date of Project

Bidder's Name:
Signature & Date:

PURCHASE OF ONE (1) COMBINATION SEWER CLEANER

BID PROPOSAL FORM

Bid Due Date & Time: 2:00 p.m. CST, Wednesday, September 23, 2020

To: City of Aurora Purchasing Division 44 E Downer Place Aurora, Illinois 60507
The following offer is hereby made to the City of Aurora, Aurora, Illinois, hereafter called the Owner.
Submitted By:
I. The undersigned Vendor proposes and agrees, after having examined the specifications, quantities and other Bid documents, to irrevocably offer to furnish the materials, equipment and services in compliance with all terms, conditions, specifications and amendments (if applicable) contained in the bid solicitation documents. The items in this Invitation to Bid, including, but not limited to, al required certificates, are fully incorporated herein as a material and necessary part of the Bid.
A. The Vendor shall also include with their bid any necessary literature, samples, etc., as required within the Invitation to Bid, Instruction to Bidders and specifications.
B. For purposes of this offer, the terms Offeror, Bidder, and Vendor are used interchangeably.
II. In submitting this Offer, the Vendor acknowledges:
A. All bid documents have been examined: Instructions to Bidder, Specifications and the following addenda:
No, No, (Vendor to acknowledge addenda here.)
Biddor's Nama

Signature & Date:

Page 1 Appendix D

PURCHASE OF ONE (1) COMBINATION SEWER CLEANER

BID PROPOSAL FORM

I/We propose to furnish material and labor as specified in the attached Specifications to Bid at the following delivered price:

Complete Requirements for One (1) truck mounted combination vacuum – jetting sewer cleaner for the Water and Sewer Division.

\$
Complete delivery of unit must be received within working days upon receipt of order.
All bid prices shall be shown as delivered Aurora Destination, Prepaid and Allowed. Do not add state, federal or local taxes. Municipalities are exempt. Exemption Certification Permit No. Illinois E9996-0842-07. No additional charges over base bid price will be accepted without written approval of the Purchasing Director.
The City of Aurora reserves the right at any time and for any reason to cancel this Invitation to Bid, to accept or reject any or all Bids or portion thereof, or accept an alternate bid. The City reserves the right to waive any immaterial defect in any bid, or technicality, informality or irregularity in the bids received, and to disregard all nonconforming or conditional bids or counter-proposals. Unless otherwise specified by the bidder or the City, the City reserves the right to hold the best bids for ninety (90) days from the opening date set forth above. The City may seek clarification from any bidder at any time and failure to respond promptly is cause for rejection. The City further reserves the right to award the bid to the lowest responsible Bidder whose offer best responds in quality, fitness and capacity to the requirements of the proposed work or usage and therefore is in the best interest of the City.
SUBMITTED BY
COMPANY
ADDRESS
CITY, STATE, ZIP
PREPARER'S NAMEPlease Type
AUTHORIZED SIGNATURE
EMAIL
PHONE #() FAX # () DATE

Page 2 Appendix D



City of Aurora, IL - Local Vendor Preference Application

The business identified below is requesting to be placed on the City of Aurora, Illinois Local Vendor Preference list, in accordance with ordinance O18-070, amended with ordinance O20-029 approved April 28, 2020.

	1)	Date Submitted:
	2)	Name of Business:
	3)	Address of Local Office:
	4)	City, State, Zip:
	5)	Company's Web Address:
	6)	Phone:Fax:
	7)	County your Local Business is Located In:
		Submitted By (Signature):
		Print Name and Title:
		Email Address:
	Sec	c. 2-410Prequalification; local bidder.
(a)	pre Cit a. b.	in interested business would like to prequalify as a "local business", such a business shall complete and submit the qualification application along with supporting documentation, as listed below, and the applicable fee as set by the y Council, to the Finance Department: Evidence that the business has established and maintained a physical presence in the City of Aurora, by virtue of the ownership or lease of all or a portion of a building for a period of not less than twelve (12) consecutive months prior to the submission of the prequalification application; and Evidence demonstrating that the business is legally authorized to conduct business within the State of Illinois and the City of Aurora, and has a business registered to operate in the City if required; and Evidence that the business is not a debtor to the City of Aurora. For purposes of this subparagraph, a debtor is defined as having outstanding fees, water bills, sales tax or_restaurant/bar tax payments that are thirty (30) days or more past due, or has outstanding weed or nuisance abatements or liens, has failure to comply tickets or parking tickets that are not in dispute as to their validity and are not being challenged in court or other administrative processes.
	Ple	ck up documentation for (a) a. and (a) b. must accompany this submittal or application will be rejected. Tase note for (a) c. above the City of Aurora will verify internally that your company does not have any standing fees. Your company should make sure that to the best of its knowledge all bills are current.
	Cit	turn completed application, with all required backup documentation to: y of Aurora, Attn: Purchasing Division, 44 E. Downer Place, Aurora, IL 60507 email to: PurchasingDL@Aurora-il.org
(a) (a) (a)	a. b.	not write below this line: For City of Aurora use ONLY
		te:
	Ap	proved: Denied: ter Sent: Initials:

PURCHASE OF ONE (1) COMBINATION SEWER CLEANER

BID SUBMITTAL CHECKLIST

Each bid must be placed in an envelope, sealed, and clearly marked on the outside: "20-47 Purchase of One (1) Combination Sewer Cleaner." In order to be considered responsive, the bidder must submit all of the following items in their sealed envelope:

 Bid Proposal Form (Appendix D)
 Bid Specifications (Appendix A)
 Bidder's Certification (Page 1)
 Bidder's Tax Certification (Page 2)
 Contact Information (Appendix B)
 Reference List (Appendix C)
 Local Preference Application (if applicable)

Page 1 Appendix F