



825 Sheffer Road | Aurora, IL 60505

July 20, 2026

Steve Kulesza
City of Aurora
901 Ray Moses Drive
Aurora, IL 60605

Dear Steve Kulesza:

Play Illinois, LLC is delighted to provide City of Aurora with this playground equipment proposal.

This design was developed with your specific needs in mind, and we look forward to discussing this project further with you to ensure your complete satisfaction. Play Illinois, LLC is confident that this proposal will satisfy City of Aurora's functional, environmental, and safety requirements -- and most importantly -- bring joy and excitement to the children and families directly benefiting from your new playground.

You have our personal commitment to support this project and your organization in every manner possible, and we look forward to developing a long-standing relationship with City of Aurora. We appreciate your consideration and value this opportunity to earn your business.

Sincerely,

Cheryl Parson
Sales Representative

Play Illinois, LLC
310 N Grant Street
Westmont, IL 60559
www.playil.com
www.bciburke.com

Phone: 844-222-9990
Fax: -
Email: cparson@playil.com

COOPERATIVE PURCHASING OPTIONS

PLAYGROUNDS WITHOUT ALL THE PAPERWORK

Purchasing with contracts may sound intimidating, but getting your community playspace doesn't need to be a painful process of writing specifications, issuing RFP's and jumping through hoops – it can be simplified – we promise! As you continue planning for your new playground, review the Purchasing Contracts offered through our partners.

EQUALIS GROUP

Equalis is an innovative cooperative purchasing organization that believes in the power of partnership and that when you work together you achieve more. The basic premise of the Equalis cooperative purchasing organization is to leverage the combined buying power of all members for better pricing and favorable contract terms. Equalis Group uses the lead agency model for competitively bid contracts, provides our participants the savings they expect and offers efficiencies and peace of mind within the procurement process. It is our mission to continuously improve the measurable and meaningful impact of cooperative services for everyone throughout the supply chain.

GOVMVMT

GOVMVMT is a non-profit group purchasing organization that meets the highest industry standards while putting the public's interest at the forefront of everything they do. Each one of GOVMVMT's first-class suppliers has consciously joined their mission to create the most credible, ethical, and public agency-focused non-profit cooperative purchasing program in the country.

GSA

Federal parks, child development programs, military bases and other agencies are a major priority for BCI Burke, and agencies can purchase Burke playgrounds through Burke's GSA contract for installation virtually anywhere in the world.

OMNIA PARTNERS

OMNIA Partners, Public Sector (Subsidiary National IPA) is the largest and most experienced organization in purchasing and supply chain management. Comprised of participants and suppliers in the public sector, we bring together industry-leading buying power and world-class suppliers to offer an extensive portfolio of competitively solicited and publicly awarded contracts and partnerships. OMNIA Partners is proud to offer more value and resources to state and local government, higher education, K-12 education and non-profits.

SOURCEWELL

As a leader in cooperative purchasing, Sourcewell is passionate about helping members fulfill their public service missions. Sourcewell builds strong relationships with members and vendors to develop practical solutions together.

The easiest way to Join Our Movement is to call your local Representative at 800.266.1250 or visit bciburke.com/rep. Our passion is bringing play to communities like yours and we can't wait to help you get started!



DESIGN SUMMARY

Play Illinois, LLC is very pleased to present this Proposal for consideration for the Garfield Park located in Aurora. BCI Burke Company, LLC has been providing recreational playground equipment for over 100 years and has developed the right mix of world-class capabilities to meet the initial and continuing needs of City of Aurora. We believe our proposal will meet or exceed your project's requirements and will deliver the greatest value to you.


The following is a summary of some of the key elements of our Proposal:

- Project Name: Garfield Park
- Project Number: 129-214119-2
- User Capacity: 151
- Age Groups: 5 to 12, 2 to 5, 2 to 12
- Dimensions: 111' 9" x 80' 9"
- Designer: John Uelmen

Play Illinois, LLC has developed a custom playground configuration based on the requirements as they have been presented for the Garfield Park playground project. Our custom design will provide a safe and affordable playground environment that is aesthetically pleasing, full of fun for all users and uniquely satisfies your specific requirements. In addition, proposal # 129-214119-2 has been designed with a focus on safety, and is fully compliant with ASTM F1487 and CPSC playground safety standards.

We invite you to review this proposal for the Garfield Park project and to contact us with any questions that you may have.

Thank you in advance for giving us the opportunity to make this project a success.



SERIES LINE: Nucleus | Intensity | Burke Basics | Synergy

SITE PLAN VIEW

GROUP:

5-12 Structure | 2-5 Structure | Communication

DESIGNED FOR AGES:

5 to 12, 2 to 5, 2 to 12

Garfield Park

Aurora, IL 60505

Burke
PLAY THAT MOVES YOU

07/20/2026

Play Illinois, LLC

129-214119-2

Designer: John Uelmen

BCI BURKE COMPANY, LLC | PO BOX 549 FOND DU LAC, WI 54936-0549 | 920.921.9220 | BCI@BURKE.COM

OVERALL BOUNDING OF USE ZONES

Area: 9366.1 sq. ft.
Perimeter: 391.1 ft.

STRUCTURE SIZE: 83' 11" x 111' 9"

POST SIZE(S): 5, 3.5"

**The space requirements shown here are to ASTM standards. Requirements for other standards may be different.


PLAYGROUND ACCESSIBILITY (Provided/Required)

TOTAL EVENTS	ELEVATED EVENTS	TRANSFER ACCESSIBLE EVENTS	RAMP ACCESSIBLE EVENTS	GROUND EVENTS	TYPES OF GROUND EVENTS
32	20 / 10	20 / 5	0 / 5	12 / 7	7 / 4

The use and layout of play components identified in this plan conform to the CPSC guidelines. U.S. CPSC recommends the separation of age groups in playground layouts.

Warning: Accessible safety surfacing material is required beneath and around this equipment that is compliant with ASTM, CPSC, and ADAAG requirements.

ITEM	COMP.	DESCRIPTION
1	270-0129	TRIANGLE PLATFORM
2	670-1000	METAL STRUCTURE ID LABEL
3	670-0512	METAL 5-12 WARNING LABEL
4	570-0100	EVOLUTION BARRIER
5	270-0130	SQUARE PLATFORM
6	470-0075	CRESCENT PLATFORM
7	270-0009	8" CLOSURE PLATE, ELLIPSE
8	370-1677	90 DEGREE OVERHEAD, NUCLEUS
9	370-1608	OVISTEP LAUNCH PAD
10	270-0122	EVOLUTION OFFSET ENCLOSURE
11	370-1756	STRIVE INCLUSIVE CLIMBER
12	370-1757	STRIVE TRI CLIMBER
13	370-0862	TREE BRANCH CLIMBER 48"
14	270-0120	EVOLUTION UNITARY ENCLOSURE
15	470-0755	LUGE SLIDE, 48"-56"
16	370-1758	STRIVE INCLUSIVE SWITCHBACK CLIMBER
17	370-0087	LEAF CLIMBER 16" - 24"
18	370-1622	TAKTIKS TRAIL TOWER
19	570-1858	3-IN-A-ROW PANEL, ABOVE PLATFORM
20	470-1058	ASTM VIPER SPIRAL 96
21	470-0805	SLIDE HOOD, HIGH SIDE WALL
22	570-2736	PISTON PANEL
23	370-1754	STRIVE ANGLED NET CLIMBER



SERIES LINE: Nucleus | Intensity

GROUP:

5-12 Structure

DESIGNED FOR AGES:

5 to 12

COMPONENT VIEW

07/20/2026

Garfield Park

Aurora, IL 60505

Play Illinois, LLC


129-214119-2

Designer: John Uelmen

Burke
PLAY THAT MOVES YOU

BCI BURKE COMPANY, LLC | PO BOX 549 FOND DU LAC, WI 54936-0549 | 920.921.9220 | BCI@BURKE.COM

ITEM	COMP.	DESCRIPTION
1	290-0102	SQUARE PLATFORM
2	690-1000	METAL STRUCTURE ID LABEL
3	690-0025	METAL 2-5 WARNING LABEL
4	390-0150	TRANSFER STATION, BARRIER 32"
5	580-1364	LIL NOVO BEAN STEP
6	390-0130	CRUX CLIMBER 32"
7	290-0111	CLIMBER ENCLOSURE 2-5
8	590-0467	SENSORY WALL
9	490-0103	SENSORY SPOT
10	590-0088	CRAZY MAZE PANEL, ABOVE PLATFORM
11	290-0120	16" PLATFORM BARRIER
12	490-0132	ROCK N ROLL SLIDE 40"-48"
13	490-0134	IMAGINATION SLIDE SIT DOWN PANEL
14	590-0129	CAR PANEL, ABOVE PLATFORM
15	590-0118	ABC PANEL, ABOVE PLATFORM
16	390-0156	TREE BRANCH CLIMBER 48"
17	290-0101	8" CLOSURE PLATE
18	490-0186	MONACO SLIDE, 32"-40"
19	590-0156	ACORN PANEL, 2-SIDED 2-5 ABOVE PLATFORM



SERIES LINE:Synergy | Burke Basics

COMPONENT VIEW

GROUP:

2-5 Structure

Garfield Park

Aurora, IL 60505

07/20/2026

Play Illinois, LLC

129-214119-2


DESIGNED FOR AGES:

2 to 5

Designer: John Uelmen

Burke
PLAY THAT MOVES YOU.

BCI BURKE COMPANY, LLC | PO BOX 549 FOND DU LAC, WI 54936-0549 | 920.921.9220 | BCI@BURKE.COM



SERIES LINE: Nucleus | Intensity | Burke Basics | Synergy

GROUP:

5-12 Structure | 2-5
Structure | Communication

DESIGNED FOR AGES:

5 to 12, 2 to 5, 2 to 12

Garfield Park

Aurora, IL 60505




ELEVATION VIEW

07/20/2026

Play Illinois, LLC

129-214119-2

Designer: John Uelmen



SERIES LINE: Nucleus | Intensity | Burke Basics | Synergy

ISOMETRIC VIEW

GROUP:

5-12 Structure | 2-5
Structure | Communication

DESIGNED FOR AGES:

5 to 12, 2 to 5, 2 to 12

Garfield Park

Aurora, IL 60505

Burke
PLAY THAT MOVES YOU.

07/20/2026

Play Illinois, LLC

129-214119-2

Designer: John Uelmen



SERIES LINE: Nucleus | Intensity

GROUP:

5-12 Structure

DESIGNED FOR AGES:

5 to 12

Garfield Park

Aurora, IL 60505

Burke
PLAY THAT MOVES YOU.

ISOMETRIC VIEW

07/20/2026

Play Illinois, LLC

129-214119-2

Designer: John Uelmen



SERIES LINE: Synergy | Burke Basics

GROUP:

2-5 Structure

DESIGNED FOR AGES:

2 to 5

ISOMETRIC VIEW

07/20/2026

Garfield Park

Aurora, IL 60505

Play Illinois, LLC

129-214119-2

Designer: John Uelmen

Burke
PLAY THAT MOVES YOU

PROPOSAL 129-214119-2 | 7/20/2026 | 2026 PRICING

The play components identified in this proposal are IPEMA certified. The use and layout of these components conform to the requirements of ASTM F1487 and CPSC. To verify product certification, visit www.ipema.org.



The space requirements shown in this proposal are to ASTM standards. Requirements for other standards may be different.

5-12 Structure

Intensity

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
370-1608	OVISTEP LAUNCH PAD	1	1	1	10	10
370-1677	90 DEGREE OVERHEAD, NUCLEUS	1	6	6	44	44

Nucleus

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
072-0500-100C	5" OD X 100" CAPPED POST	3	0	0	53	159
072-0500-124C	5" OD X 124" CAPPED POST	3	0	0	65	195
072-0500-132C	5" OD X 132" CAPPED POST	1	0	0	69	69
072-0500-140C	5" OD X 140" CAPPED POST	4	0	0	74	296
072-0500-148C	5" OD X 148" CAPPED POST	2	0	0	78	156
072-0500-172C	5" OD X 172" CAPPED POST	3	0	0	90	270
072-0500-176C	5" OD X 176" CAPPED POST	1	0	0	92	92
072-0500-188C	5" OD X 188" CAPPED POST	1	0	0	99	99
072-0500-196C	5" OD X 196" CAPPED POST	1	0	0	103	103
270-0009	8" CLOSURE PLATE, ELLIPSE	1	0	0	8	8
270-0120	EVOLUTION UNITARY ENCLOSURE	2	0	0	34	68
270-0122	EVOLUTION OFFSET ENCLOSURE	3	0	0	34	102
270-0129	TRIANGLE PLATFORM	8	2	16	48	384
270-0130	SQUARE PLATFORM	3	6	18	106	318
370-0087	LEAF CLIMBER 16" - 24"	1	2	2	25	25
370-0862	TREE BRANCH CLIMBER 48"	1	2	2	17	17
370-1622	TAKTIKS TRAIL TOWER	1	5	5	52	52
370-1754	STRIVE ANGLED NET CLIMBER	1	8	8	203	203
370-1756	STRIVE INCLUSIVE CLIMBER	1	6	6	362	362
370-1757	STRIVE TRI CLIMBER	1	16	16	416	416
370-1758	STRIVE INCLUSIVE SWITCHBACK CLIMBER	1	8	8	515	515
470-0075	CRESCENT PLATFORM	1	1	1	52	52
470-0755	LUGE SLIDE, 48"-56"	1	4	4	198	198
470-0805	SLIDE HOOD, HIGH SIDE WALL	1	0	0	32	32
470-1058	ASTM VIPER SPIRAL 96	1	3	3	261	261
570-0100	EVOLUTION BARRIER	3	0	0	52	156
570-1858	3-IN-A-ROW PANEL, ABOVE	1	2	2	45	45

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
570-2736	PLATFORM					
	PISTON PANEL	1	1	1	47	47
670-0512	METAL 5-12 WARNING LABEL	2	0	0	1	2
670-1000	METAL STRUCTURE ID LABEL	2	0	0	1	2

2-5 Structure

Burke Basics

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
580-1364	LIL NOVO BEAN STEP	1	1	1	28	28

Synergy

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
072-0300-111C	3 1/2" OD X 111" CAPPED POST	2	0	0	41	82
072-0300-115C	3 1/2" OD X 115" CAPPED POST	1	0	0	42	42
072-0300-119C	3 1/2" OD X 119" CAPPED POST	2	0	0	44	88
072-0300-123C	3 1/2" OD X 123" CAPPED POST	2	0	0	45	90
072-0300-127C	3 1/2" OD X 127" CAPPED POST	2	0	0	47	94
290-0101	8" CLOSURE PLATE	2	0	0	5	10
290-0102	SQUARE PLATFORM	4	4	16	59	236
290-0111	CLIMBER ENCLOSURE 2-5	2	0	0	17	34
290-0120	16" PLATFORM BARRIER	1	0	0	14	14
390-0130	CRUX CLIMBER 32"	1	4	4	29	29
390-0150	TRANSFER STATION, BARRIER 32"	1	4	4	156	156
390-0156	TREE BRANCH CLIMBER 48"	1	2	2	15	15
490-0103	SENSORY SPOT	1	3	3	96	96
490-0132	ROCK N ROLL SLIDE 40"-48"	1	1	1	76	76
490-0134	IMAGINATION SLIDE SIT DOWN PANEL	2	0	0	11	22
490-0186	MONACO SLIDE, 32"-40"	1	2	2	76	76
590-0088	CRAZY MAZE PANEL, ABOVE PLATFORM	1	1	1	32	32
590-0118	ABC PANEL, ABOVE PLATFORM	1	1	1	25	25
590-0129	CAR PANEL, ABOVE PLATFORM	1	1	1	39	39
590-0156	ACORN PANEL, 2-SIDED 2-5 ABOVE PLATFORM	1	2	2	26	26
590-0467	SENSORY WALL	1	1	1	35	35
690-0025	METAL 2-5 WARNING LABEL	2	0	0	1	2
690-1000	METAL STRUCTURE ID LABEL	2	0	0	1	2

Communication Panel

Nucleus

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
072-0500-80C	5" OD X 80" CAPPED POST	2	0	0	42	84
570-2636	FULL COLOR CUSTOM CURVED 41 36 X 31 BELOW PLATFORM	1	0	0	49	49
670-0212	METAL 2-12 WARNING LABEL	1	0	0	1	1
670-1000	METAL STRUCTURE ID LABEL	1	0	0	1	1

Freestanding

Burke Basics

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
550-0099	TOT SEAT, 7' & 8' SINGLE, STD CHAIN	1	1	1	12	12
550-0111	BELT SEAT, 8' SINGLE, STD CHAIN	4	1	4	10	40
550-0171	FREEDOM SWING SEAT, 8' BEAM, STD CHAIN	1	1	1	38	38
550-0201	SINGLE POST SWING ASSEMBLY 5" OD	1	0	0	247	247
550-0202	SINGLE POST SWING ADD-ON 5" OD	2	0	0	160	320
560-0074	VERO	1	2	2	277	277
560-2735	ARO SPINNING CHAIR	1	1	1	42	42
570-0053	4 SEAT ROCKER	1	4	4	161	161

Total Equipment Price: \$125,346
Co-Op & Courtesy Discount: -(28,118)
Shipping Cost: 2,480
Total: \$ 99,708

Special Notes:

Prices do not include unloading, material storage, site excavation/preparation, removal of existing equipment, removal of excess soil from footing holes, site security, safety surfacing, installation, or sales tax (if applicable). **Pricing is valid for 30 days from the date of this proposal.**

COLOR SELECTION LIST | Default Color Option

GROUP 1 (5-12 Structure)

Accessory: Sky
HDPE 1 Color: Blue
HDPE 2 Color: Blue-White-Blue
Platform: Brown
Post: Green
Rotomold Plastic: Green

GROUP 2 (2-5 Structure)

Accessory: Sky
HDPE 1 Color: Blue
HDPE 2 Color: Blue-White-Blue
Platform: Brown
Post: Green
Rotomold Plastic: Green

GROUP 3 (Communication Panel)

HDPE 1 Color: Blue
Post: Green

GROUP 4 (Freestanding)


Accessory: Sky
HDPE 1 Color: Blue
HDPE 2 Color: Blue-White-Blue
Platform: Brown
Post: Green
Rotomold Plastic: Green

COLORS THAT MOVE YOU

POWDER COAT PAINT



PLATFORMS



SOLIS HUE TOPPERS




TRADITIONAL SERIES SITE AMENITIES




ROCKIT CLIMBERS




HDPE PLASTIC PANELS



SHADE CANOPIES



ROTOMOLD PLASTIC



VISIT [BCIBURKE.COM/COLOR](https://bciburke.com/color) TO CUSTOMIZE YOUR PLAYGROUND COLORS!

BURKE GENERATIONS WARRANTY®

BCI Burke Company, LLC ("Burke") warrants that all standard products are warranted to be free from defects in materials and workmanship, under normal use and service, for a period of one (1) year from the date of shipment.

We stand behind our products.

In addition, the following products are warranted, under normal use and service from the date of shipment as follows:

- One Hundred (100) Year Limited Warranty on aluminum and steel upright posts (including Nucleus®, Nucleus Evolution®, Nucleus Aspire®, Intensity®, Level X®, Synergy®, Synergy Imagination® & 4ME®) against structural failure due to corrosion, deterioration or workmanship.
- One Hundred (100) Year Limited Warranty on KoreConnect® Clamp Castings against structural failure due to corrosion, deterioration or workmanship.
- One Hundred (100) Year Limited Warranty on Hardware (nuts, bolts, washers).
- One Hundred (100) Year Limited Warranty on bolt-through and direct-bolt fastening and clamp systems (Synergy®, Intensity®, Nucleus®).
- Twenty-Five (25) Year Limited Warranty on spring assemblies and aluminum cast animals.
- Fifteen (15) Year Limited Warranty on structure platforms and decks, metal roofs, table tops, bench tops, railings and barriers against structural failure due to materials or workmanship.
- Fifteen (15) Year Limited Warranty on all plastic components against structural failure due to materials or workmanship.
- Ten (10) Year Limited Warranty on ShadePlay® Canopies fabric, threads, and cables against degradation, cracking or material breakdown resulting from ultra-violet exposure, natural deterioration or manufacturing defects. This warranty is limited to the design loads as stated in the specifications.
- Ten (10) Year Limited Warranty on NaturePlay® Boulders and GFRC products against structural failure due to natural deterioration or workmanship. Natural wear, which may occur with any concrete product with age, is excluded from this warranty.
- Ten (10) Year Limited Warranty on Full Color Custom Signage against manufacturing defects that cause delamination or degradation of the sign. Full Color Custom Signs also carry a two (2) year warranty against premature fading of the print and graphics on the signs.
- Five (5) Year Limited Warranty on Nucleus®, Intensity®, and RopeVenture® cables against premature wear due to natural deterioration or manufacturing defects. Determination of premature wear will be at the manufacturer's discretion.
- Five (5) Year Limited Warranty on rubber belt material against premature wear due to natural deterioration or manufacturing defects. Determination of premature wear will be at the manufacturer's discretion.
- Five (5) Year Limited Warranty on moving parts, including swing components, against structural failure due to materials or workmanship.
- Five (5) Year Limited Warranty on PlayEnsemble® cables and mallets against defects in materials and workmanship.
- Three (3) Year Limited Warranty on electronic panel speakers, sound chips and circuit boards against electronic failure caused by manufacturing defects.

The warranty stated above is valid only if the equipment is erected in conformity with the layout plan and/or installation instructions furnished by BCI Burke Company, LLC using approved parts; have been maintained and inspected in accordance with BCI Burke Company, LLC instructions. Burke's liability and your exclusive remedy hereunder will be limited to repair or replacement of those parts found in Burke's reasonable judgment to be defective. Any claim made within the above stated warranty periods must be made promptly after discovery of the defect. A part is covered only for the original warranty period of the applicable part. Replacement parts carry the applicable warranty from the date of shipment of the replacement from Burke. After the expiration of the warranty period, you must pay for all parts, transportation and service charges.

Burke reserves the right to accept or reject any claim in whole or in part. Burke will not accept the return of any product without its prior written approval. Burke will assume transportation charges for shipment of the returned product if it is returned in strict compliance with Burke's written instructions.

THE FOREGOING WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ANY OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IF THE FOREGOING DISCLAIMER OF ADDITIONAL WARRANTIES IS NOT GIVEN FULL FORCE AND EFFECT, ANY RESULTING ADDITIONAL WARRANTY SHALL BE LIMITED IN DURATION TO THE EXPRESS WARRANTIES AND BE OTHERWISE SUBJECT TO AND LIMITED BY THE TERMS OF BURKE'S PRODUCT WARRANTY. SOME STATES DO NOT ALLOW THE EXCLUSION OF CERTAIN IMPLIED WARRANTIES, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

Warranty Exclusions: The above stated warranties do not cover: "cosmetic" defects, such as scratches, dents, marring, or fading; damage due to incorrect installation, vandalism, misuse, accident, wear and tear from normal use, exposure to extreme weather, immersion in salt or chlorine water, unauthorized repair or modification, abnormal use, lack of maintenance, or other cause not within Burke's control; and

Limitation of Remedies: Burke is not liable for consequential or incidental damages, including but not limited to labor costs or lost profits resulting from the use of or inability to use the products or from the products being incorporated in or becoming a component of any other product. If, after a reasonable number of repeated efforts, Burke is unable to repair or replace a defective or nonconforming product, Burke shall have the option to accept return of the product, or part thereof, if such does not substantially impair its value, and return the purchase price as the buyer's entire and exclusive remedy. Without limiting the generality of the foregoing, Burke will not be responsible for labor costs involved in the removal of products or the installation of replacement products. Some states do not allow the exclusion of incidental damages, so the above exclusion may not apply to you.

The environment near a saltwater coast can be extremely corrosive. Some corrosion and/or deterioration is considered "normal wear" in this environment. Product installed within 500 yards of a saltwater shoreline will only be covered for half the period of the standard product warranty, up to a maximum of five years, for defects caused by corrosion. Products installed in direct contact with saltwater or that are subjected to salt spray are not covered by the standard warranty for any defects caused by corrosion.

Contact your local Burke Representative for warranty information regarding Burke Turf® and Burke Tile products.

Terms of Sale

Pricing: Prices published in this catalog are in USD, are approximate and do not include shipping & handling, surfacing, installation nor applicable taxes. All prices are subject to change without notice. Contact your Burke representative for current pricing. Payments are to be made in USD.

Weights: Weights are approximate and may vary with actual orders.

Installation: All equipment is shipped unassembled. For a list of factory-certified installers in your area, please contact your Burke representative.

Specifications: Product specifications in this catalog were correct at the time of publication. However, product improvements are ongoing at Burke, and we reserve the right to change or discontinue specifications without notice.

Loss or Damage in Transit: A signed bill of lading is our receipt from a carrier that our shipment to you was complete and in good condition upon arrival. Before you sign, please check the Bill of Lading carefully when the shipment arrives to make sure nothing is missing and there are no damages. Once the shipment leaves our plant, we are no longer responsible for any damage, loss or shortage.

For more information regarding the warranty, call Customer Service at 920-921-9220 or 800-356-2070.

01/2025