ORISIMAL

PROPOSAL SUBMITTED BY:

WATER PRODUCTS COMPANY

Contractor's Name

3255 E. NEW YORK ST

Street

P.O. Box

AURORIA

City

State

Zip Code



# CITY OF AURORA KANE COUNTY STATE OF ILLINOIS

Request for Quotations For

2020 Water & Sewer Division Materials and Supplies Bid 19-67

> PROPOSALS DUE October 30, 2019

PREPARED BY CITY OF AURORA DIVISION of ENGINEERING 77 S. BROADWAY AVENUE AURORA, ILLINOIS 60505

### **TABLE OF CONTENTS**

Title Page

**Table of Contents** 

Notice to Bidders

Bid Proposal

Schedule of Prices

Signature Sheet

Bidder's Certificate

Certificate regarding Debarment, Suspension or other Responsibility Matters

Bidder Certification in Compliance with Article 33E to the "Criminal Code of 1961"

Local Vendor Preference Application

City of Aurora Special Provisions

Hydrant Parts List & Diagram

#### **PROPOSAL**

TO: THE OFFICE OF THE CITY CLERK CITY OF AURORA 44 EAST DOWNER PLACE AURORA, ILLINOIS 60507

I.	Proposal of
	for the improvement known as the 2020 Water & Sewer Division Materials and
	Supplies, Bid 19-67.

- 2. The plans and specifications for the proposed improvements are those prepared by the City of Aurora Engineering Division and approved by the City Council of Aurora, Illinois.
- In submitting this proposal, the undersigned declares that the only persons or parties
  interested in the proposal as principals are those named herein, and that the proposal is made
  without collusion with any person, firm, or corporation.
- 4. The undersigned further declares that he has carefully examined the proposals, plans, specifications, form of contract, and special provisions, if any, and that he has inspected in detail the site of the proposed work and that he has familiarized himself with all of the local conditions affecting the contract and detailed requirements of construction, and understands that in making this proposal he waives all right to plead any misunderstanding regarding the same.
- 5. The undersigned declares that he understands that the quantities mentioned are approximate only, and that they are subject to increase or decrease; that he will take in full payment therefore the amount of the summation of the actual quantities, as finally determined, multiplied by the unit prices shown in the schedule of prices contained herein.
- 6. The undersigned agrees that the unit prices submitted herewith are for the purpose of obtaining a gross sum and for use in computing the value of extras and deductions; that if there is a discrepancy between the gross sum bid and that resulting from the summation of the quantities multiplied by their respective unit prices, the latter shall apply.
- 7. The undersigned agrees that if the City decides to extend or shorten the improvement, or otherwise alter it by extras or deductions, including the elimination of any one or more of the items, as provided in the specifications, he will perform the work as altered, increased or decreased, at the contract unit prices without claim for profits lost as a result of any work or items eliminated by the City of Aurora.
- 8. The undersigned agrees that the Engineer may, at any time during the progress of the work covered by this contract, order other work or materials incidental thereto, and that all such work and materials as do not appear in the proposal or contract as a specific item accompanied by a unit price, and which are not included under the bid price for other items in this contract, shall be performed as extra work, and that he will accept as full compensation therefore the actual cost plus ten percent (10%), the actual cost to be determined as provided for in the specifications.
- The undersigned submits herewith his schedule of prices covering the work to be performed under this contract, he understands that he must show in the schedule the unit prices for which

## City of Aurora Bid 19-67 NOTICE TO BIDDERS

Sealed quotations for the materials and supplies described below will be received at the office of Purchasing, 44 E. Downer Place, Aurora, IL 60507 until 2:00 o'clock P.M., October 30, 2019. Quotes will not be opened publicly.

#### **Description of Work**

Name: 2020 Water & Sewer Division Materials and Supplies

<u>Proposed Improvement:</u> The City of Aurora is requesting quotations for the anticipated purchase of certain materials and supplies to be used by the Water & Sewer Maintenance Division during 2020.

#### **Bidders Instructions:**

- 1. Specifications and other pertinent documents may be obtained online at https://www.aurorail.org/bids.aspx, at the Purchasing Office, 44 East Downer Place, Aurora, Illinois 60507 during normal business hours, or by calling 630-256-3550.
- 2. The City of Aurora reserves the right to reject any or all of the bids and to waive any and all irregularities and technicalities whenever such rejection is in the best interest of the City of Aurora.
- 3. All bid items will be evaluated separately and the supplier for each bid item will be chosen based on cost and availability of the item at the time of need.
- 4. Minority Participation: The City of Aurora encourages minority business firms to submit proposals and encourages successful contract bidder to utilize minority businesses as subcontractors for supplies, equipment, services and construction.
- 5. Any bidder who owes the City money may be disqualified at the City's discretion.
- 6. The City of Aurora has a local preference ordinance that would apply to this contract.

By Order of City Clerk City of Aurora

- he proposes to perform each item of work, that the extensions must be made by him, and that if not so done, his proposal may be rejected as irregular or non-responsive.
- 10. The City of Aurora reserves the right to reject any or all of the bids and to waive any and all irregularities and technicalities. The City of Aurora shall either award the project or reject the bids within Sixty (60) calendar days after the bid opening. This time frame may be extended upon mutual agreement of the City and the Bidder.
- 11. The undersigned of this proposal agrees that he or she has examined all sections of this Proposal, Specifications, and Bidding Documents and hereby understands and accepts the provisions for access, or the lack of access, to the construction site and shall claim no compensation other than the prices as bid for this condition of accessibility.
- 12. The undersigned agrees to indemnifying and saving harmless the City of Aurora, its officers, agents, employees, and servants by filing with the City, prior to the execution of the contract, copies of completed Certificates of Insurance satisfactory to the City, with the City of Aurora named as primary, non-contributory additional insured; automobile liability insurance covering owned, non-owned, and hired vehicles with limits of liability as stated in the attached Special Provisions.
- 13. No contract will be awarded to any bidder where that bidder or any principal or supervisory personnel of the bidder has been personally involved with another business that has been delinquent or unfaithful in any former contract with the City or where that bidder or any supervisory personnel of the bidder has been personally involved with another business that is a defaulter as surety or otherwise upon obligation to the City.
- 14. The entire set of specifications shall be submitted with each proposal.
- 15. The City has the right to terminate this Contract, in whole or in part, for any reason or if sufficient funds have not been appropriated to cover the estimated requirement of the Services not yet performed, by providing Bidder with thirty (30) days notice specifying the termination date. On the date specified, this Contract will end. If this Contract is terminated by the City, as provided herein, the City shall pay the Bidder only for services performed up the date of termination. After the termination date, Bidder has no further contractual claim against the City based upon this Contract and any payment so made to the Bidder upon termination shall be in full satisfaction for Services rendered. Bidder shall deliver to the City all finished and unfinished documents, studies and reports and shall become the property of the City.
- 16. The City of Aurora has a local preference ordinance that would apply to this contract. O18-070 approved August 28, 2018 defines "Local business" to mean a vendor or contractor who has a valid, verifiable physical business address located within the corporate boundaries of the City of Aurora at least twelve months prior to a bid or proposal opening date, from which the vendor, contractor or consultant operates or performs business on a daily basis, including manufacturing production or distribution. The business must disclose the percentage of workforce in the City of Aurora; be registered with the City of Aurora, if applicable; be subject to City of Aurora taxes (inclusive of sales taxes); be current with property tax payments and sales tax payments; not have any outside cited code violations; not have any outstanding debts to the City of Aurora; have adequately qualified and trained staff to service the bid of interest.
- 17. The undersigned submits herewith this **Schedule of Prices** covering the materials requested under this contract:



#### RETURN WITH BID

NO.	ITEM	UNIT	UNIT COST
<u>Fire</u>	Hydrants & Related Parts		
1	Waterous Fire Hydrant Assembly, 4 1/2' Bury	EA	2675
2	Waterous Fire Hydrant Assembly, 5' Bury	EA	2495
3	Waterous Fire Hydrant Assembly, 5 1/2' Bury	EA	2550
4	Waterous Fire Hydrant Assembly, 6' Bury	EA	2605
5	Waterous Fire Hydrant Assembly, 4 1/2' Bury w/Alpha Standard Base	EA	2495
6	Waterous Fire Hydrant Assembly, 5' Bury w/Alpha Standard Base	EA	2550
7	Waterous Fire Hydrant Assembly, 5 1/2' Bury w/Alpha Standard Base	EA	2600
8	Waterous Fire Hydrant Assembly, 6' Bury w/Alpha Standard Base	EA	2656
9	Waterous Fire Hydrant Assembly, 4 1/2' Bury w/Alpha XL Base	EA	2495
10	Waterous Fire Hydrant Assembly, 5' Bury w/Alpha XL Base	EA	2550
11	Waterous Fire Hydrant Assembly, 5 1/2' Bury w/Alpha XL Base	EA	2600
12	Waterous Fire Hydrant Assembly, 6' Bury w/Alpha XL Base	EA	2656
13	Waterous Fire Hydrant Extension, 6"	EA	448
14	Waterous Fire Hydrant Extension, 12"	EA	527.50
15	Waterous Fire Hydrant Extension, 18"	EA	612
16	Waterous Fire Hydrant Extension, 24"	EA	692,50
17	Waterous Traffic Kit, Old Style (K525/10")	EA	292
18	Waterous Traffic Kit, New Style (K528/16")	EA	388.75
19	Waterous Hydrant Kit K834, Hydrant Head w/Traffic Kit	EA	2600
20	Waterous Hydrant Kit K836, Hydrant Head	EA	1406
21	Waterous Hydrant Part #60 (Hydrant Head)	EA	567
22	RoDon Hydra-Finder Hydrant Marker, 60"	EA	16.95
23	Valve Seat - #31	EA	386.94
24	Main Valve Rubber #35	EA	67.44
25	Breakable Flange #113	EA	54.80
26	Flange Lock Ring #64	EA	16.86
27	Coupling Sleeve (2 halves) #67	EA	29.50
28	ower Operating Nut #17A	EA	69.97
29	Orain Plunger #7	EA	32.88



### RETURN WITH BID

NO.	ITEM	UNIT	UNIT COST
30	Nozzle - Hose #12	EA	1/6.33
31	Nozzle - Pumper #12	EA	330.45
32	Cap Gasket Hose #11	EA	927
33	Cap Gasket Pumper #11	EA	9,27
34	Nozzle Cap Hose #10	EA	97.79
35	Nozzle Cap Pumper #10	EA	168.60
36	O-Ring (Hose Nozzle) 3-1/4 X 3-5/8 #118	EA	9,27
37	O-Ring (Pumper Nozzle) 5-1/4 X 5-5/8 #116	EA	10.12
38	Hose Nozzle Retainer #119	EA	42.15
39	Pumper Nozzle Retainer #117	EA	54.80
40	Cap Gasket - Pumper #11	EA	9,27
41	Cap Gasket- Hose #11	EA	9.27
42	Nozzle Cap - Pumper #10	EA	168,60
43	Brass Lock Nuts #87	EA	4.22
٩44	T-Bolts and Nuts (Per Case) 50 per Case	EA	225
Valv	es and Related Parts	-	
45	Clow Cutting in Valve, 2"	EA	
46	Clow Cutting in Valve, 4"	EA	595
47	Clow Cutting in Valve, 6"	EA	805
48	Clow Cutting in Valve, 8"	EA	1250
49	Clow Cutting in Valve, 10"	EA	1905
50	Clow Cutting in Valve, 12"	EA	2402
51	American Flow Control Gate Valve, 2" w/ Mechanical Joint Ends	EA	295
52	American Flow Control Gate Valve, 4" w/ Mechanical Joint Ends	EA	409
53	American Flow Control Gate Valve, 6" w/ Mechanical Joint Ends	EA	522
54	American Flow Control Gate Valve, 8" w/ Mechanical Joint Ends	EA	832
55	American Flow Control Gate Valve, 10" w/ Mechanical Joint Ends	EA	1296
56	American Flow Control Gate Valve, 12" w/ Mechanical Joint Ends	EA	1640
57	American Flow Control Gate Valve, 14" w/ Mechanical Joint Ends	EA	5390



#### RETURN WITH BID

NO.	ITEM	<u>UNIT</u>	UNIT COST
58	American Flow Control Gate Valve, 16" w/ Mechanical Joint Ends	EA	5390
<sup>‡</sup> 59	American Flow Control Gate Valve, 2" w/ ALPHA Standard Restrained Joint Ends	EA	
60	American Flow Control Gate Valve, 4" w/ ALPHA Standard Restrained Joint Ends	EA	535
61	American Flow Control Gate Valve, 6" w/ ALPHA Standard Restrained Joint Ends	EA	685
62	American Flow Control Gate Valve, 8" w/ ALPHA Standard Restrained Joint Ends	EA	1045
63	American Flow Control Gate Valve, 10" w/ ALPHA Standard Restrained Joint Ends	EA	1625
64	American Flow Control Gate Valve, 12" w/ ALPHA Standard Restrained Joint Ends	EA	2050
65	American Flow Control Gate Valve, 14" w/ ALPHA Standard Restrained Joint Ends	EA	
66	American Flow Control Gate Valve, 16" w/ ALPHA Standard Restrained Joint Ends	EA	<u> </u>
67	American Flow Control Gate Valve, 2" w/ ALPHA XL Restrained Joint Ends	EA	
68	American Flow Control Gate Valve, 4" w/ ALPHA XL Restrained Joint Ends	EA	486
69	American Flow Control Gate Valve, 6" w/ ALPHA XL Restrained Joint Ends	EA	612.50
70	American Flow Control Gate Valve, 8" w/ ALPHA XL Restrained Joint Ends	EA	953
71	American Flow Control Gate Valve, 10" w/ ALPHA XL Restrained Joint Ends	EA	1482
72	American Flow Control Gate Valve, 12" w/ ALPHA XL Restrained Joint Ends	EA	1839
73	American Flow Control Gate Valve, 14" w/ ALPHA XL Restrained Joint Ends	EA	
74	American Flow Control Gate Valve, 16" w/ ALPHA XL Restrained Joint Ends	EA	-
75	Tyler Valve Box, 664-S Complete w/Lid	. EA	175
76	Tyler Valve Box Extension, #58-A	EA	53
77	Tyler Valve Box Extension, #59-A	EA	64
78	Tyler Valve Box Extension, #60-A	EA	65
79	Tyler Valve Box Extension, #69A - 9"	EA	52
80	Tyler Valve Box Extension, #69A - 18" (Foreign OK)	EA	42
81	Tyler Valve Box Extension, #69A - 24" (Foreign OK)	EA	42



#### RETURN WITH BID

NO.	ITEM	UNIT	UNIT COST
Rep	air Parts and Fittings		
82	4" Non-Shear Mission Coupling (Clay to Plastic)	EA	17.50
83	6" Non-Shear Mission Coupling (Clay to Plastic)	EA	29.50
84	8" Non-Shear Mission Coupling (Clay to Plastic)	EA	36.50
85	10" Non-Shear Mission Coupling (Clay to Plastic)	EA	51
86	12" Non-Shear Mission Coupling (Clay to Plastic)	EA	58
87	15" Non-Shear Mission Coupling (Clay to Plastic)	EA	92
88	4" Non-Shear Mission Coupling (Plastic to Plastic)	EA	16.50
89	6" Non-Shear Mission Coupling (Plastic to Plastic)	EA	23,50
90	8" Non-Shear Mission Coupling (Plastic to Plastic)	. EA	Jo
91	10" Non-Shear Mission Coupling (Plastic to Plastic)	EA	49
92	12" Non-Shear Mission Coupling (Plastic to Plastic)	EA	56
93	15" Non-Shear Mission Coupling (Plastic to Plastic)	EA	148
94	2" x 8" Repair Clamp	EA	59
95	4" x 8" Repair Clamp	EA	75
96	6" x 8" Repair Clamp	EA	89
97	6" x 8" Repair Clamp w/ 3/4" Tap	EA	124
ື 98	6" x 8" Repair Clamp w/ 1" Tap	EA	124
99	6" x 10" Repair Clamp	EA	1/7
100	6" x 12" Repair Clamp	EA	137
101	6" x 16" Repair Clamp	EA	175
102	6" x 36" Repair Clamp	EA	577
	8" x 8" Repair Clamp	EA	101
	8" x 8" Repair Clamp w/ 3/4" Tap	EA	135
105	8" x 8" Repair Clamp w/ 1" Tap	EA	135
106	8" x 10" Repair Clamp	EA	13.3
107	8" x 12" Repair Clamp	EA	161
108	8" x 16" Repair Clamp	EA	201
109	8" x 36" Repair Clamp	EA	Ce15



#### RETURN WITH BID

NO.	ITEM	UNIT	UNIT COST
110	10" x 10" Repair Clamp	. EA	179
111	10" x 12" Repair Clamp	EA	221
112	12" x 12" Repair Clamp	EA	243
113	12" x 16" Repair Clamp	EA	314
114	12" x 36" Repair Clamp	EA	901
115	4" Tyler Cut in Sleeve	EA	440
116	6" Tyler Cut in Sleeve	EA	587
117	8" Tyler Cut in Sleeve	EA	760
118	10" Tyler Cut in Sleeve	EA	932
119	12" Tyler Cut in Sleeve	EA	1242
120	4" Full Body MJ Ductile Iron Solid Sleeve	EA	/39
121	6" Full Body MJ Ductile Iron Solid Sleeve	EA	194.50
122	8" Full Body MJ Ductile Iron Solid Sleeve	EA	248
123	10" Full Body MJ Ductile Iron Solid Sleeve	EA	364
124	12" Full Body MJ Ductile Iron Solid Sleeve	EA	484
125	14" Full Body MJ Ductile Iron Solid Sleeve	EA	1/9/
126	16" Full Body MJ Ductile Iron Solid Sleeve	EA	1520
127	2" Cast Couplings	EA	124
128	4" Cast Couplings	EA	177
129	6" Cast Couplings	EA	240.50
130	8" Cast Couplings	EA	283
131	10" Cast Couplings	EA	425
132	12" Cast Couplings	EA	471
133	14" Cast Couplings	EA	
134	16" Cast Couplings	EA	
135	2" Single Bolt Standard Cast Couplings	EA	of the same
136	4" Single Bolt Standard Cast Couplings	EA	366
137	5" Single Bolt Standard Cast Couplings	EA	475
138	B" Single Bolt Standard Cast Couplings	EA	539



#### RETURN WITH BID

NO.	ITEM	UNIT	UNIT COST
139	10" Single Bolt Standard Cast Couplings	EA	698
140	12" Single Bolt Standard Cast Couplings	EA	821
141	14" Single Bolt Standard Cast Couplings	EA	
142	16" Single Bolt Standard Cast Couplings	EA	
143	2" Single Bolt XL Cast Couplings	EA	
144	4" Single Bolt XL Cast Couplings	EA	382
145	6" Single Bolt XL Cast Couplings	EA	495
146	8" Single Bolt XL Cast Couplings	EA	562
147	10" Single Bolt XL Cast Couplings	EA	726
148	12" Single Bolt XL Cast Couplings	EA	855
149	14" Single Bolt XL Cast Couplings	EA	
150	16" Single Bolt XL Cast Couplings	EA	
151	2" Single Bolt Transition Cast Couplings	EA	
152	4" Single Bolt Transition Cast Couplings	EA	374
153	6" Single Bolt Transition Cast Couplings	EA.	475
154	8" Single Bolt Transition Cast Couplings	EA	550
155	10" Single Bolt Transition Cast Couplings	EA	7/2
156	12" Single Bolt Transition Cast Couplings	EA	<b>8</b> 38
157	14" Single Bolt Transition Cast Couplings	· EA	
158	16" Single Bolt Transition Cast Couplings	EA	
159	4" Megalug Restraint for Ductile Iron Pipe	. EA	37
160	4" Megalug Restraint for PVC Pipe	EA	41
161	6" Megalug Restraint for Ductile Iron Pipe	EA	48.50
162	6" Megalug Restraint for PVC Pipe	EA	54.00
163	8" Megalug Restraint for Ductile Iron Pipe	EA	60.50
164	8" Megalug Restraint for PVC Pipe	EA	68
165	10" Megalug Restraint for Ductile Iron Pipe	EA .	86.50
166	10" Megalug Restraint for PVC Pipe	EA	1/4
167	12" Megalug Restraint for Ductile Iron Pipe	EA	110



### RETURN WITH BID

NO	ITEM	UNIT	UNIT COST
168	12" Megalug Restraint for PVC Pipe	EA	119,50
169	2" Tyler Mechanical Joint Accessory Kit	EA	177100
170	4" Tyler Mechanical Joint Accessory Kit	EA	29
171	6" Tyler Mechanical Joint Accessory Kit	EA	78
172	8" Tyler Mechanical Joint Accessory Kit	EA	41.50
173	10" Tyler Mechanical Joint Accessory Kit	EA	57.50
174	12" Tyler Mechanical Joint Accessory Kit	EA	(00
175	4" Ductile Iron Tyler Bored Out Flange	EA	4/7
176	6" Ductile Iron Tyler Bored Out Flange	EA	63
177	8" Ductile Iron Tyler Bored Out Flange	EA	99
178	10" Ductile Iron Tyler Bored Out Flange	EA ·	139
179	12" Ductile Iron Tyler Bored Out Flange	EA	210
Wat	ermain Pipe Items	<del>.</del> <u> </u>	
180	4" CL 52 Ductile Iron Pipe, 18'	EA	455.40
181	6" CL 52 Ductile Iron Pipe, 18'	EA	350.10
182	8" CL 52 Ductile Iron Pipe, 18'	EA	493.74
183	10" CL 52 Ductile Iron Pipe, 18'	EA	647.10
184	12" CL 52 Ductile Iron Pipe, 18'	EA	814.86
	16" CL 52 Ductile Iron Pipe, 18'	EA	1/79.36
Wate	er Service Related Items		
186	3/4" Flared Corporation Stop	EA	23.65
187	1" Flared Corporation Stop	EA	36,15
188	1 1/2" Flared Corporation Stop	EA	110.95
189	2" Flared Corporation Stop	EA	193.80
190	3/4" Full Port Flared Curb Box	EA	56.95
191	1" Full Port Flared Curb Box	EA	76.85
192	1 1/2" Full Port Flared Curb Box	EA	180.60
193	2" Full Port Flared Curb Box	EA	292.20
194	1 1/4" Curb Box	EA	25
195	1 1/2" Curb Box	EA	44



### RETURN WITH BID

<u>NO.</u>	ITEM	UNIT	UNIT COST
196	1 1/4" Curb Box Top	EA	
<b>1</b> 97	Curb Box Extension Replacement Slip Sleeve 125 x 6 "	EA	16.70
198	3/4" Type K Copper - 60' Roll	EA	183
199	3/4" Type K Copper - 100' Roll	EA	305
200	1" Type K Copper - 60' Roll	EA	240
201	1" Type K Copper - 100' Roll	EA	400
202	1 1/2" Type K Copper - 60' Roll	EA	393
203	1 1/2" Type K Copper - 100' Roll	EA	655
204	2" Type K Copper - 40' Roll	EA	408.80
205	2" Type K Copper - 60' Roll	EA	613.20
206	3/4" Copper to 3/4" Copper Coupling	EA	13.96
207	3/4" Copper to 1" Copper Coupling	EA	20.72
208	1" Copper to 1" Copper Coupling	EA	24.48
209	3/4" Copper to 3/4" Strong Lead-Pack Coupling	EA	23,30
210	3/4" Copper to 3/4" Extra Strong Lead-Pack Coupling	EA	27.55
211	3/4" Copper to 3/4" Double Extra Strong Lead-Pack Coupling	EA	32.50
212	1" Copper to 3/4" Strong Lead-Pack Coupling	EA	40.85
213	1" Copper to 3/4" Extra Strong Lead-Pack Coupling	EA	39.40
214	1" Copper to 1" Strong Lead-Pack Coupling	EA	48.60
215	1" Copper to 1" Extra Strong Lead-Pack Coupling	EA	34.65
216	1" Copper to 1" Double Extra Strong Lead-Pack Coupling	EA	43.85
Met	e <u>r Items</u>		·
217	3/4" Ford Meter Horn	EA	60.80
218	1" Ford Meter Horn	EA	94.55
219	3/4" Ford Ball Valve (Check Specifications)	EA .	
220	1" Ford Ball Valve (Check Specifications)	EA	
221	5/8" x 1/2" Pipe Thread Ford Meter Coupling	Pkg	
222	5/8" x 3/4" Pipe Thread Ford Meter Coupling	Pkg	10.35
223	3/4" Ford Meter Coupling	Pkg	9.90



### RETURN WITH BID

NO.	ITEM	LIANT	UNITCOCT
	1" Ford Meter Coupling	UNIT	UNIT COST
<u></u>		Pkg	13.70
	1 1/2" Large Bronze Meter Flange Kit	EA	81.95
<del> </del>	2" Large Bronze Meter Flange Kit	EA	1/8
227	3" Large Bronze Meter Flange Kit	EA	225
228	4" Large Bronze Meter Flange Kit	EA	<i>350</i>
229	3" Zenner FHZ30S Hydrant Meter w/Check Valve	EA	920
230	Ground clamp, 1 1/2"	EA	
	m Sewer Items		
231	Manhole Frame & Solid Lid, 4", R-1647-B	EA	295
232	Manhole Frame & Solid Lid, 7", R-1772-B	EA	272
233	Manhole Frame & Solid Lid, 9", R-1713-B	EA	304
234	Combination Inlet Frame, Grate, & Curb Box, R-3015-R	EA	425
235	Beehive Grate, R-4340-B	EA	170
236	Beehive Grate, R-4341-A	EA	
237	Beehive Grate, R-4342	EA	
238	Solid Cover R-1712	EA	126
239	Open Cover R-2502, Type D	EA	126
240	Curb Box - R-3015	EA	
241	Curb Frame R-3015	EA	
	Grate - R-3015	EA	
243	Inlet Filter for IDOT Type 1 Frame	EA	1/2
244	Inlet Filter for IDOT Type 8 Frame	EA	112
245	Inlet Filter for IDOT Type 23 Frame	EA	117.50
246	Concrete Adjusting Ring, 2"	EA	16
247	Concrete Adjusting Ring, 3"	EA	19
248	Concrete Adjusting Ring, 4"	EA	22.50
249	Concrete Adjusting Ring, 6"	EA	26.50
250	HDPE Adjusting Ring, 3/4" x 1-1/2"	EA	26
251	Composite Adjusting Ring, 0.75"	EA	-3.3
252	Composite Adjusting Ring, 1"	EA	37
		<del></del>	



### RETURN WITH BID

NO.	ITEM	UNIT	UNIT COST
<b>y</b> 253	Composite Adjusting Ring, 1.25"	EA	43
254	Composite Adjusting Ring, 1.5"	EA	49
255	Composite Adjusting Ring, 1.75"	EA	5 <b>3</b>
256	Composite Adjusting Ring, 2"	EA	59
257	Composite Adjusting Ring, 2.25"	EA	65
258	Composite Adjusting Ring, 2.5"	EA	70
259	Composite Adjusting Ring, 4"	EA	102
260	Composite Adjusting Ring, 6"	EA	142
261	M-1 Structural Adhesive/Sealant	EA	16.50
262	2' x 24" Catch Basin with Base	EA	115
263	2' x 30" Catch Basin with Base	EA	Na
264	2' x 36" Catch Basin with Base	EA	
265	2' x 48" Catch Basin with Base	EA	
266	3' x 36" Catch Basin with Base	EA	
267	3' x 16" Barrell Section	EA	
268	3' x 24" Barrell Section	EA	
269	3' x 36" Barrell Section	EA	
270	3'x 48" Barrel Section	EA	
271	3' x 18" Cone Offset	EA	
272	3' Flat Top Eccentric Opening, Non-Tongue and groove	EA	
273	3' Flat Top Concentric Opening, Non-Tongue and groove	EA	
274	3' Flat Top Eccentric Opening, Tongue and Groove	EA	
275	3' Flat Top Concentric Opening, Tongue and groove	EA	· ·
276	3' Diameter Base	. EA	
277	4' Flat Top, 6" Thickness, Concentric Opening, Tongue and Groove	EA ·	
278	4' Flat Top, 6" Thickness Eccentric Opening Tongue and Groove	EA	
279	4' Flat Top, 6" Thickness, Concentric Opening, Non-Tongue and Groove	EA	
280	4' Flat Top, 6" Thickness Eccentric Opening Non-Tongue and Groove	EA	



#### RETURN WITH BID

NO.	ITEM	UNIT	UNIT COST
281	4' Flat Top, 12" Thickness, Concentric Tongue and Groove	EA	21/3
282	4' Flat Top, 12" Thickness, Eccentric Tongue and Groove	EA	
283	4' Flat Top, 12" Thickness, Concentric Non-Tongue and groove	EA	
284	4' Flat Top, 12" Thickness, Eccentric Non-Tongue and groove	EA	
285	4' x 32" Manhole with Base	EA	
286	4' x 48" Barrel Section	EA	
287	4' Base	EA	
288	5' Flat Top, 6" Thickness, Concentric Opening, Tongue and Groove	EA	
289	5' Flat Top, 6" Thickness Eccentric Opening Tongue and Groove	EA	
290	5' Flat Top, 6" Thickness, Concentric Opening, Non-Tongue and Groove	EA	
291	5' Flat Top, 6" Thickness Eccentric Opening Non-Tongue and Groove	EA	/
292	5' Flat Top, 12" Thickness, Concentric Tongue and Groove	EA .	
293	5' Flat Top, 12" Thickness, Eccentric Tongue and Groove	EA	
294	5' Flat Top, 12" Thickness, Concentric Non-Tongue and groove	EA	
295	5' Flat Top, 12" Thickness, Eccentric Non-Tongue and groove	EA	
296	5' x 32" Manhole with Base	EA	
297	5' x 48" Barrel Section	EA	
298	5' Base	EA	
299	12" Diameter ADS N-12 (Water Tight Joints, 20' Sticks)	EA	1/7.20
300	15" Diameter ADS N-12 (Water Tight Joints, 20' Sticks)	EA	163
301	12" Diameter RCP	EA	NQ
302	15" Diameter RCP	EA	7
303	18" Diameter RCP	EA	
304	24" Diameter RCP	EA	
305	12" Diameter RCP Flared End Section	EA	



#### RETURN WITH BID

<u>NO.</u>	<u>ITEM</u>	<u>UNIT</u>	UNIT COST
306	15" Diameter RCP Flared End Section w/Grate	EA	1/0
307	18" Diameter RCP Flared End Section w/Grate	EA	う
308	24" Diameter RCP Flared End Section w/Grate	EA	
<u>Sani</u>	ary Sewer Items	<u> </u>	<u> </u>
309	Sanitary Manhole Chimney Seals	EA	144
310	4" SDR-26 PVC Pipe, 14'	EA	18.90
311	6" SDR-26 PVC Pipe, 14'	EA	40.32
312	8" SDR-26 PVC Pipe, 14'	EA	72.66
313	10" SDR-26 PVC Pipe, 14'	EA	1/3,68
314	12" SDR-26 PVC Pipe, 14'	EA	162.12
315	15" SDR-26 PVC Pipe, 14'	EA	246.40
316	18" SDR-26 PVC Pipe, 14'	EA	385.28
Misc	ellaneous Items		
317	Krylon Industrial Quik-Mark Blue Marking Paint, 17 Oz	EA	3,75
318	Krylon Industrial Quik-Mark Green Marking Paint, 17 Oz	EA	3.75
319	Krylon Industrial Quik-Mark White Marking Paint, 17 Oz	EA	3.75
320	Hydraulic Cement, 50 LB Pail	EA	30,99
321	Masonary Mortar Type M, 80lb Bag	EA	
322	Butyl Rubber Sealant Tape, 3/8"x3"x50'	Roll	
323	Butyl Rubber Sealant Tape, 3/8"x6"x50'	Roll	
324	Butyl Rubber Sealant Tape, 3/8"x9"x50'	Roff	
325	Butyl Rubber Sealant Tape, 3/8"x12"x50'	Roll	
326	Butyl Rubber Sealant, 3/8"x3.5"x16'	Roll	
327	Butyl Rubber Sealant, 3/4"x3/4"x16'	Roll	
328	Type II Barricade	EA	



	Signature of Bidder	
	Búsiness Address	
(If a partnership)		
•	Firm Name	
	Signed by	
	Business Address	
		- Command Management According that street and a Management According to
	Insert	
	Names and Addresses of All Partners	
(If a corporation)		
	Corporate Name WATER PRODUCTS CO	mpAN
	Signed By Lizelli 1000	
		President
	Business Address <u>PO BOX 50</u>	
	AURORA, IL 6050	
	President William WiTzcc	
	Secretary Pau Glowade:	
$\Theta$	Treasurer	
Altest:	1/10/1	

Signatures

#### BIDDER'S CERTIFICATION



I/We hereby certify that:

F. I/We have in place a:

thereof to the City of Aurora or

- A. A complete set of bid papers as intended have been received and that I/We will abide by the contents and/or information received and/or contained therein.
- B. I/We have not entered into any collusion or other unethical practices with any other person, firm, or employee of the City, which would in any way be construed as an unethical practice.
- C. I/We comply with all current Federal, State, and Local laws, statutes, rules, and regulations referencing equal opportunity employment practices.
- D. I/We will abide by all codes, rules, regulations, ordinances, and statutes of the City of Aurora, Counties of Kane, DuPage, as applicable and the State of Illinois and the United States of America.
- E. I/We hereby certify that we have adopted a written sexual harassment policy which is in accordance with the requirements set forth in 775 ILCS 5/2-105(A)(4) and further certify that I/We are also in compliance with all other requirements contained in 775 ILCS 5/2-105(A).

☐ written program which meets or exceeds the program requirements of the Substance abuse Prevention on Public Works Projects Act (Public Act 95-0635), and will provide a written copy

☐ collective bargaining agreement which dea	
Abuse Prevention on Public Works Projects A	
check the box for the policy that applies	
WATER PRODUCTS COMPANY CO	mpany or Aurora
Company Name	
Po Box 50 AUTOTA IC	6057
Address	
Pau 610 wale	· 
Name of Corporate or Company Official (print)	
Pal I Stark	Scen Pary
Authorized Signature	Title
Date /6 /28 /19	Phone 630-898-3336

## **Certification Regarding Debarment, Suspension and Other Responsibility Matters**

The prospective participant to the best of its knowledge and belief that it and its principles:

- (a) Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;
- (b) Have not within a three year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property.
- (c) Are not presently indicted for or otherwise criminally or civilly charged by a government entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph (1) (b) of this certification; and
- (d) Have not within a three-year period preceding this application/proposal had one or more public transactions (Federal, State or local) terminated for cause or default.

I understand that a false statement on this certification may be grounds for rejection of this proposal or termination of the award. In addition, under 18 USC Sec. 1001, a false statement may result in fine of up to \$10,000 or imprisonment for up to 5 years, or both.

10/28/19

(Signature of Authorized Representative) (Date)

I am unable to certify the above statements. My explanation is attached.

EPA FORM 5700-49 (11-88)

### Bidder Certification In Compliance with Article 33E to the "Criminal Code of 1961" \_\_\_\_\_, do hereby certify that: of the WATU and have authority to execute this certification on behalf of the firm 2. This firm is not barred from bidding on this contract as a result of a violation of Section33E-3, Bid-rigging, or Section 33E-4, Bid Rotating, as set forth in Article 33E to the "Criminal Code of 1961." Name of Firm W Title Date Corporate Seal (where appropriate) 2019, before me appeared (Name) day of OCTOBOR to me personally known, who, being duly sworn, did execute the foregoing affidavit, and did state that he or she was properly authorized by (Name of Firm) WATON PRODUCTS Company to execute the affidavit and did so as his or her free act and deed. Commission Expires \_ **Notary Seal**



### **SPECIAL PROVISIONS**

INDEX

Provision

Title

Number

- SP 1 FIRE HYDRANT ASSEMBLY
- SP 2 HYDRANT METER
- SP 3 VALVES
- SP 4 VALVE BOXES
- SP 5 MISSION COUPLING
- SP 6 REPAIR CLAMP
- SP 7 DUCTILE IRON SLEEVE FITTINGS
- SP 8 CAST COUPLINGS
- SP 9 SINGLE BOLT CAST COUPLINGS
- SP 10 MEGALUG RETAINER GLAND
- SP 11 MECHANICAL JOINT ACCESSORY KIT
- SP 12 DUCTILE IRON BORED OUT FLANGE
- SP 13 SDR-26 PVC PIPE
- SP 14 CLASS 52 DUCTILE IRON PIPE
- SP 15 CORPORATION STOP
- SP 16 CURB BOX
- SP 17 METER HORN
- SP 18 BALL VALVE
- SP 19 METER COUPLING
- SP 20 TYPE K COPPER
- SP 21 WATER METER FLANGE KIT
- SP 22 MARKING PAINT
- SP 23 NEENAH FRAME AND GRATES

### **SPECIAL PROVISIONS**

*INDEX* 

Provision

Title

Number

SP 24 - HYDRAULIC CEMENT

SP 25 – STORM STRUCTURES

SP 26 – TYPE II BARRICADE

SP 27 – GROUND CLAMP

SP 28 – BUTYL MASTIC SEALANT

SP 29 – ADS PIPE

SP 30 - COMPOSITE ADJUSTMENT RINGS

SP 31 - T-BOLTS AND NUTS

SP 32 – INLET FILTERS

SP 33 – CHIMNEY SEALS

SP 34 - WATER SERVICE COUPLINGS

### CITY OF AURORA SPECIAL PROVISIONS

The following Special Provisions supplement the "General Specifications," the Illinois Department of Transportation's "Standard Specifications For Road and Bridge Construction," (herein after called the "Standard Specifications", the City of Aurora's "Standard Specifications for Improvements," the "Supplemental Specifications and Recurring Special Provisions," the "Standard Specifications for Water And Sewer Main Construction in Illinois, Sixth Edition," the "Standard Specifications for Traffic Control Items," and the latest edition of the "Illinois Manual on Uniform Traffic Control Devices for Streets and Highways" in effect on the date of invitation for proposals. These special provisions apply to and govern the Water & Sewer Maintenance Division 2020 Materials and Supplies Request for Quotations and in case of conflict with any part or parts of said specifications; these Special Provisions shall take precedence and shall govern.

All appropriate parts shall be lead free and be stamped "NL". Materials are to be manufactured in the United States. Any variation from the special provisions below should be approved prior to providing bid pricing.

All materials shall be delivered to the Water & Sewer Maintenance Division within 5 business days of being ordered.

#### <u>SP 1 - FIRE HYDRANT ASSEMBLY</u>

These specifications are to be used in conjunction with the AWWA Standard C502 for fire hydrants for ordinary water works service, and the City of Aurora's Standard Specifications for Improvements.

All materials used in the production of fire hydrants for ordinary service shall conform to the specifications designated for each material listed in AWWA Standard C502.

The hydrant shall be Waterous Pacer WB-67 (5 1/4" barrel) of a pattern approved by the Engineer. The seat must be bronze. The name or mark of the manufacturer, size of the valve opening shall be plainly cast in raised letters and so placed on the hydrant barrel as to be visible after the hydrant has been installed.

Hydrant markers shall be RoDon Hydra-Finder Hydrant Markers or an engineer approved equal. The marker shall be a 3/8" diameter white laminar matrix fiberglass shaft with 6" wide high reflectivity red striping tape. The hydrant marker shall have a standard length of 5'. The fiberglass shaft shall be attached to a heavy duty MIL SPEC chrome-plated spring mount connected to a 5/8" diameter bolt-on steel flat mounting bracket.

See the Figure 6 attached at the end for a diagram showing the specific hydrant replacement parts.

The ALPHA restraint joint shall have a working pressure of 350 psi and be as licensed and manufactured by Romac Industries, Inc.

#### **SP 2 - HYDRANT METER**

The Hydrant Meter shall be designed to measure a wide variety of cold potable water flows from hydrants where flows are in one direction. The hydrant meter provided shall be a Zenner FHZ30S or approved equal. The hydrant meter shall comply with AWWA C701 Class II performance standards. The only moving parts in the meter shall be the rotor assembly and vertical shaft. All components of the meter shall be lead free. The optional NC2530B-CV check valve assembly shall be included with the hydrant meter. The meters shall be 3" and read in century cubic feet.

#### SP 3 - VALVES

The minimum requirements for all valves shall, in design, material and workmanship, conform to the standards of the latest AWWA C509-87, and C504. All materials used in the manufacture of waterworks valves shall conform to the AWWA standards designed for each material listed.

<u>Gate Valve</u>: Gate valves shall be resilient wedge with cast iron body, fully bronze mounted, non-rising stem with upper and lower thrust collars. Waterways shall be smooth. All valves shall open by turning counterclockwise. Valves shall meet or exceed ANSI/AWWA C-515-99 latest revision. Gate valves shall be Waterous series 2500 Resilient Wedge Gate Valves. All nuts, bolts, and threaded rods shall be stainless steel, Grade 304 bolts and Grade 316 nuts.

All gate valves shall be furnished with O-Ring Stem Seals. Number, size and design shall conform to the AWWA Standard for R/W valve O-Ring Stem Seals.

<u>Cutting in Valve</u>: Cutting in valves shall be resilient wedge with cast iron body, fully bronze mounted, non-rising stem with upper and lower thrust collars. Waterways shall be smooth. All valves shall open by turning counterclockwise. Valves shall meet or exceed ANSI/AWWA C-509 latest revision. Cutting in valves shall be Clow Model 2640 cutting in joint (MCJ) end Valves. All nuts, bolts, and threaded rods shall be stainless steel, Grade 304 bolts and Grade 316 nuts.

All cutting in valves shall be furnished with O-Ring Stem Seals. Number, size and design shall conform to the AWWA Standard for R/W valve O-Ring Stem Seals.

The ALPHA restraint joint shall have a working pressure of 350 psi and be as licensed and manufactured by Romac Industries, Inc.

#### **SP 4 - VALVE BOXES**

Valve boxes and extensions must be cast iron only. Valve boxes shall be 6855 Series as manufactured by Tyler Union. Adjustable cast iron valve boxes shall be slide type. The slide type valve box shall be adjustable by sliding the upper section over the lower section. As shown on the schedule of prices, this item shall be bid as a complete system and as spare parts for purchase as needed. Castings with cast iron ring and cover, and cast iron parts of valve boxes, shall conform to the requirements of Standard Specifications for Gray Iron Castings, ASTM Designation A-48.

#### **SP 5 - MISSION COUPLING**

Mission repair couplings shall be Style CNSS non-shear sewer couplings as manufactured by Cascade Water Works, Mfg. Co. of Yorkville, IL. The coupling shall be constructed with an outer shell of T-304 (ASTM A-240/ASME SA-240) stainless steel with three stainless steel heavy duty

worm gear fasteners (SAE J-1508 - MIL 5059-A) permanently welded in place and passivated per ASTM A-380. The shell shall fully encircle a 40 durometer ribbed gasket made from virgin SBR (ASTM D2000) rubber formulated for sewer service.

#### SP 6 - REPAIR CLAMP

Repair clamps shall be manufactured by The Ford Meter Company, Inc. (FS1), Cascade Waterworks MFG. (CR1), Smith/Blair (261), PowerSeal (3121AS) or an approved equal. All repair clamps shall have type 304 stainless steel components and an 18/8 grade. All clamps shall have a Nitrile (Buna-N) gasket. The lugs shall also be type 304 stainless steel.

#### **SP 7 - DUCTILE IRON SLEEVE FITTINGS**

All fittings shall be ductile iron conforming to the latest ANSI specifications A21.10 for short body fittings, twelve inches (12") or less, and AWWA C110 for fittings fourteen inches (14") or larger. Long body sleeves shall be provided unless directed otherwise. When specified to have mechanical joints, Mega Lug wedge action retaining glands, or approved equal shall be included. All nuts and bolts used for jointing shall be stainless steel, Grade 304 bolts, and Grade 316 nuts. Ductile Iron sleeves shall be manufactured by Tyler Union or an approved equal.

#### **SP 8 - CAST COUPLINGS**

Cast Couplings shall be manufactured by The Ford Meter Company, Inc. (Style FC1), Cascade Waterworks MFG. (Omega Coupling), Smith/Blair (441), PowerSeal (3501), or an approved equal. All couplings shall meet or exceed requirements of AWWA C-219 and should have a minimum working pressure of 250 psi. All couplings shall be certified to NSF/ANSI 61-G with Nitrile (Buna N) gaskets. An approved equal is to come with stainless steel Grade 304 bolts and Grade 316 nuts.

#### SP 9 – SINGLE BOLT CAST COUPLINGS

Single Bolt Cast Couplings shall be Alpha restrained joint manufactured by Romac Industries, Inc. or an approved equal. All couplings shall meet or exceed requirements of AWWA A 536, grade 65-45-12 and should have a minimum working pressure of 350 psi. All couplings shall contact gaskets certified by UL to meet NSF/ANSI 61. An approved equal is to come with stainless steel Grade 304 bolts and Grade 316 nuts.

#### **SP 10 - MEGALUG RETAINER GLAND**

MegaLug retainer glands shall be Series 1100 (DI) or Series 2000PV (PVC) as manufactured by EBBA Iron Inc. or approved equal (set screw retainer glands will not be accepted). The mechanical joint restraint shall be constructed of ductile iron meeting ASTM A536 and it shall have a pressure rating of 350 PSI. All nuts and bolts shall be stainless steel, Grade 304 bolts and Grade 316 nuts.

#### SP 11 - MECHANICAL JOINT ACCESSORY KIT

The mechanical joint accessory kit shall include a rubber gasket and a ductile iron backing flange of the size specified in the pay item and the appropriate number of bolts required for the kit size. The kit manufacturer shall be Tyler Union, or an approved equal, and the components shall be for use with ductile iron pipe. The mechanical joint restraint shall be constructed of ductile iron meeting ASTM A536 and it shall have a pressure rating of 350 PSI. All items shall be

manufactured in the U.S.A. All nuts and bolts shall be stainless steel, Grade 304 bolts and Grade 316 nuts.

#### **SP 12 - DUCTILE IRON BORED OUT FLANGE**

Ductile iron bored out flanges shall be manufactured by Tyler Union or an approved equal.

#### SP 13 - SDR-26 PVC PIPE

All pipe shall meet the requirements of ASTM D3034 for 4" through 15" and F679 for 18" through 36" pipe. All pipe shall be made from quality PVC resin, compounded to provide physical and mechanical properties that equal or exceed cell class 12454 or 12364 as defined in ASTM D1784. The bell shall consist of an integral wall section with a solid cross section elastomeric gasket which meets the requirements of ASTM F477.

SDR-26 PVC plastic pipe shall be tested as follows:

Manufacturer shall submit certified copies of all reports of tests conducted by an independent laboratory of PVC Plastic Pipe. Tests shall be conducted in accordance with Standard Method of Test for "External Loading Properties of Plastic Pipe by Parallel-Plate Loading", ASTM Standard D2412. Tests shall also be conducted in accordance with ASTM D 3212 to demonstrate joint performance at 5% maximum diametric deflection of the spigot, as specified in Article 7.4 of ASTM D 3212.

Maximum allowable ordinate as measured from the concave side of the pipe shall not exceed 1/16 inch per foot of length. Pipe shall be so constructed that the initial internal vertical diameter does not decrease by more than 5% in order to provide the complete hydraulic carrying capacity conceived by the design engineer, and to obtain the joint performance at 5% maximum diametric deflection as specified in Article 7.4 of ASTM D 3212.

#### SP 14 - CLASS 52 DUCTILE IRON PIPE

Ductile-iron pipe shall conform to ANSI Specification A21.51 or AWWA C151. Class 52, thickness designation, casting, marking, testing, etc. shall be provided in accordance with applicable ANSI or AWWA standards.

Cement lining shall be included in accordance with ANSI A21.4 (AWWA C-104). All pipe, specials and fittings shall be cement mortar lined in the shop with centrifugally spun lining in accordance with AWWA C205-85 or cement mortar lined mechanically in accordance with AWWA C602-83. Use ASTM C150, Type II, cement for lining. Field joints shall be made in accordance with AWWA C205, Appendix A.

Pipe joints shall be either push-on (rubber gasket) type as recommended by the pipe manufacturer. All pipe shall be furnished with a depth mark to assure that the spigot end is inserted to the full depth of the joint.

#### **SP 15 - CORPORATION STOP**

Corporation stops shall have flared connections conforming to ANSI/AWWA C-800 and shall be the following brands or approved equal: A.Y. McDonald 4701 or Ford F-600. All appropriate parts shall be lead free and be stamped "NL".

#### SP 16 - CURB BOX

All curb boxes shall be Minneapolis pattern with flared connections conforming to ANSI/AWWA C800 and shall be the following brands or approved equal: A.Y. McDonald 6104, Ford B22-444M, or Mueller H-15151. All curb boxes shall be 5'6" bury Minneapolis pattern with minimum 1-1/4" upper section equal to: A.Y. McDonald 5614 or Ford EM-55-56. (Accepted Brands: Mueller, Star Pipe Products, Sigma/Nappco, Bingham & Taylor or approved equal). All appropriate parts shall be lead free and be stamped "NL".

#### SP 17 - METER HORN

Meter horns shall be CH88-33 style as manufactured by The Fort Meter Box Company, Inc. or engineer approved equal. All brass shall conform to AWWA Standard C800 (ASTM B-62 and ASTM B-584, UNS NO C83600-85-5-5-5). Meter threads shall conform to AWWA C700. Copper shall conform to ASTM B-75 and shall consist of copper alloy #122.

#### SP 18 - BALL VALVE

Ford ball valves shall be manufactured in accordance with AWWA C800. The valve shall be designed to withstand water pressure up to 300 psi and maintain a watertight seal. The valve shall include a fluorocarbon-coated ball that is supported by molded Buna-N or EPDM rubber seats.

#### **SP 19 - METER COUPLING**

Meter couplings shall be C38-11-2-NL 5/8", C38-23-2-75-NL 3/4", or C38-44-2-625-NL 1" models as style as manufactured by The Fort Meter Box Company, Inc. or engineer approved equal. This item shall be bid per Package with 50 per package for the 5/8" size, 25 per package for the 3/4", and 15 per package for the 1" couplings. The 5/8" and 3/4" meter couplings shall have a 3/4" male thread size and the 1" meter couplings shall have a 1" male thread size. Couplings shall be Ford Meter Box no-lead brass products manufactured from UNS/CDA No. 89833 alloy.

#### SP 20 - TYPE K COPPER

Type K copper pipe shall be supplied in the diameter and length as specified. The type K copper shall have a color code of green and shall be in accordance with ASTM B 88 & AWWA publication M-22 entitled, "Water Service Lines And Meters".

### **SP 21 - WATER METER FLANGE KIT**

The flange kit shall include two water meter flanges, two gaskets, four stainless steel nuts and bolts for the 1½" and 2" flanges, eight stainless steel nuts and bolts for the 3" and sixteen stainless steel nuts and bolts for the 4" flanges. All parts and components manufactured 100% in USA. Parts shall be manufactured in accordance with the following specifications: Bronze casting C87850 ECOBRASS (.09% lead max), Round flanges conforming to ANSI B16.1, Gaskets ANSI/AWWA C111/A21.11, Bolts ANSI B18.2.1, Nuts SAE J995 Grade 5 with dimensional tolerances ANSI B182.2.2, & plating ASTM F1491. All appropriate parts shall be lead free and be stamped "NL".

#### **SP 22 - MARKING PAINT**

Marking paint provided shall be Krylon Industrial Quik-Mark (or approved equal) for inverted use,

water based, 20 ounces in size (net weight 17 oz), and of the color specified. The paint shall also be environmentally safe.

#### **SP 23 - NEENAH FRAMES AND GRATES**

Frames and lids shall be manufactured by NEENAH and the type specified. All manhole type B covers shall have "CITY OF AURORA" cast into the top in two (2) inch high lettering and shall be the concealed pick hole type. All type B covers shall have a machined surface and a watertight rubber gasket seal.

#### **SP 24 - HYDRAULIC CEMENT**

Hydraulic cement shall be Speccrete W-10 Waterstopper Plug Cement or an engineer approved equal. The compressive strength shall be a minimum 4,200 P.S.I. after 28 days per ASTM C-109. The hydraulic cement shall have a final set time of 3-5 minutes per CRD C-621. The requested material shall come in a 50 pound pail. The cost supplied shall be for each 50 pound pail of hydraulic cement.

#### **SP 25 - STORM STRUCTURES**

New storm structures shall be constructed of pre-cast reinforced concrete in accordance with the Standard Specifications for Water and Sewer Main Construction in Illinois.

#### SP 26 - TYPE II BARRICADE

All type II barricades shall be in conformance with the Illinois Department of Transportation's "Standard Specifications For Road and Bridge Construction" (current edition) and be equipped with a yellow light that is battery operated.

#### SP 27 - GROUND CLAMP

Ground clamps shall be Burndy C11N model or engineer approved equal. The ground clamp shall be cast bronze for cable to water pipe or copper tube connection using a 10 - 2 AWG. It shall connect to a  $\frac{1}{2}$ " to 1" water pipe with a torque of 50 of-in.

#### **SP 28 – BUTYL MASTIC SEALANT**

Butyl Mastic Sealant shall be NPC-Bidco C-56 Trelleborg or engineer approved equal. Each roll of Butyl Mastic Sealant shall be thickness, width and length as specified in the individual pay items. All approved equals shall meet or exceed the following:

- Federal Specifications SS-S-210 A "Sealing Compound, Preformed Plastic for Pipe Joints", Type 1, Rope Form
- AASHTO Designation M-198 75 I, Type B, Flexible Plastic Gasket (Bitumin)
- ASTM Designation C-990-91.

#### SP 29 - ADS PIPE

Pipe shall consist of N-12 Dual Wall WT IB HDPE Pipe as manufactured by Advanced Drainage Systems (ADS) or approved equal. The pipe supplied shall utilize water tight joints meeting ASTM D3212. The pipe shall be joined using a bell & spigot joint meeting AASHTO M252 for 4-10 inch diameter pipe, AASHTO M294 for 12-60 inch diameter pipe, and ASTM F2306 for 12-60 inch diameter pipe. Gaskets shall be installed by the pipe manufacturer and covered with a removable,

protective wrap to ensure the gasket is free from debris. Material for pipe and fitting production shall be high-density polyethylene confirming with the minimum requirements of cell classification 424420C for 4-10 diameters, and 435400C for 12-60 inch diameters, as defined and described in the latest version of ASTM D3350, except that carbon black content shall not exceed 4%.

### SP 30 - COMPOSITE ADJUSTMENT RINGS

The acceptable manufacturer shall be PRO-RING by Cretex Specialty Products or an approved equal. The grade adjustment rings shall be manufactured from ARPRO Expanded Polypropylene, (EPP), black. 5000 series meeting ASTM D3575 and ASTM D48-1913; B6D7G4L3M<sub>2</sub>4S2T<sub>1</sub>7W7. The rings shall be manufactured using a high compression molding process to produce a finished density of 120 g/l ((7.5pcf). "Grade" adjustment rings may contain either an upper or lower keyway (tongue and groove) for vertical alignment and/or an adhesive trench on the underside with a flat top. The grade adjustment rings shall be capable of supporting the minimum requirements of AASHTO M-306, H-25 and HS-25, be UV stable and be resistant to chemicals and corrosion commonly associated with the sanitary and storm sewer environments.

Sealant shall be Cretex 28 oz. adhesive sealant in white or approved equal and shall be paid for each tube. The M-1 Structural Adhesive/Sealant or equal meeting the following specifications shall be used to set the rings as required in the manufacturers specifications:

- ASTM C-920, Type S, Grade NS, Class 25, Uses NT, T, M, G, A and O
- Federal Specification TT-S-00239-C Type II, Class A
- Corps of Engineers CRD-C-541, Type II, Class A
- Canadian Standards Board CA 19, 13-M82
- AAMA 802.3-08 Type II, AAMA 803.3-08 Type I and AAMA 805.2-08 Group C

#### <u>SP 31 – T-BOLTS AND NUTS</u>

All T-Bolts and Nuts shall be manufactured per ANSI/AWWA C111/A21.11. The acceptable manufacturer shall be Active Waterworks Industries or an approved equal. T-Bolts shall be stainless steel grade 304 and nuts shall be stainless steel grade 316. The size shall be  $\frac{3}{4}$ " x 3.5". The cost supplied shall be per each case of 125 T-Head Bolts and Nuts.

#### SP 32 - INLET FILTERS

All inlet filters shall be Flex Storm Catch-it models as manufactured by Advanced Drainage Systems or an approved equal. The models provided shall fit inside the IDOT frame types listed.

#### SP 33 - CHIMNEY SEALS

All chimney seals shall be bandless and be Adaptor-Seal, Infi-Shield, CanUSA (wrapid seal), Flexrib or approved equal external chimney seal.

### **SP 34 – WATER SERVICE COUPLINGS**

All water service repair couplings shall be the model and manufacturer listed in the attached table below or an engineer approved equal. All connections to copper pipes shall utilize a flared fitting.

Water Service Coupling Models					
Part	Ford Meter Co.	A.Y. McDonald Mfg. Co.			
3/4" Flare Copper to 3/4" Flare Copper Coupling	Q22-33-NL	74758 3/4"			
3/4" Flare Copper to 1" Flare Copper Coupling	Q22-34-NL	74758 3/4"x1"			
1" Flare Copper to 1" Flare Copper Coupling	Q22-44-N <b>L</b>	74758 1"			
5/8" Double Extra Strong Lead (XXS) or 3/4" Strong Lead (S) to 3/4" Flare Copper Lead-Pack Coupling	Q12-33-Q32-23- NL	74758C-68 3/4"x5/8", 74758C- 66 3/4"			
3/4" XS to 3/4" Flare Copper Lead-Pack Coupling	Q22-33-NL	74758C-67 3/4"			
3/4" XXS to 3/4" Flare Copper Lead-Pack Coupling	Q32-33-NL	74758C-68 3/4"			
5/8" XXS or 3/4" S to 1" Flare Copper Lead-Pack Coupling	Q12-34-Q32-24- NL	74758C-68 1"x5/8", 74758C-66 1"x3/4"			
3/4" XS to 1" Flare Copper Lead-Pack Coupling	Q22-34-NL	74758C-67 1"x3/4"			
1" S to 1" Flare Copper Lead-Pack Coupling	Q12-44-NL	74758C-66 1"			
1" XS to 1" Flare Copper Lead-Pack Coupling	Q22-44-NL	74758C-67 1"			
1" XXS to 1" Flare Copper Lead-Pack Coupling	Q32-44-NL	74758C-68 1"			

#### ROUNT 21919 201H AVE SE, STE 100, BOTHELL, WA 98021 800.426.9341 425.951.6200 FAX: 425.951.6201 WWW.ROMAC.COM

	IND	USTRIES, INC.	
135	1	MACRO HP 2.12-2.55 X 4 SSFE EPOXY L&C, EPDM,304SS B&N NCI	
136	1	ALPHA 4.50-4.90 X 12 SSFE EPOXY L&C, SBR, 304SS B&N NCI	7
137	1	ALPHA 6.60-7.00 X 12 SSFE EPOXY L&C, SBR, 304SS B&N NCI	7
138	1		7
139	1	ALPHA 10.75-11.20 X 12 SSFE EPOXY L&C, SBR, 304SS B&N NCI	7
140	1	ALPHA 12.75-13.30 X 12 SSFE EPOXY L&C, SBR, 304SS B&N NCI	┪.
141		We do not make 14" Alphas, so nothing quoted.	7
142		We do not make 16" Alphas, so nothing quoted.	┥.
143	1	MACRO HP 2.50-2.90 (XL) X 4 SSFE EPOXY L&C, EPDM,304SS B&N NCI	
144	1	ALPHA XL 4.80-5.10 X 4.80-5.10 X 12 SSFE EPOXY L&C, NBR, 304SS B&N NCI	
145	1	ALPHA XL 6.90-7.10 X 6.90-7.10 X 12 SSFE EPOXY L&C, NBR, 304SS B&N NCI	
146	1	ALPHA XL 9.05-9.40 X 9.05-9.40 X 12 SSFE EPOXY L&C, NBR, 304SS B&N NCI	_ر ا
147	1	ALPHA XL 11.10-11.45 X 11.10-11.45 X 12 SSFE EPOXY L&C, NBR, 304SS B&N NCI	
148	Ī	ALPHA XL 13.20-13.60 X 13.20-13.60 X 12 SSFE EPOXY L&C, NBR, 304SS B&N NCI	
149		We do not make 14" Alphas, so nothing quoted.	
150		We do not make 16" Alphas, so nothing quoted.	
151	1	We do not make a 2" Alpha or Macro Transition Coupling, so nothing quoted.	7
152	1	ALPHA TC 4.80-5.10 X 4.50-4.90 X 12 SSFE EPOXY L&C, NBR, 304SS B&N NCI	
153	1	ALPHA TC 6.90-7.10 X 6.60-7.00 X 12 SSFE EPOXY L&C, NBR, 304SS B&N NCI	1
154	1	ALPHA TC 9.05-9.40 X 8.60-9.10 X 12 SSFE EPOXY L&C, NBR, 304SS B&N NCI	
155	1	ALPHA TC 11.10-11.45 X 10.75-11.20 X 12 SSFE EPOXY L&C, NBR, 304SS B&N NCI	1
156	1	ALPHA TC 13.20-13.60 X 12.75-13.30 X 12 SSFE EPOXY L&C, NBR, 304SS B&N NCI	
157		We do not make 14" Alphas, so nothing quoted.	1

EXCEPTION

316 55 N/A

FOR CAST Couplings

QUOTING 30455

IN LUT OF

A

#### PLEASE NOTE:

158

All couplings quoted above have 304SS Bolts & Nuts.

We do not make 16" Alphas, so nothing quoted.

For lines 135 & 143 the Macro was quoted instead of the Alpha. Alphas do not come in 2". Macro does not restrain and only goes up to 305 PSI.

Manufactured with domestic and import material.

Customer to determine product suitability and application.

Customer to verify ODs at the time of purchase.

Please contact customer service for rush requirements. Items quoted as listed, see catalog for product descriptions, ranges and other information before quoting prices. Romac not responsible for job take-off requirements. US net prices. No cancel, no return items.

Romac reserves the right to enact a price increase of up to 15%, in the event of any unforeseen changes in the cost of labor, materials or import tariffs.

Contact Customer Service for Product Availability.

Pricing held from January 1, 2020 to December 31, 2020. Quantities Open.

at the part

.