

ALTEC 2075 Edsel Ln, Corydon, Indiana, 471122168

Customer Proposal

Prepared for:

Martin Guandique Altec

Prepared by:

Teddi Serna Email: teddi.serna@altec.com

Date: 05/25/2018

Vehicle: 2019 F-550 Chassis XL 4x4 SD Regular Cab 145" WB DRW

Quote ID: 190152



Selected Equipment & Specs

Dimensions

Exterior length: 230.7"
Exterior width: 80.0"
Wheelbase: 145.0"
Rear track: 74.0"

Rear tire outside width: 93.9"

Front legroom: 43.9"Front hiproom: 62.5"

* Passenger volume: 64.6cu.ft.

Maximum cargo volume: 11.6cu.ft.

Powertrain

 Powerstroke 330hp 6.7L OHV 32 valve intercooled turbo V-8 engine with diesel direct injection

federal

Part-time

* Fuel Economy Cty: N/A

Transmission PTO provision

Suspension/Handling

 Front Mono-beam non-independent suspension with anti-roll bar, HD shocks

Firm ride Suspension

Front and rear 19.5 x 6 argent steel wheels

Dual rear wheels

Body Exterior

* 2 doors

Black door mirrors

* Trailer harness

Front and rear 19.5 x 6 wheels

Convenience

- Manual air conditioning with air filter
- Manual front windows
- * Manual tilt steering wheel
- Day-night rearview mirror
- Front cupholders
- Upfitter switches

Seats and Trim

- * Seating capacity of 3
- 4-way driver seat adjustment
- 4-way passenger seat adjustment

Entertainment Features

- * AM/FM stereo radio
- Fixed antenna

Lighting, Visibility and Instrumentation

* Cab to axle: 60.0"* Exterior height: 81.5"* Front track: 74.8"* Turning radius: 21.2'

* Min ground clearance: 8.2"

Front headroom: 40.8"Front shoulder room: 66.7"

* Cargo volume: 11.6cu.ft.

Recommended fuel : diesel

 TorqShift 6 speed automatic transmission with overdrive

Limited slip differential

* Fuel Economy Highway: N/A

 Rear DANA 130 rigid axle leaf spring suspension with anti-roll bar, HD shocks

Hydraulic power-assist re-circulating ball Steering

* LT225/70SR19.5 GBSW AT front and rear tires

* Driver and passenger, manual folding door mirrors

* Black bumpers

* Clearcoat paint

* 2 front tow hook(s)

* Cruise control with steering wheel controls

Manual door locks

* Manual telescopic steering wheel

1 1st row LCD monitor

* Passenger visor mirror

* Front 40-20-40 split-bench seat

* Manual driver lumbar support

* Centre front armrest with storage

4 speakers

Selected Equipment & Specs (cont'd) * Halogen aero-composite headlights

- Fully automatic headlights
- Light tinted windows
- Tachometer
- Trip computer

- Delay-off headlights
- Variable intermittent front windshield wipers
- Front reading lights
- Outside temperature display
- Trip odometer

Safety and Security

- 4-wheel ABS brakes
- 4-wheel disc brakes
- Dual front impact airbag supplemental restraint system with passenger cancel
- Safety Canopy System curtain 1st row overhead airbag supplemental restraint system
- Manually adjustable front head restraints

- Brake assist
- Driveline traction control
- Dual seat mounted side impact airbag supplemental restraint system
- Manual door locks

Dimensions

General Weights	
Curb 7886 lbs. Payload 11670 lbs.	GVWR
Front Weights	
Front GAWR 7000 lbs.	Front curb weight 4546 lbs.
Front axle capacity 7000 lbs. Front tire/wheel capacity 7500 lbs.	Front spring rating 7000 lbs.
Rear Weights	
Rear GAWR 14706 lbs.	Rear curb weight 3340 lbs.
Rear axle capacity 14706 lbs. Rear tire/wheel capacity 15000 lbs.	Rear spring rating
Trailering Type	
Harness Yes	Trailer sway control Yes
General Trailering	
5th-wheel towing capacity 22500 lbs. Towing capacity 18500 lbs.	Gooseneck towing capacity 22500 lbs. GCWR 31000 lbs.
Fuel Tank type	
Capacity 40 gal.	
Off Road	
Min ground clearance 8 "	
Interior cargo	
Cargo volume 11.6 cu.ft.	Maximum cargo volume 11.6 cu.ft.
Rear Frame	
Height loaded 29 "	Height unloaded
owertrain	
Engine Type	
Brand Powerstroke	Block material Iron
Cylinders V-8 Ignition Compression	Head material Aluminum Injection Diesel direct injection
Liters 6.7L	Orientation Diesei direct injection Longitudinal

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salésperson for the most current information.

Recommended fuel Diesel OHV	Valves per cylinder 4 Forced induction Intercooled turbo
Engine Spec Bore 3.90" Displacement 406 cu.in.	Compression ratio 16.2:1 Stroke 4.25"
Engine Power Output 330 HP @ 2,600 RPM	Torque 750 ftlb @ 2,000 RPM
Alternator	· ·
Type Dual	Amps
Battery	
Amp hours 78 Run down protection Yes	Cold cranking amps 750 Type Dual
Engine Extras Block heater Yes	
Transmission	
Electronic control Yes Overdrive Yes Type Automatic	Lock-up Yes Speed 6
Transmission Gear Ratios	
1st 3.974 3rd 1.516 5th 0.858 Reverse Gear ratios 3.128	2nd 2.318 4th 1.149 6th 0.674
Transmission Torque Converter Stall ratio 1.90	
Transmission Extras	
Driver selectable mode Yes PTO provision Yes	Sequential shift control SelectShift
Drive Type	
4wd type Part-time	Type Four-wheel
Drive Feature	
Limited slip differential Mechanical Power take-off provision Yes Transfer case shift Manual	Traction control Driveline Locking hub control Manual
Drive Axle	
Ratio	
Exhaust Material Stainless steel	System type Single
Emissions CARB Federal	
fuel Economy	
Fuel type Diesel	

Selected Equipment & Specs (cont'd)

Engine Retarder Type Yes	,
Driveability	
Brakes	
ABS 4-wheel	ABS channels 3
Type 4-wheel disc	Vented discs Front and rear
Brake Assistance	
Brake assist Yes	
Suspension Control	
Ride Firm	
Front Suspension Independence Mono-beam non-independent	Anti-roll bar Regular
Front Spring	
Type Coil	Grade
Front Shocks	
Type HD	
Rear Suspension	
Independence DANA 130 rigid axle Anti-roll bar Regular	Type Leaf
Rear Spring	
Type Leaf	Grade
Rear Shocks	
Type HD	
Steering	
Activation Hydraulic power-assist	Type Re-circulating ball
Steering Specs	
# of wheels 2	
Exterior	
Front Wheels	
Diameter 19.5"	Width 6.00"
Rear Wheels	
Diameter 19.5"	Width 6.00"
Dual Yes	
Front and Rear Wheels	
Appearance Argent	Material Steel
Front Tires	
Aspect 70	Diameter 19.5"
Sidewalls BSW Tread AT	Speed S Type LT
Tread A I Width 225mm RPM 645	Type LT LT load rating G

Selected Equipment & Specs (cont'd)

Delected Equipment & Opecs (cont d)	
Rear Tires Aspect 70 Sidewalls BSW Tread AT Width 225mm RPM 645	Diameter19.5"SpeedSTypeLTLT load ratingG
Wheels	
Front track 74.8" Turning radius 21.2' Rear tire outside width 93.9"	Rear track 74.0" Wheelbase 145.0"
Body Features	
Front license plate bracket Yes Body material Aluminum Front tow hook(s) 2	Front splash guards Yes Side impact beams Yes
Body Doors	
Door count 2	
Exterior Dimensions	
Length230.7"Body height81.5"Axle to end of frame47.2"Frame yield strength (psi)50000.0Front bumper to Front axle38.3"Front bumper to back of cab123.7"	Body width 80.0" Cab to axle 60.0" Frame section modulus 17.2cu.in. Frame rail width 34.2" Cab to end of frame 107.2"
Safety	
Airbags	
Driver front-impact Yes Overhead Safety Canopy System curtain 1st row Passenger side-impact Seat mounted	Driver side-impact Seat mounted Passenger front-impact Cancellable
Overhead Safety Canopy System curtain 1st row Passenger side-impact Seat mounted	
Overhead Safety Canopy System curtain 1st row	
Overhead Safety Canopy System curtain 1st row Passenger side-impact Seat mounted Seatbelt Height adjustable Front	
Overhead Safety Canopy System curtain 1st row Passenger side-impact Seat mounted Seatbelt Height adjustable Front Seating	
Overhead Safety Canopy System curtain 1st row Passenger side-impact Seat mounted Seatbelt Height adjustable Front Seating Passenger Capacity	
Overhead Safety Canopy System curtain 1st row Passenger side-impact Seat mounted Seatbelt Height adjustable Front Seating Passenger Capacity Capacity 3	
Overhead Safety Canopy System curtain 1st row Passenger side-impact Seat mounted Seatbelt Height adjustable Front Seating Passenger Capacity Capacity 3 Front Seats	Passenger front-impact Cancellable
Overhead Safety Canopy System curtain 1st row Passenger side-impact Seat mounted Seatbelt Height adjustable Front Seating Passenger Capacity Capacity 3 Front Seats Split 40-20-40	
Overhead Safety Canopy System curtain 1st row Passenger side-impact Seat mounted Seatbelt Height adjustable Front Seating Passenger Capacity Capacity 3 Front Seats	Passenger front-impact Cancellable
Overhead Safety Canopy System curtain 1st row Passenger side-impact Seat mounted Seatbelt Height adjustable Front Seating Passenger Capacity Capacity 3 Front Seats Split 40-20-40 Driver Seat Fore/aft Manual	Type Split-bench Reclining Manual
Overhead Safety Canopy System curtain 1st row Passenger side-impact Seat mounted Seatbelt Height adjustable Front Seating Passenger Capacity Capacity 3 Front Seats Split 40-20-40 Driver Seat Fore/aft Manual Way direction control 4	Type Split-bench Reclining Manual

Selected Equipment & Specs (cont'd) Control Manual	Type Adjustable
Front Armrest Centre Yes	Storage Yes
Front Seat Trim Material Vinyl	Back material Vinyl
Convenience	Saok material Viriyi
AC And Heat Type Air conditioning Manual	Air filter Yes
Audio System Radio AM/FM stereo Seek-scan Yes	Radio grade Regular
Audio Speakers Speaker type Regular	Speakers 4
Audio Antenna Type Fixed LCD Monitors	
1st row 1	Primary monitor size (inches) 2.3
Cruise Control Cruise control With steering wheel controls	
Convenience Features 12V DC power outlet 2	Upfitter switches Yes
Door Lock Activation Type Manual	
Instrumentation Type Display Analog	
Instrumentation Gauges Tachometer Yes Turbo/supercharger boost Yes Engine hour meter Yes	Engine temperature Yes Transmission fluid temp Yes
Instrumentation Warnings Oil pressure Yes Battery Yes Key Yes Door ajar Yes Brake fluid Yes	Engine temperature Yes Lights on Yes Low fuel Yes Service interval Yes
Instrumentation Displays Clock In-radio display Systems monitor Yes	Exterior temp Yes
Instrumentation Feature Trip computer Yes	Trip odometer Yes
Steering Wheel Type	
Material Urethane	Tilting Manual

Selected Equipment & Spec Telescoping	s (cont'd) Manual		
Front Side Windows Window 1st row activation	Manual		
Window Features Tinted	Light		
Front Windshield Wiper Variable into	ermittent		
Rear Windshield Window	Fixed		
Interior			
Passenger Visor			
Mirror	Yes		
Rear View Mirror Day-night	Yes		
Headliner Coverage	Full	Material	Cloth
Floor Trim			
Coverage	Full	Covering	Vinyl/rubber
Trim Feature			
Gear shift knob	Jrethane	Interior accents	Chrome
Lighting Dome light type Variable IP lighting		Front reading	Yes
Storage			
Front Beverage holder(s) Illuminated Dashboard	Yes	Glove box Instrument panel	Locking Bin
Legroom Front	43.9"		
Headroom Front	40.8"		
Hip Room			
Front	62.5"		
Shoulder Room			
Front	66.7"		
Interior Volume Passenger volume 6	4.6 cu.ft.		

Standard Equipment & Specs

Dimensions

* Exterior length: 230.7"* Exterior width: 80.0"* Wheelbase: 145.0"* Rear track: 74.0"

* Rear tire outside width: 93.9"

Front legroom: 43.9"Front hiproom: 62.5"

* Passenger volume: 64.6cu.ft.

Maximum cargo volume: 11.6cu.ft.

Powertrain

* 288hp 6.8L SOHC 30 valve V-10 engine with SMPI

* federal

* Part-time

Fuel Economy Highway: N/A

Suspension/Handling

- Front Mono-beam non-independent suspension with anti-roll bar, HD shocks
- Firm ride Suspension
- * Front and rear 19.5 x 6 argent steel wheels
- Dual rear wheels

Body Exterior

- * 2 doors
- * Black door mirrors
- Trailer harness
- * Front and rear 19.5 x 6 wheels

Convenience

- * Manual air conditioning with air filter
- * Manual door locks
- * Manual telescopic steering wheel
- * 1 1st row LCD monitor
- Passenger visor mirror

Seats and Trim

- Seating capacity of 3
- * 4-way driver seat adjustment
- * 4-way passenger seat adjustment

Entertainment Features

- * AM/FM stereo radio
- * Fixed antenna
- Lighting, Visibility and Instrumentation
 - * Halogen aero-composite headlights
 - Fully automatic headlights
 - * Light tinted windows

- Cab to axle: 60.0"
- * Exterior height: 81.5"
- * Front track: 74.8"
- * Turning radius: 21.2'
- * Min ground clearance: 8.2"
- * Front headroom: 40.8"
- * Front shoulder room: 66.7"
- * Cargo volume: 11.6cu.ft.
- Recommended fuel : regular unleaded
- * TorqShift 6 speed automatic transmission with overdrive
- * Fuel Economy Cty: N/A
- Rear DANA M300 rigid axle leaf spring suspension with anti-roll bar, HD shocks
- Hydraulic power-assist re-circulating ball Steering
- * LT225/70SR19.5 GBSW AS front and rear tires
- * Driver and passenger, manual folding door mirrors
- * Black bumpers
- * Clearcoat paint
- * 2 front tow hook(s)
- * Manual front windows
- * Manual tilt steering wheel
- * Day-night rearview mirror
- * Front cupholders
- * Upfitter switches
- * Front 40-20-40 split-bench seat
- * Manual driver lumbar support
- * Centre front armrest with storage
- 4 speakers
- Delay-off headlights
- * Variable intermittent front windshield wipers
- Front reading lights

- * Tachometer
- * Outside temperature display
- Trip odometer

- * Oil pressure gauge
- Trip computer

Safety and Security

- * 4-wheel ABS brakes
- 4-wheel disc brakes
- Dual front impact airbag supplemental restraint system with passenger cancel
- Safety Canopy System curtain 1st row overhead airbag supplemental restraint system
- Manually adjustable front head restraints

- * Brake assist
- Driveline traction control
- Dual seat mounted side impact airbag supplemental restraint system
- Manual door locks

Dimensions

General Weights Curb Payload		GVWR	18000 lbs.
Front Weights Front GAWR Front axle capacity Front tire/wheel capacity	7000 lbs.	Front curb weight Front spring rating	
Rear Weights Rear GAWR Rear axle capacity Rear tire/wheel capacity	13660 lbs.	Rear curb weight Rear spring rating	
Trailering Type Harness	Yes	Trailer sway control	Yes
General Trailering 5th-wheel towing capacity Towing capacity		Gooseneck towing capacity GCWR	
Fuel Tank type Capacity	40 gal.		
Off Road Min ground clearance	8 "		
Interior cargo Cargo volume	11.6 cu.ft.	Maximum cargo volume	11.6 cu.ft.
Rear Frame Height loaded	29 "	Height unloaded	35 "
Powertrain			
Engine Type Block material Head material Injection Orientation Valves per cylinder	Aluminum Sequential MPI Longitudinal	Cylinders Ignition Liters Recommended fuel Valvetrain	Spark 6.8L Regular unleaded

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Engine Spec

Standard Equipment & Specs (cont'	d) Compression ratio 9.2:1
Displacement 415 cu.in.	Stroke 4.16"
Engine Power Output 288 HP @ 4,000 RPM	Torque 424 ftlb @ 3,000 RPM
Alternator	
Type HD	Amps
Battery	
Amp hours 78 Run down protection Yes	Cold cranking amps 750 Type HD
Transmission	
Electronic control Yes Overdrive Yes Type Automatic	Lock-up Yes Speed 6
Transmission Gear Ratios	0.040
1st 3.974 3rd 1.516 5th 0.858 Reverse Gear ratios 3.128	2nd 2.318 4th 1.149 6th 0.674
Transmission Torque Converter Stall ratio 1.90	
Transmission Extras Driver selectable mode Yes Oil cooler Regular duty	Sequential shift control SelectShift
Drive Type 4wd type Part-time	Type Four-wheel
Drive Feature	
Traction control Driveline Transfer case shift Manual	Locking hub control Manual
Drive Axle	
Ratio 4.88	
Exhaust Material Stainless steel	System type Single
Emissions CARB Federal	
fuel Economy	
Fuel type Gasoline	
Driveability	
Brakes	
ABS 4-wheel Type 4-wheel disc	ABS channels 3 Vented discs Front and rear
Brake Assistance	
Brake assist Yes	

Suspension Control	,
Ride Firm	
Front Suspension Independence Mono-beam non-independent	Anti-roll bar Regular
Front Spring	
Type Coil	Grade Regular
Front Shocks	
Type HD	
Rear Suspension	
Independence DANA M300 rigid axle Anti-roll bar Regular	Type Leaf
Rear Spring	
Type Leaf	Grade HD
Rear Shocks	
Type HD	
Steering Activation Hydraulic power-assist	Type Re-circulating ball
Steering Specs	-
# of wheels 2	
Exterior	
LAGIO	
Front Wheels	
Front Wheels Diameter 19.5"	Width 6.00"
Front Wheels Diameter 19.5" Rear Wheels	
Front Wheels Diameter 19.5" Rear Wheels Diameter 19.5"	Width 6.00" Width 6.00"
Front Wheels Diameter 19.5" Rear Wheels Diameter 19.5" Dual Yes	
Front Wheels Diameter 19.5" Rear Wheels Diameter 19.5" Dual Yes Front and Rear Wheels	Width 6.00"
Front Wheels Diameter 19.5" Rear Wheels Diameter 19.5" Dual Yes Front and Rear Wheels Appearance Argent	
Front Wheels Diameter 19.5" Rear Wheels Diameter 19.5" Dual Yes Front and Rear Wheels Appearance Argent Front Tires	Width 6.00" Material Steel
Front Wheels Diameter 19.5" Rear Wheels Diameter 19.5" Dual Yes Front and Rear Wheels Appearance Argent Front Tires Aspect 70 Sidewalls BSW	Width 6.00" Material Steel Diameter 19.5" Speed S
Front Wheels Diameter 19.5" Rear Wheels Diameter 19.5" Dual Yes Front and Rear Wheels Appearance Argent Front Tires Aspect 70 Sidewalls BSW Tread AS	Width 6.00" Material Steel Diameter 19.5" Speed S Type LT
Front Wheels Diameter 19.5" Rear Wheels Diameter 19.5" Dual Yes Front and Rear Wheels Appearance Argent Front Tires Aspect 70 Sidewalls BSW Tread AS Width 225mm	Width 6.00" Material Steel Diameter 19.5" Speed S
Front Wheels Diameter 19.5" Rear Wheels Diameter 19.5" Dual Yes Front and Rear Wheels Appearance Argent Front Tires Aspect 70 Sidewalls BSW Tread AS	Width 6.00" Material Steel Diameter 19.5" Speed S Type LT
Front Wheels 19.5" Diameter 19.5" Diameter 19.5" Dual Yes Front and Rear Wheels Argent Appearance Argent Front Tires 70 Sidewalls BSW Tread AS Width 225mm RPM 647 Rear Tires Aspect 70	Width 6.00" Material Steel Diameter 19.5" Speed S Type LT LT load rating G Diameter 19.5"
Front Wheels 19.5" Diameter 19.5" Diameter 19.5" Dual Yes Front and Rear Wheels Argent Appearance Argent Front Tires 70 Sidewalls BSW Tread AS Width 225mm RPM 647 Rear Tires Aspect 70 Sidewalls BSW	Width 6.00" Material Steel Diameter 19.5" Speed S Type LT LT load rating G Diameter 9 Diameter 19.5" Speed S
Front Wheels 19.5" Diameter 19.5" Diameter 19.5" Dual Yes Front and Rear Wheels Argent Appearance Argent Front Tires 70 Sidewalls BSW Tread AS Width 225mm RPM 647 Rear Tires Aspect 70 Sidewalls BSW Tread AS	Width 6.00" Material Steel Diameter 19.5" Speed S Type LT LT load rating G Diameter 19.5" Speed S Type LT LT load rating Speed S Type LT
Front Wheels 19.5" Diameter 19.5" Diameter 19.5" Dual Yes Front and Rear Wheels Argent Appearance Argent Front Tires 70 Sidewalls BSW Tread AS Width 225mm RPM 647 Rear Tires Aspect 70 Sidewalls BSW	Width 6.00" Material Steel Diameter 19.5" Speed S Type LT LT load rating G Diameter 9 Diameter 19.5" Speed S
Front Wheels 19.5" Diameter 19.5" Diameter 19.5" Dual Yes Front and Rear Wheels Argent Appearance Argent Front Tires Aspect 70 Sidewalls BSW Tread AS Width 225mm RPM 647 Rear Tires AS Aspect 70 Sidewalls BSW Tread AS Width 225mm RPM 647 Wheels	Width6.00"MaterialSteelDiameter19.5"SpeedSTypeLTLT load ratingGDiameter19.5"SpeedSTypeLTLT load ratingG
Front Wheels 19.5" Diameter 19.5" Diameter 19.5" Dual Yes Front and Rear Wheels Argent Appearance Argent Front Tires 3 Aspect 70 Sidewalls BSW Tread AS Width 225mm RPM 647 Rear Tires AS Aspect 70 Sidewalls BSW Tread AS Width 225mm RPM 647	Width 6.00" Material Steel Diameter 19.5" Speed S Type LT LT load rating G Diameter 19.5" Speed S Type LT LT load rating Speed S Type LT

Standard Equipment & Specs (cont' Rear tire outside width 93.9"	d)
Body Features	
Front license plate bracket Yes Body material Aluminum Front tow hook(s) 2	Front splash guards Yes Side impact beams Yes
Body Doors	
Door count2	
Exterior Dimensions	
Length230.7"Body height81.5"Axle to end of frame47.2"Frame yield strength (psi)50000.0Front bumper to Front axle38.3"Front bumper to back of cab123.7"	Body width 80.0" Cab to axle 60.0" Frame section modulus 12.7cu.in. Frame rail width 34.2" Cab to end of frame 107.2"
Safety	
Airbags	
Driver front-impact Yes Overhead Safety Canopy System curtain 1st row	Driver side-impact Seat mounted Passenger front-impact Cancellable
Passenger side-impact Seat mounted	
Seatbelt	
Height adjustable Front	
Seating	
Passenger Capacity	
Capacity	
Front Seats	
Split 40-20-40	Type Split-bench
Driver Seat	D. II.
Fore/aft Manual Way direction control 4	Reclining Manual Lumbar support Manual
Passenger seat	
Fore/aft Manual	Reclining Manual
Way direction control 4	
Front Head Restraint Control Manual	Type Adjustable
	Type Aujustable
Front Armrest Centre Yes	Storage Yes
	Siorage
Front Seat Trim Material Vinyl	Back material Vinyl
Convenience	
AC And Heat Type Air conditioning Manual	Air filter Yes
All conditioning Ivialiual	VII IIIIGI

Audio System	A B 4 / T B 4	
Radio Seek-scan		Radio grade Regular
Audio Speakers		
Speaker type	Regular	Speakers 4
Audio Antenna		
Type	Fixed	
LCD Monitors		
1st row		Primary monitor size (inches) 2.3
Convenience Features		
12V DC power outlet		Upfitter switches Yes
Door Lock Activation		
Type	Manual	
Instrumentation Type		
Display	Analog	
Instrumentation Gauges		
Tachometer		Oil pressure Yes
Engine temperature Engine hour meter	Yes	Transmission fluid temp Yes
Instrumentation Warnings		
Oil pressure	Yes	Engine temperature Yes
Battery	Yes	Lights on Yes
Key Door ajar	Yes	Low fuel Yes Service interval Yes
Brake fluid		Service interval
Instrumentation Displays		
Clock Systems monitor		Exterior temp Yes
Instrumentation Feature		
Trip computer	Yes	Trip odometer Yes
Steering Wheel Type		
Material Telescoping	Urethane Manual	Tilting Manual
Front Side Windows Window 1st row activation	Manual	
Window Features		
Tinted	Light	
Front Windshield		
Wiper Va	riable intermittent	
Rear Windshield		
neai vviilusilielu		

Interior

Passenger Visor Mirror	Yes	
Rear View Mirror		
Day-night	Yes	
Headliner		
Coverage	Full	Material Cloth
Floor Trim		
Coverage	Full	Covering Vinyl/rubber
Trim Feature		
Gear shift knob	Urethane	Interior accents Chrome
Lighting		
Dome light type Variable IP lighting		Front reading Yes
Storage		
Front Beverage holder(s) Illuminated Dashboard	Yes	Glove box Locking Instrument panel Bin
Legroom		
Front	43.9"	
Headroom		
Front	40.8"	
Hip Room		
Front	62.5"	
Shoulder Room		
Front	66.7"	
Interior Volume		
Passenger volume	64.6 cu.ft.	

Warranty - Selected Equipment & Specs

Warranty

Basic			
Distance	36000 miles	Months	36 months
Powertrain Distance	60000 miles	Months	60 months
Corrosion Perforation Distance	Unlimited miles	Months	60 months
Roadside Assistance Distance	60000 miles	Months	60 months
Diesel Engine Distance	100000 miles	Months	60 months

Warranty - Standard Equipment & Specs

Warranty

Basic Distance	36000 miles	Months	36 months
Powertrain Distance	60000 miles	Months	60 months
Corrosion Perforation Distance	Unlimited miles	Months	60 months
Roadside Assistance Distance	60000 miles	Months	60 months

Selected Options

Code Description

Base Vehicle

F5H Base Vehicle Price (F5H)

Packages

660A Order Code 660A

Includes:

- Wheels: 19.5" Argent Painted Steel Includes manual locking hubs. - HD Vinyl 40/20/40 Split Bench Seat

Includes center armrest, cupholder, storage and driver's side manual

- Radio: AM/FM Stereo

Includes 4-speakers.

Powertrain

44W

X8L

68M

99T Engine: 6.7L 4V OHV Power Stroke V8 Turbo Diesel B20

Includes Diesel Exhaust Fluid (DEF) tank, Intelligent Oil-Life Monitor, manual push-button engine-exhaust braking and split-shaft calibration compatibility.

Includes:

- Dual 78-AH 750 CCA Batteries

Transmission: TorqShift 6-Speed Automatic

(6R140). Includes SelectShift.

Limited Slip w/4.88 Axle Ratio

GVWR: 19,500 lb Payload Plus Upgrade Package

Includes upgraded frame, rear-axle and low deflection/high capacity springs. Increases max RGAWR to 14, 706. NOTE: See Order Guide Supplemental Reference for further details on GVWR.

Wheels & Tires

TGB Tires: 225/70Rx19.5G BSW Max Traction

Includes 4 traction tires on the rear and 2 traction tires on the front. Not recommended for over the road applications; could incur irregular front tire wear and/or NVH. Optional spare is 225/70Rx19.5G BSW traction.

Wheels: 19.5" Argent Painted Steel

Includes manual locking hubs.

Seats & Seat Trim

A HD Vinyl 40/20/40 Split Bench Seat

Includes center armrest, cupholder, storage and driver's side manual

lumbar.

Other Options

PAINT Monotone Paint Application

145WB 145" Wheelbase

473 Snow Plow Prep Package

Selected Options (cont'd)

Code	Description
	2000p0

Includes pre-selected springs (see Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations). NOTE 1: Restrictions apply; see Supplemental Reference or Body Builders Layout Book for details. NOTE 2: Also allows for the attachment of a winch.

Includes:
- Dual Alternators (Total 332-Amps)

Engine Block Heater

62R Transmission Power Take-Off Provision

Includes transmission mounted live drive and stationary mode PTO.

98R Operator Commanded Regeneration (OCR)

67A Dual Alternators (Total 332-Amps)

STDRD Radio: AM/FM Stereo

Includes 4-speakers.

Fleet Options

41H

525 Steering Wheel-Mounted Cruise Control (LPO)

REQUIRES valid FIN code.

942 Daytime Running Lamps (DRL) (LPO)

REQUIRES valid FIN code.

The non-controllable 942 Daytime Running Lamps (DRL) replace the standard Daytime Running Lamps (DRL). Includes on/off cluster

controllable.

Emissions

425 50-State Emissions System

Interior Colors

AS_01 Medium Earth Gray

Primary Colors

Z1_01 Oxford White