

AURORA POLICE DEPARTMENT - BACK-UP PSAP

911 DISPATCH CONSOLE FURNITURE - RUSS BASSETT PROPOSAL



 russbassett

DefineConsoles



THE DEFINE CONSOLES ADVANTAGE

Developed in answer to emerging needs of PSAPs and their teams, Define elevates the mission critical workplace. We've incorporated wood alongside steel to deliver an ultra-durable console with a lighter, brighter aesthetic.

Smart design yields improved space efficiency. Choose from a variety of shapes and sizes to create a workplace that meets your needs, today and tomorrow.



THE CHOICE IS YOURS

Four surface shapes give you the freedom to choose the style that best fits your team, or choose multiple styles to meet specific work group needs.


90° Corner



90° Corner Wrap



Plan your space with Corner, Linear, or a blend of both console styles. Blending console shapes helps teams attain workflow and space planning goals.



Define Corner Wrap consoles with optional acrylic upper panels

Multiple console sizes and non-handed storage options make it easy to configure your workspace in just about any way you can imagine.

Linear



Linear Wrap



When agencies blend console shapes and sizes, the Define console design details, including edges, pulls, and finishes, keep the workspace visually unified.



Define Linear consoles

SPACE EFFICIENT

Define’s compact core footprint preserves the expansive primary workspace and unencumbered knee space that mission critical users have come to appreciate.

NO WASTE!

The Base Frame, your primary power and data integration zone, runs along the back of the console, nesting slightly under the surface. Bridge, Peninsula, Corner and Dual-Sided Storage make smart use of space.



The **Dashboard** gives dispatchers consolidated console control within easy reach: surface height, monitor height, heating and cooling, task lighting and more.

The **Base Frame** holds power, data terminations, and rack-mounted equipment. Add a Technology Cabinet extension on either end for more front-side equipment storage.

Shared Storage sits between positions and gives both users access to resources.

Maximize vertical space by adding **Fixed Slatwall** sections to your console bridge.

Corner Storage is an ideal landing spot for shared resources behind side-by-side consoles.

SINGLE SURFACE, DUAL LIFT


Four heavy duty lifting columns support the expansive, height adjustable surface.

Single Surface

The uninterrupted work surface maximizes usable real estate, helping operators stay organized and providing plenty of room for side-by-side training.




The single surface makes it easy to transition from sitting to standing. Work tools and desktop equipment remain in place, moving with the operator.



A second set of lifting columns support a height adjustable monitor array that moves independently of the surface.


Dual Lift

The Slatwall Monitor Array allows operators to fine-tune their monitor tilt and peripheral angles and transition from sitting to standing without disrupting their monitor positions.



Single-touch, height adjustment control moves all monitors at one time.

12" Height Adjustment




Plus, single-touch, manual focal depth adjustment of the full array means it's easy to adjust viewing distance as visual needs change.

8" Focal Depth Adjust

ERGONOMICS, COMFORT AND CONTROL


A single height adjustable console surface combined with a height adjustable monitor array means all users attain and maintain a healthy body position.



All Define sit-stand consoles have a surface height adjustment range of 22.6" seated to 48.7" standing, single-touch surface adjustment control, a waterfall comfort edge, and open knee space.


Reach Zones

To mitigate repetitive twisting and stretching, user controls are located within the dispatcher's primary reach zone.



Monitor Viewing

The curved Slatwall Monitor Array's range of height and focal depth adjustment promotes healthy viewing distance and angle, reducing eye strain and neck tension.



Conveniently located below the monitor array and within easy reach of the operator, your Dashboard includes surface and monitor height adjustment and an assortment of optional controls.



Centrally located user controls reduce instances of twisting and over-reaching. Your agency may choose up to five (5) additional accessories and controls to boost comfort and productivity.

- The **Personal Comfort System** includes two movable desktop fans and two under-surface heaters that tilt. All appliances are energy efficient and ultra-quiet. An occupancy sensor shuts appliances off when no movement is detected.
- **Convenience Power** ports at the dash are separated from critical console system power.
- A Situational Awareness **Light Supervisor Switch** signals the need for critical assistance.
- **Gooseneck Task Light, with dimmer**, provides movable, adjustable and focused light when and where users need it.
- **Data Ports** make hot swaps easy.
- **Ambient Lighting** dimmer.


TECHNOLOGY INTEGRATION

All Define consoles share a suite of technology integration features that make installation, upgrades and regular maintenance easy.



1) Slatwall Array

The extruded aluminum, curved array accommodates a variety of monitor sizes and configurations, including large format and curved screens.



The Slatwall Array **Shroud** contains power supply for the monitors and obscures monitor cables from view. Cables neatly route through energy chains to PCs within the Base Frame or optional Technology Cabinets.


2) Technology Storage Cabinets

Specified as console extensions, Technology Storage houses technology within reach of the user. Choose a pull-out technology shelf to ease access to cabling.

Technology Storage is equipped with an ultra-quiet fan and vented panels to keep equipment cool. All cables pass through the rear of the cabinet into the Base Frame.



Front side and back panels provide dual access to equipment. All cables are protected within enclosed cabinets and secured cable chases.



3) Base Frame

Located along the backside of the console and nested slightly under the surface, the Base Frame provides space for power and data connections, technology, communications equipment, and associated cabling.

Equipment within the frame may be accessed from the front or back of the console.

4) Power and Data Integration Kits keep connections and terminations tidy.

5) Additional Features and Accessories

Cable Chases, Troughs and Energy Chains keep power and data cords separated and protected from entanglement.

Easy-mount monitor and equipment **brackets** make maintenance and upgrades a breeze. You can also mount small form-factor PCs and Situational Awareness Lights on your slatwall array and extensions.

WARM SOPHISTICATION


Leveraging more than 60 years of manufacturing know-how, we have combined wood and metal to create a console that is sophisticated and functional with the durability you’ve come to expect from Russ Bassett.

Enhance your agency’s workspace with enduring wood tones, and calming neutral fabrics and accents. Choose from one of these designer recommended finish schemes or create a palette of your own.


Catalina



A



B



Laguna



A



B



Monterey



A



B



C



Palisades




A



B



C



Surface
Laminate

Cabinet
Faces

Cabinet
Cases

Powder
Coat

Panel
Fabric

Surface
Laminate

Cabinet
Faces

Cabinet
Cases

Powder
Coat

Panel
Fabric

| The Russ Bassett Advantage

Russ Bassett designs and manufactures the highest quality console furniture for 24/7 mission critical environments. Our experienced team of professionals is customer focused, detail oriented, and ready to help you transform your mission critical environment with console furniture that makes smart use of space, helps operators remain attentive and comfortable, and delivers no-fail technology integration.

Our goal is that every Russ Bassett customer has an excellent experience working with us - from project conception through successful project completion, and beyond as we provide ongoing service and support. We strive not only to meet your expectations but to exceed them. We do this by understanding your unique requirements and engaging in friendly collaboration, listening and sharing ideas each step of the way.

We bring drive, integrity, attention to detail, and excellent service to your team during every project stage, working in concert with your entire team, equipment providers and any other project stakeholders to deliver a best-in-class solution, on-time and on-budget. We are team players!

Discover more at russbassett.com.



Quotation

rus sbassett
 Russ Bassett Corporation
 8189 Byron Road Whittier, CA 90606
 Tel: 800.350.2445 Fax: 562.698.8972
 www.rusbassett.com

PROJECT #: DC-26154-01 **Option: 1**
REVISION: C
PROJECT NAME: The City of Aurora

| | |
|---|--|
| QUOTE DATE: 12/9/2021 | SALES EXECUTIVE: Shannon Piwinski |
| EXPIRATION DATE: 1/23/2022 | ADDRESS: 248 Sandstone Ridge Way Berea, OH 44017 |
| CUSTOMER: The City of Aurora | PHONE: (216) 701-0430 |
| CONTACT: Timothy Kopacz | EMAIL: spiwinski@rus sbassett.com |
| ADDRESS: 3770 McCoy Dr Aurora, IL 60504 | |
| PHONE: 331-452-5703 | |
| 10425 EMAIL: KopaczT@aurora.il.us | |

| QTY | PART NUMBER | DESCRIPTION | PRICE | EXTENDED |
|----------------|---------------------|---|-------------------------|------------------|
| AREA: 1 | | | AREA 1 TOTAL: \$ | 75,281.66 |
| 4 | DEF-WSC-3666-SSHD-W | Console, Corner Sit-Stand, Height-Depth Array, 36D x 66 | \$ 5,418.23 | \$ 21,672.92 |
| 2 | DEF-WSL-3678-SSHD-W | Console, Linear SS, Height-Depth Array, 36D x 78 | \$ 5,088.18 | \$ 10,176.36 |
| 4 | DEF-PNL-FF-24 | Panel, Fabric, 24L | \$ 261.63 | \$ 1,046.52 |
| 9 | DEF-PNL-FF-30 | Panel, Fabric, 30L | \$ 285.78 | \$ 2,572.02 |
| 4 | DEF-PNL-FF-36 | Panel, Fabric, 36L | \$ 309.93 | \$ 1,239.72 |
| 6 | DEF-PNL-FF-42 | Panel, Fabric, 42L | \$ 334.08 | \$ 2,004.48 |
| 2 | DEF-TOP-REC-3624-W | Top, Rectangle, 36D x 24L | \$ 323.15 | \$ 646.30 |
| 2 | DEF-TOP-REC-3636-W | Top, Rectangle, 36D x 36L | \$ 414.58 | \$ 829.16 |
| 1 | DEF-TOP-REC-3678-W | Top, Rectangle, 36D x 78L | \$ 1,082.15 | \$ 1,082.15 |
| 8 | DEF-CC-L45-FF | Corner Connector, L, 45 Deg, Fabric | \$ 182.85 | \$ 1,462.80 |
| 2 | DEF-EC-FXN-0742 | End Cap, Fixed, 42H | \$ 120.75 | \$ 241.50 |
| 4 | DEF-PFD-3618-BBF-N | Fixed Ped, 36D x 18W, Box/Box/File | \$ 548.55 | \$ 2,194.20 |
| 1 | DEF-PFD-3630-FF-N | Fixed Ped, 36D x 30W, File/File | \$ 557.75 | \$ 557.75 |
| 1 | DEF-PFT-3624-LD-N | Fixed Technology Ped, 36D x 24W, Left Door | \$ 560.63 | \$ 560.63 |
| 3 | DEF-PFT-3624-RD-N | Fixed Technology Ped, 36D x 24W, Right Door | \$ 560.63 | \$ 1,681.89 |
| 6 | DEF-ACC-DTB-12 | 12 Port Data Termination Bracket, Universal | \$ 46.00 | \$ 276.00 |
| 12 | DEF-ACC-JBOX-BRKT | Quad J-Box Mounting Bracket | \$ 46.00 | \$ 552.00 |
| 1 | DEF-ACC-PSTRIP-V-15 | Power Strip, 15 Amp, 7 Outlet, Vertical Frame Mount | \$ 58.08 | \$ 58.08 |
| 6 | DAC-AMB-PWR | Ambient Light Power Supply W/ Splitter | \$ 50.60 | \$ 303.60 |
| 36 | DAC-CO-USB | USB-A 3.0 Keystone - Coupler (Includes 15' Extension) | \$ 37.95 | \$ 1,366.20 |
| 6 | DAC-CUPHLDR-US-R | Cup Holder, Under Surface, Rotating | \$ 104.08 | \$ 624.48 |
| 18 | DAC-MM-11-SW-PM | Monitor Mount, 1-Over-1, Slatwall, Pole Mount | \$ 535.33 | \$ 9,635.94 |
| 6 | DAC-PCS-FLX-A | Flex Personal Comfort System, Heat & Air, Array Console | \$ 1,369.65 | \$ 8,217.90 |
| 4 | WAC-AMB-AR-C-66-B | Ambient Light, Array, 90-Crn, 66", Blue | \$ 251.85 | \$ 1,007.40 |
| 2 | WAC-AMB-AR-L-78-B | Ambient Light, Array, Linear, 78", Blue | \$ 251.85 | \$ 503.70 |
| 6 | WAC-DASH-1P2U | Dash Cartridge, 1 Power / 2 Power-only USB | \$ 189.18 | \$ 1,135.08 |
| 6 | WAC-DASH-AMB-DIMMI | Dash Cartridge, Ambient Dimmer | \$ 220.80 | \$ 1,324.80 |
| 6 | WAC-DASH-TL-GSNK | Dash Cartridge, Gooseneck Light | \$ 289.80 | \$ 1,738.80 |
| 6 | WAC-FWL-AR-B | Footwell Light, Array Console, Blue | \$ 94.88 | \$ 569.28 |

Quotation

Option: 1



Russ Bassett Corporation
8189 Byron Road Whittier, CA 90606
Tel: 800.350.2445 Fax: 562.698.8972
www.russbassett.com

[illegible]

| | | |
|--|-----------|-------------------|
| Product Total: | \$ | 75,281.66 |
| <i>Price does not include applicable sales tax</i> | | |
| <i>Delivery Services:</i> | \$ | 8,000.00 |
| <i>Russ Bassett Installation Services - Union Labor:</i> | \$ | 17,250.00 |
| <i>Teardown and Removal of Existing:</i> | \$ | 3,000.00 |
| Total Due | \$ | 103,531.66 |

Quotation

| | | |
|---------------|--------------------|-----------|
| PROJECT #: | DC-26154-01 | Option: 1 |
| REVISION: | C | |
| PROJECT NAME: | The City of Aurora | |

 Russ Bassett Corporation
8189 Byron Road Whittier, CA 90606
Tel: 800.350.2445 Fax: 562.698.8972
www.russbassett.com

Drawings

Any drawing submitted to the Client under this Quotation must be signed-off as "approved for manufacture" and returned with applicable purchase order.
Drawing REVISION level must match Quote REVISION level.

Delivery & Installation

A signed, completed delivery and installation checklist and purchase order is required to prevent any issues at time of delivery and installation.
Any unique requirements encountered at time of delivery and installation not covered on the installation checklist will be invoiced at cost in addition to the charges quoted herein.

Russ Bassett ships your products using our "Safe Ship" program. The program simply states that we guarantee your products will arrive damage free anywhere in the 48 contiguous United States. If damage should occur, notify customer service and Russ Bassett will rush a replacement part or unit and pick up the damaged product.

Due to the custom nature of our products, Russ Bassett recommends using only Certified Russ Bassett Installers.

Purchase Order

Send to: Russ Bassett Corporation
Attn: Customer Service
8189 Byron Road
Whittier, CA 90606

Fax to: (562) 698-8972

Purchase orders must include the following information to process with Russ Bassett:
Sold to, Ship to, Order Date, Requested Delivery/Install Date, PO Number, Quantity, Full Model Numbers & Total.

All purchase orders must also accompany the following documents to be considered a complete order:
Signed drawing noting console and work surface colors and/or cabinet color, signed quotation, & installation checklist.

Quote is Valid for 90 days from date of issue; and, may only be extended in writing by Russ Bassett.

Payment Terms

Standard payment terms subject to approved credit.

- 50% due 30 days after product shipment
- 30% due 30 days after substantial installation completion
- 20% due after final sign-off

Lead-time

For the products covered under this proposal is ten (10) to twelve (12) weeks AAO (After Acceptance of Order).
Incomplete Purchase Orders may delay the ship date; actual date will be confirmed on written Order Acknowledgment.

Quotation

| | | |
|---------------|--------------------|-----------|
| PROJECT #: | DC-26154-01 | Option: 1 |
| REVISION: | C | |
| PROJECT NAME: | The City of Aurora | |


Russ Bassett Corporation
8189 Byron Road Whittier, CA 90606
Tel: 800.350.2445 Fax: 562.698.8972
www.russbassett.com

Warranty

Russ Bassett warrants, to the original Buyer, that all products will be free from defects in material and workmanship for 10 full years. In mission critical, 24/7/365 environments, quickly resolving a product issue is of top priority for both the Buyer and Russ Bassett. Prompt execution of this warranty requires cooperation. With guidance from Russ Bassett, Buyer agrees to perform basic troubleshooting tasks to determine the nature of the defect and to self-correct before on-site assistance can be provided.

For simple replacements, the part will be quickly shipped directly to Buyer. If the problem requires on-site assistance, Russ Bassett will come out during normal work hours to resolve the issue. If the defect is found to have resulted from circumstances outside of the warranty coverage, and/or Buyer imposes conditions or restrictions that increases the service cost, Buyer agrees to reimburse Russ Bassett for any resulting additional expense. Buyer also agrees to properly dispose of the old parts and packing material.

The few circumstances where this warranty against defects would not apply include normal wear and tear, damage, misuse, modifications, consumable items or product shipped outside the U.S.

Repairs, substitute products or replacements, of equal or higher value, used to resolve a warranty claim will in no way extend the applicable warranty period applied to the original product. Product repair or replacement is Buyer's exclusive remedy for all product defects covered under this non-transferable warranty. Russ Bassett makes no other express or implied warranties to any product except as stated above and makes no warranty of Russ Bassett product fitness except for use as standard console furniture.

Change Order & Cancellation Policy

Changes to an order, once it has been processed, can be very disruptive and costly. Once an order has been started in manufacturing, usually within 4 weeks of the scheduled ship date, it is not possible to make changes.

Any requests for changes to the design or scope of work shall be made in writing. RBC will notify Buyer if it is possible to accommodate the change requests. If there is still time to accommodate the change requests, RBC will provide a quotation covering the cost and lead-time impact of the change. If these impacts are acceptable to Buyer, RBC will produce changed drawings for review and approval. No change will be made without sign-off of the updated quote and drawing by Buyer.

Any cancellation requests must be submitted in writing and approved by an officer of Russ Bassett. Upon acceptance of canceled order, a cancellation charge of 25% of the contract amount will be incurred over and above the cost of materials produced or in production, labor or other services performed, freight, taxes and any other out of pocket expenses also incurred by Russ Bassett.

Buyer's Delay

Russ Bassett only builds products to order, based on bonified purchase orders and deploys manufacturing resources necessary to meet scheduled delivery requirements outlined in the order. The company realizes projects get delayed. Upon request, Russ Bassett may provide storage for the first 30 days from the original ship date at no cost. In extreme cases, the Russ Bassett Sales Executive may request the President to approve extending the grace period for an additional 30 days.

In all cases, unless approved by the President, the customer is to be invoiced for the full product total on the original ship date.

Storage fees are outlined below:

Storage after 30 days will only be approved, provided 90% of the initial invoice has been paid, allowing 10% hold-back till final project acceptance. Storage fees will be invoiced monthly and must be paid promptly to keep benefits intact.

| Storage period | Fees |
|----------------------|-------------------------------|
| Up to 30 day delay | No cost as a courtesy |
| 31 to 90-day delay | 1% of product total per month |
| 91 to 150-day delay | 2% of product total per month |
| 151 to 180-day delay | 4% of product total per month |

Storage is not offered after 180 days.

Storage arrangements may be canceled at any time for non-payment.

The customer may choose to arrange their own storage. In that case, claims for product damage will become the responsibility of the customer and their storage agent.

Acceptance Signature

Authorized Signature

Print Name of Authorized Signature

Print Title

Print Company Name

P.O. Number

Date of Authorization

CUSTOMER

CUSTOMER:
CITY OF AURORA
BACK-UP PSAP
PROJECT ADDRESS:
CITY OF AURORA

PROJECT

PROJECT NAME:
BACK-UP PSAP

PROJECT INITIATION DATE:
08/30/2021
CONSOLE TYPE: DEFINE
NUMBER OF POSITIONS:
6

SCALE:
NTS

SALES EXECUTIVE
SHANNON PIWINSKI

DESIGNER
JEREMY NIXON

SHEET INDEX

| NO. | SHEET NAME |
|-----|----------------|
| 1 | 3D VIEW 1 |
| 2 | 3D VIEW 2 |
| 3 | PLAN VIEW |
| 4 | ELEVATION VIEW |
| 5 | EQUIPMENT FIT |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| 11 | |
| 12 | |
| 13 | |
| 14 | |
| 15 | |

REVISIONS

| REV | DATE | DESCRIPTION | BY |
|-----|----------|-----------------------------|----|
| A | 09/01/21 | 2D & 3D PRELIMINARY DRAWING | JN |
| B | 09/24/21 | 2D & 3D PRELIMINARY DRAWING | JN |
| C | 10/27/21 | LN's TO 78" & DP01 TO CRNR | JN |
| C | 12/09/21 | EQUIPMENT FIT | JN |

SHEET DESCRIPTION
3D VIEW 1

| DRAWING # | OPTION | REV. | SHEET |
|-------------|--------|------|-------|
| DC-26154-01 | 1 | C | 1 / 5 |

CUSTOMER

CUSTOMER:
CITY OF AURORA
BACK-UP PSAP
PROJECT ADDRESS:
CITY OF AURORA

PROJECT

PROJECT NAME:
BACK-UP PSAP

PROJECT INITIATION DATE:
08/30/2021
CONSOLE TYPE: DEFINE
NUMBER OF POSITIONS:
6

SCALE:
NTS

SALES EXECUTIVE
SHANNON PIWINSKI

DESIGNER
JEREMY NIXON

SHEET INDEX


| NO. | SHEET NAME |
|-----|----------------|
| 1 | 3D VIEW 1 |
| 2 | 3D VIEW 2 |
| 3 | PLAN VIEW |
| 4 | ELEVATION VIEW |
| 5 | EQUIPMENT FIT |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| 11 | |
| 12 | |
| 13 | |
| 14 | |
| 15 | |

REVISIONS

| REV | DATE | DESCRIPTION | BY |
|-----|----------|-----------------------------|----|
| A | 09/01/21 | 2D & 3D PRELIMINARY DRAWING | JN |
| B | 09/24/21 | 2D & 3D PRELIMINARY DRAWING | JN |
| C | 10/27/21 | LN's TO 78" & DP01 TO CRNR | JN |
| C | 12/09/21 | EQUIPMENT FIT | JN |

SHEET DESCRIPTION
3D VIEW 2

| DRAWING # | OPTION | REV. | SHEET |
|-------------|--------|------|-------|
| DC-26154-01 | 1 | C | 2/5 |



CUSTOMER

CUSTOMER:
CITY OF AURORA
BACK-UP PSAP
PROJECT ADDRESS:
CITY OF AURORA

PROJECT

PROJECT NAME:
BACK-UP PSAP
PROJECT INITIATION DATE:
08/30/2021
CONSOLE TYPE: DEFINE
NUMBER OF POSITIONS:
6
SCALE:
1" = 1' - 0"

SALES EXECUTIVE
SHANNON PIWINSKI

DESIGNER
JEREMY NIXON

SHEET INDEX


| NO. | SHEET NAME |
|-----|----------------|
| 1 | 3D VIEW 1 |
| 2 | 3D VIEW 2 |
| 3 | PLAN VIEW |
| 4 | ELEVATION VIEW |
| 5 | EQUIPMENT FIT |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| 11 | |
| 12 | |
| 13 | |
| 14 | |
| 15 | |

REVISIONS


| REV | DATE | DESCRIPTION | BY |
|-----|----------|-----------------------------|----|
| A | 09/01/21 | 2D & 3D PRELIMINARY DRAWING | JN |
| B | 09/24/21 | 2D & 3D PRELIMINARY DRAWING | JN |
| C | 10/27/21 | LN's TO 78" & DP01 TO CRNR | JN |
| C | 12/09/21 | EQUIPMENT FIT | JN |

SHEET DESCRIPTION
PLAN VIEW

| DRAWING # | OPTION | REV. | SHEET |
|-------------|--------|------|-------|
| DC-26154-01 | 1 | C | 3 / 5 |



PERSPECTIVE VIEW



A ELEVATION VIEW

- CONSOLE DASHBOARD WITH:
- CONSOLE CONTROLS
 - PCS CONTROLS
 - DATA PORTS
 - 1 - 110v POWER OUTLET & 2 - USB POWER OUTLETS
 - GOOSENECK TASK LIGHT W/ DIMMER
 - AMBIENT LIGHT DIMMER

CUSTOMER

CUSTOMER: CITY OF AURORA
PROJECT ADDRESS: BACK-UP PSAP
CITY OF AURORA

PROJECT

PROJECT NAME: BACK-UP PSAP
PROJECT INITIATION DATE: 08/30/2021
CONSOLE TYPE: DEFINE NUMBER OF POSITIONS: 6
SCALE: 1" = 1' - 0"

SALES EXECUTIVE
SHANNON PIWINSKI

DESIGNER
JEREMY NIXON

SHEET INDEX

| NO. | SHEET NAME |
|-----|----------------|
| 1 | 3D VIEW 1 |
| 2 | 3D VIEW 2 |
| 3 | PLAN VIEW |
| 4 | ELEVATION VIEW |
| 5 | EQUIPMENT FIT |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| 11 | |
| 12 | |
| 13 | |
| 14 | |
| 15 | |

REVISIONS

| REV | DATE | DESCRIPTION | BY |
|-----|----------|-----------------------------|----|
| A | 09/01/21 | 2D & 3D PRELIMINARY DRAWING | JN |
| B | 09/24/21 | 2D & 3D PRELIMINARY DRAWING | JN |
| C | 10/27/21 | LNs TO 78" & DP01 TO CRNR | JN |
| C | 12/09/21 | EQUIPMENT FIT | JN |

SHEET DESCRIPTION
ELEVATION A

| DRAWING # | OPTION | REV. | SHEET |
|-------------|--------|------|-------|
| DC-26154-01 | 1 | C | 4 / 5 |

CUSTOMER

CUSTOMER:
CITY OF AURORA
BACK-UP PSAP
PROJECT ADDRESS:
CITY OF AURORA

PROJECT

PROJECT NAME:
BACK-UP PSAP

PROJECT INITIATION DATE:
08/30/2021
CONSOLE TYPE: DEFINE NUMBER OF POSITIONS:
6

SCALE:
3/4" = 1' - 0"

SALES EXECUTIVE
SHANNON PIWINSKI

DESIGNER
JEREMY NIXON

SHEET INDEX

| NO. | SHEET NAME |
|-----|----------------|
| 1 | 3D VIEW 1 |
| 2 | 3D VIEW 2 |
| 3 | PLAN VIEW |
| 4 | ELEVATION VIEW |
| 5 | EQUIPMENT FIT |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| 11 | |
| 12 | |
| 13 | |
| 14 | |
| 15 | |


REVISIONS

| REV | DATE | DESCRIPTION | BY |
|-----|----------|-----------------------------|----|
| A | 09/01/21 | 2D & 3D PRELIMINARY DRAWING | JN |
| B | 09/24/21 | 2D & 3D PRELIMINARY DRAWING | JN |
| C | 10/27/21 | LN's TO 78" & DP01 TO CRNR | JN |
| C | 12/09/21 | EQUIPMENT FIT | JN |

SHEET DESCRIPTION
EQUIPMENT FIT

| DRAWING # | OPTION | REV. | SHEET |
|-------------|--------|------|-------|
| DC-26154-01 | 1 | C | 5/5 |

| | |
|-------------|-------------------------------------|
| <div></div> | CAD LENOVO P410 - 15Hx 4W x 13D |
| <div></div> | PHONE HPZ220 - 8.5H x 3.5W x 15D |
| <div></div> | RADIO 10.5H x 1.7W x 16.75D |
| <div></div> | KVM PLACEHOLDER |



TECHNOLOGY INTEGRATION

Slatwall Array



Slatwall Array



8" of manual focal depth adjustment

12" of electronic height adjustment

Maintaining a healthful viewing distance in monitor intense environments is now easier than ever. Single-point control allows operators to retain alignment and tilt of multiple monitors, including curved and large format, while adjusting height and focal depth.

ARRAY & SHROUD

Your array makes good use of real-estate. Mount monitors and every-day work tools on the front and small-format PCs, indicator lights, and additional work tools on the back. The fabricated steel shroud protects and conceals power connections and cables.



CONFIGURABLE DASHBOARD

The array makes room for a variety of configurable dashboard controls, specified by your agency.



- Sit-stand monitor height
- Personal Comfort System
- Convenience power/data
- Quick-connect keyboard and mouse ports
- Manual status indicator "help" switch
- Goose-neck task lights
- Ambient light control

SPECIFICATIONS


Slatwall Array

MONITOR CAPACITY AND CONFIGURATIONS


The Slatwall Array accommodates a variety of monitor sizes and orientations. Use this chart as a guide when choosing the console width that's right for your team.

The diagrams, at right, demonstrate the capability of the Slatwall Array to house a variety of conventional and trending monitor configurations, including wide-format and large screens.

| Monitors | Linear Console Widths | | | | | 90° Corner Console Widths | | | |
|----------|-----------------------|-----|-----|-----|-----|---------------------------|-----|-----|-----|
| | 72" | 78" | 84" | 90" | 96" | 66" | 72" | 78" | 84" |
| 22" | 3 | 3 | 4 | 4 | 4 | 3 | 4 | 4 | 5 |
| 24" | 3 | 3 | 4 | 4 | 4 | 3 | 4 | 4 | 5 |
| 27" | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 |
| 30" | 2 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 4 |
| 42" | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 |



ADDITIONAL FEATURES



The steel shroud conceals all cables and equipment.

The array comes equipped with two (2) six-outlet power strips.

Both the front and back of the slatwall array holds monitors, small form-factor PCs and additional work tools.


Convenient cable chases keep power and video cables within reach and neatly tucked behind the monitors.

The focal depth adjustment rail is recessed, keeping the work surface free of obstruction.

A steel pull gives the user finite focal depth adjustment.



CONFIGURABLE DASHBOARD









DASHBOARD FOR SIMPLE, INTUITIVE INTERACTION WITH ALL CONSOLE CONTROLS

PROPOSED LOCATION FOR PERSONAL CONVENIENCE OUTLETS, GOOSENECK TASK LIGHT, MANUAL "HELP" LIGHT SWITCH, HOT-SWAP USB KEYSTONES, HEIGHT ADJUSTMENTS, PERSONAL COMFORT SYSTEM CONTROLS, AMBIENT LIGHTING DIMMER SWITCH AND OPTIONAL PTT BUTTON IF APPLICABLE.

[BRIEF DEMONSTRATION VIDEO IS AVAILABLE HERE](#)

DASH CARTRIDGES (ORDERED SEPARATELY)



DASHBOARD PLANNING GUIDE


Array consoles are configured from the factory as shown below. Alternate dash cartridges and voice/data terminations are sold separately and field installed. Use this guide to plan your dash and voice/data connections.

The "In-Trough" data outlets are for permanent connections such as keyboards, mice, phones, etc. The Dash convenience outlets are for quick temporary connections, such as flash drives, headsets, chargers, etc.


Data Color Markers can be used to help identify which system the data terminations are connected to. Each data port has accommodations for a color marker. Data Color Markers are sold separately in bags of 10 or 100.



IN-TROUGH DATA OUTLETS (HIDDEN)
W/ DATA COLOR MARKER ACCOMMODATIONS



DASH CARTRIDGE LOCATIONS



* IF YOU SELECT **A** PLEASE
TYPE OUT DESIRED KEYSTONES









POSITION TYPE:



VOICE/DATA KEYSTONES (ORDERED SEPARATELY)



DATA COLOR MARKERS

| | QUANTITY 10 PK. 100 PK. |
|--|---|
|  BL (BLACK) | <input type="checkbox"/> <input type="checkbox"/> |
|  BR (BROWN) | <input type="checkbox"/> <input type="checkbox"/> |
|  BL (BLUE) | <input type="checkbox"/> <input type="checkbox"/> |
|  RD (RED) | <input type="checkbox"/> <input type="checkbox"/> |
|  GY (GRAY) | <input type="checkbox"/> <input type="checkbox"/> |
|  GR (GREEN) | <input type="checkbox"/> <input type="checkbox"/> |
|  WH (WHITE) | <input type="checkbox"/> <input type="checkbox"/> |
|  HM (HONEY MAPLE) | <input type="checkbox"/> <input type="checkbox"/> |

OPERATOR COMFORT & FOCUS

Gooseneck Task Light



LIGHTING WHERE YOU NEED IT

The Russ Bassett Gooseneck LED Task Light is moveable and fully dimmable. It features a blend of white and red LED elements to provide a natural, even light that is ideal for calming eye strain in monitor intensive environments.



Gooseneck LED Task Light

- Located at the dash, consoles can be specified with one or more task light cartridges. Each cartridge includes one gooseneck LED task light and one dimmer switch.
- The dimming feature allows the user to adjust lighting for optimal comfort in full-light environments and in lower-light applications.



Highest setting glows with neutral white light.



Lowest setting provides a soft red glow.



Single-point dimmer control is within the operator's primary reach zone.

FEATURES

- Energy-efficient LED
- Simple, intuitive control
- Light pivots 180° up, down and side-to-side
- Bulb hood provides additional control of light flood direction
- Compatible with all Russ Bassett consoles

SPECIFICATIONS

| | |
|-----------------------|------------------|
| Power | 150mA @ 12 Volts |
| Light Output | 38 lumens |
| Color Temperature | 4000K |
| Color Rendering Index | 85CRI |
| LED Life Span | 60,000 hours |
| Gooseneck Length | 18" |

OPERATOR COMFORT & FOCUS

Ambient Lighting




AMBIENT LIGHTING

Ambient lighting relieves eye strain and increases monitor image clarity for operators who spend extended hours in monitor intensive environments.



- Above the surface, ambient lighting softens glare in both bright and dimly lit rooms.
- Below the surface, ambient lighting provides both glare reduction and work light in the foot well, guarding against trip hazards and entanglement.
- A desktop dashboard dimmer, shown right, allows operators to dial in their preferred lighting settings and make adjustments throughout their shift. Dimmer also available to mount on a fixed slatwall return.



SPECIFICATIONS

Energy-efficient blue LEDs.
Light position shields operator's eyes from glare.
Soldered leads are protected with heat-shrink wrap for durability and lasting performance.

Lengths are specified to fit the console width.
Above-surface and foot-well lighting ordered separately.
Plug-and-play 12 volt power supply ordered separately.
Optional dimmer switch also available.

OPERATOR COMFORT & FOCUS

Personal Comfort System



COMPLETE COMFORT WITHIN REACH

Cooling and heating at the console allows operators to achieve personalized comfort throughout their shift, helping reduce tension, increase energy, and boost focus.



Personal Comfort System (PCS)

- 2 movable desktop fans
- 2 directionally adjustable heaters, mounted below the surface
- LED-lit control switch



Fans have directional airflow adjustment.



Each heater pivots up and down to focus heat toward the lap and toward the feet.



Operators control the PCS with a single-touch switch.

ADDITIONAL FEATURES


Energy-efficient and ultra-quiet
Simple, intuitive controls
Directionally adjustable forced air heaters
Movable desktop fans
Occupancy sensor
Compatible with all Russ Bassett consoles

SPECIFICATIONS

| | |
|----------------------|--------------|
| Cooling Fan | 400 fpm |
| Forced Air Heat | 200/400W |
| Maximum Current Draw | 4.0 Amps |
| Voltage | 120 Volts |
| Controls | LED Switches |
| Warranty | 3 Years |

CONSOLE ACCESSORIES CUP HOLDER





CONSOLE ACCESSORIES CUP HOLDER

| | |
|--------------|--|
| Part Number | DAC-CUPHLDR-US-R |
| Application | Fits disposable beverage containers, travel mugs and traditional ceramic coffee cups up to 3 1/4" diameter |
| Construction | Welded steel construction with a black powder coated finish |
| Application | Mounts anywhere under the desk, rotates 360° so it can be tucked out of the way |

 **russbassett**
www.russbassett.com

8189 BYRON ROAD WHITTIER, CA 90606 | TEL 562.945.2445 / FAX 562.698.8972 | INFO@RUSSBASSETT.COM

PRODUCT PROTECTION
10 YEAR EVERYTHING WARRANTY



10 YEAR EVERYTHING WARRANTY

Simple, Honest, Robust.

Russ Bassett warrants, to the original Buyer, that all products will be free from defects in material and workmanship for 10 full years.

 ***What's covered?***
Everything.

 ***What's included?***
Parts, Shipping and Labor.

MISSION CRITICAL SERVICE AND SUPPORT

In mission critical, 24/7/365 environments, quickly resolving a product issue is of top priority for both the Buyer and Russ Bassett.


Prompt execution of this warranty requires cooperation. With guidance from Russ Bassett, Buyer agrees to perform basic troubleshooting tasks to determine the nature of the defect and to self-correct before on-site assistance can be provided.

For simple replacements, the part will be quickly shipped directly to Buyer. If the problem requires on-site assistance, Russ Bassett will come out during normal work hours to resolve the issue. If the defect is found to have resulted from circumstances outside of the warranty coverage, and/or Buyer imposes conditions or restrictions that increases the service cost, Buyer agrees to reimburse Russ Bassett for any resulting additional expense. Buyer also agrees to properly dispose of the old parts and packing material.

The few circumstances where this warranty against defects would not apply include normal wear and tear, damage, misuse, modifications, consumable items or product shipped outside the U.S.

Repairs, substitute products or replacements, of equal or higher value, used to resolve a warranty claim will in no way extend the applicable warranty period applied to the original product. Product repair or replacement is Buyer's exclusive remedy for all product defects covered under this non-transferable warranty. Russ Bassett makes no other express or implied warranties to any product except as stated above and makes no warranty of Russ Bassett product fitness except for use as standard console furniture.

Thank you for your consideration!



 russbassett